



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




DETAILS

Product Number	F15404_BARBARA-G2-WW
Family	Barbara
Type	Reflector
Color	metal
Diameter	70 mm
Height	41,9 mm
Style	round
Optic Material	PC
Holder Material	
Fastening	socket
Status	production ready
ROHS Compliant	Yes
Date Updated	3/04/2017



OPTICAL PROPERTIES


LED	Viewing	Light	Effi-		Connector
	Angle	Beam	ciency	cd/lm	
CLL02x/CLU02x (LES10)	sim: 51	Very Wide	sim: 88 %	sim: 1.300	LEDiL: F15255_HEKLA-SOCKET-C
CXA/B 15xx	sim: 51	Very Wide	sim: 91 %	sim: 1.400	LEDiL: F15256_HEKLA-SOCKET-D
SLE G6 LES15	sim: 51	Very Wide	sim: 88 %	sim: 1.300	LEDiL: F15859_HEKLA-SOCKET-I
SLE G6 LES17	sim: 50	Very Wide	sim: 88 %	sim: 1.250	LEDiL: F15859_HEKLA-SOCKET-I



INDEX	PART NO	DESCRIPTION	MATERIAL	COLOUR
1	BARBARA-G2	BARBARA-G2 MECH MODEL	PC	metal

Tolerances if not otherwise shown
 According to DIN ISO 2768-1
 Linear measures:
 Up to 30mm class M, otherwise class C.
 According to DIN ISO 2768-2
 Form and position: class L

LEDiL LediL Oy
 Salorankatu 10
 FIN 24240 SALO
 Finland




DRAWING TITLE
Datasheet Reflector


This drawing is the property
 of LEDiL Oy. It may not be
 reproduced, copied or
 communicated without a written
 agreement with LEDiL Oy.

SIZE	PART NUMBER
A4	BARBARA-G2


SCALE	1:1	WEIGHT		SHEET	1/1
-------	-----	--------	--	-------	-----




Luminaire: Ledil Oy F15404_BARBARA-G2-WW_+_F15255_HEKLA-SOCKET-C_(CLU028)_SIMULATED
Lamps: 1 x Citizen CLU028-1204C4-303M2K1 + F15255_HEKLA-SOCKET-C




Luminaire: Ledil Oy PRELIMINARY_F15404_BARBARA-G2-WW_+_F15859_HEKLA-SOCKET-I_ (SLE_G6_LES15)_SIMULATED
Lamps: 1 x Tridonic SLE G6 LES15 + F15859_HEKLA-SOCKET-I



Luminaire: Ledil Oy F15404_BARBARA-G2-WW+_F15859_HEKLA-SOCKET-I_TRIDONIC_SLE_G6_LES17_SIMULATED
Lamps: 1 x TRIDONIC SLE G6 LES17



Luminaire: Ledil Oy F15404_BARBARA-G2-WW_+_F15255_HEKLA-SOCKET-C_(CLU028)_SIMULATED
Lamps: 1 x Citizen CLU028-1204C4-303M2K1 + F15255_HEKLA-SOCKET-C




cd/klm


— C0 - C180 — C90 - C270

$\eta = 88\%$

Luminaire: Ledil Oy PRELIMINARY_F15404_BARBARA-G2-WW+_F15859_HEKLA-SOCKET-I
(SLE_G6_LES15)_SIMULATED
Lamps: 1 x Tridonic SLE G6 LES15 + F15859_HEKLA-SOCKET-I



Luminaire: Ledil Oy F15404_BARBARA-G2-WWW+_F15859_HEKLA-SOCKET-I_TRIDONIC_SLE_G6_LES17_SIMULATED
Lamps: 1 x TRIDONIC SLE G6 LES17



cd/klm

— C0 - C180 — C90 - C270

$\eta = 88\%$

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.

GENERAL INFORMATION

- Product series especially designed & optimized for series of LEDs.
- Special care taken to make light distribution as uniform as possible.

Note! Due to use of high power COB's with this product, special attention to proper thermal design is highly recommended. LEDiL has no liability for direct, indirect or consecutive damages arising from the LEDiL products being used outside of the recommended temperature range.