imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Finisar

quadwire FDR

PRODUCT BRIEF

KEY FEATURES

- Parallel 4x14Gb/s bi-directional link
- Lightweight
- Low power dissipation: <1.5 W per end</p>
- Small cable bend radius
- Thin cable for large port count architectures and easy installations
- Datacenter lengths available up to 100 meters
- Standard QSFP+ form factor
- Metal enclosure for low EMI
- Single 3.3V power supply
- Operating case temperature range: 0°C to 70°C
- RoHS compliant and Lead-Free

APPLICATIONS

- InfiniBand FDR
- 16x Fibre Channel
- Proprietary high-speed interconnections

56G FDR PARALLEL ACTIVE OPTICAL CABLE



OVERVIEW


Quadwire[®] FDR is a 56Gb/s parallel active optical cable for storage, data, and high-performance computing connectivity. It transmits parallel 4x14Gb/s data over a multimode fiber (MMF) ribbon cable. Based on Finisar's vertically integrated VCSEL array technology and designed with QSFP+MSA-compliant high-density connectors, these new cables are compact, lightweight, and low power. Quadwire FDR is ideally suited for datacenter reaches up to 100m for InfiniBand 4xFDR and other datacom and high-performance computing applications.

KEY ADVANTAGES

- Lowest weight for high port count architectures
- High-density 56Gb/s interconnectivity
- Small bend radius for easy installation and fiber management
- Low power consumption
- Based on industry-standard QSFP+ form factor
- Utilizes Finisar's vertically integrated and highly reliable VCSEL technology

::quadwire[®] FDR

QUODWICE 56G FOR PARALLEL ACTIVE OPTICAL CABLE



GENERAL PRODUCT CHARACTERISTICS

Parameter	Value	Unit	Notes
Module Form Factor	QSFP+		
Number of Lanes	4 Tx and 4 Rx		
Maximum Aggregate Data Rate	56.1	Gb/s	
Maximum Data Rate per Lane	14.025	Gb/s	
Standard Cable Lengths	3, 5, 10, 20, 30, 50, 100	meters	Different lengths may be available upon request
Protocols Supported	InfiniBand, 16x Fibre Channel,		
Electrical Interface and Pin-out	38-pin edge connector		Pin-out as defined by the QSFP+ MSA
Standard Optical Cable Types	Multimode fiber cable assembly, riser or plenum rated		Other cable types available upon request
Maximum Power Consumption per End	1.5	Watts	Varies with output voltage swing and pre-emphasis settings
Management Interface	Serial, I2C-based		As defined by the QSFP+ MSA

PRODUCT SELECTION

	CBG414QB1Cxx CBN414QB1Cxx		cal cable, ribbon riser LSZH jacket cal cable, round plenum jacket
хх	03	3 meter cable	
	05	5 meter cable	
	10	10 meter cable	RX
	20	20 meter cable	and the second
	30	30 meter cable	
	50	50 meter cable	and and a second se
	XO	100 meter cable	

Finisar[®]

1389 Moffett Park Drive Sunnyvale, CA 94089 Phone +1-408-548-1000 Sales: +1-408-541-5690 Email: cables@finisar.com www.finisar.com/cables



Scan this code to access the website

©2012 Finisar Corporation. All rights reserved. Finisar and Quadwire are registered trademarks of Finisar Corporation. Features and specifications are subject to change without notice. 05/12