



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Miga Analog Driver V5 - MOSFET Switch

SKU: FIT0261



INTRODUCTION

Shape Memory metals that were developed by NASA for the space industry, and have been used for increasing applications down on earth. For example, there have been limited studies on using these materials in robotics. They make it possible to create very light robots.

The Miga Analog Driver V5 (MAD-V5) is a MOSFET switch designed to safely power the MigaOne, Dash4, MOBI, NM706-Super, and NM70R-6P shape memory alloy actuators across a wide range of speeds or input voltages. The MAD-V5 allows either push-button control, or external GATE or CNTL signals (from 2.5 - 30V) to switch power until the actuator end-of-travel limit is reached. The MAD-V5 then cuts power momentarily, preventing overheating of the shape memory elements.

APPLICATIONS

- Automotive
 - Bi-directional grill louver mechanism
 - Fuel tank door release mechanism
 - Trunk, glove compartment release mechanism
- Consumer
 - Memory card ejector
 - Electronic latch release
 - Security doors and locks
 - Biometric sensor assist
- Hobby/Miscellaneous
 - Grasping device
 - Undersea Core Sampling Robot
 - Point Of Use sale items
 - Latch release for ROVs
 - Pneumatic actuator replacement

SPECIFICATION

- Working voltage: 5~30v
- Hardware interface: 3p pin header x2
- Vin: +5 to 30v
- GND: Power & Actuator Ground
- GATE: 3v to 30v PWM, Digital CTRL
- Vout: MOSFET-switched Vin
- SW: Actuator End Switch Detection
- safely power the MigaOne, Dash4, MOBI, NM706-Super, and NM70R-6P shape memory alloy actuators
- Size:30x10mm (1.18x0.39")