



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





DFROBOT
DRIVE THE FUTURE



10.1" Diagonal - 1280x800 IPS HDMI/VGA/AV Display

SKU:FIT0476

INTRODUCTION

This 10.1 inch high-resolution 1280*800 IPS display is especially designed as a monitor for LattePanda(which could be used as windows 10 development board), Raspberry Pi and other mini PC. The HDMI/VGA/AV interfaces ensure its wide compatibility. Making a digital photo frame, playing a video, adding a face for your robot, you can expand your imagination, make more fun.



Note: A 7.5~12V DC power adapter is needed for this monitor. Click [Wall Adapter Power Supply](#) to get it.
V1.1 increase an audio port.

SPECIFICATION

- Screen size: 10.1 inch
- Screen Dimensions: 217 * 135mm/ 8.54 * 5.31 inches (16:10)
- Display Dimensions: 230 * 149 * 5.0mm/9.05 * 5.86 * 0.2 inches
- Panel Type: a-Si TFT-LCD Panel
- Resolution (RGB): 1280x800, WXGA
- Display Mode: HFFS, Normally Black, Transmissive
- Surface: Hard coating
- Brightness: 350 cd/m²
- Contrast Ratio: 800:1 (Min.)
- Input Voltage: 7.5~12V
- Rated power: 6-7.5W
- Signal input: AV + VGA + HDMI (HDMI 1.2)
- Support Audio Output
- Weight: 358g

SHIPPING LIST

- HDMI+VGA+2AV LCD controller board x1
- 10.1 inch 1280x800 IPS LCD panel x1
- Spaker (Pair) x1
- LVDS Cable x1
- Keyboard with Wire x1

