



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## FITK

### Description:

This kit contains representative samples of our high frequency Toroidal Inductors. They are useful for a variety of developmental needs including circuit simulation, circuit testing, prototyping and agency evaluations. All items in this kit meet specifications listed in the catalog section referring to the product. This kit is housed in an easy to see, easy to store clear polycarbonate box with a convenient snap closing hinged lid.


### Electrical Specifications (@25C):

Part No.	Min Inductance		Rated DC Amps	Max DCR (mOhm)
	No Bias	At Bias		
FIT44-1	18.85	12.75	2.8	44.8
FIT44-2	14.75	9.82	3.4	30.7
FIT44-3	12.30	7.75	4.0	23.4
FIT44-4	8.06	5.22	4.8	15.9
FIT50-1	47.40	29.00	2.8	78.9
FIT50-2	35.48	23.77	3.4	57.8
FIT50-3	27.16	16.13	4.0	40.1
FIT50-4	21.65	12.27	4.8	29.2
FIT50-5	16.76	9.50	5.7	20.0
FIT50-6	12.50	6.75	6.8	14.0
FIT50-7	8.86	4.80	8.1	11.0
FIT68-1	89.50	57.99	2.8	108.0
FIT68-2	71.10	41.59	3.4	86.1
FIT68-3	54.81	33.05	4.0	59.9
FIT68-4	43.30	26.63	4.8	42.4
FIT68-5	33.15	18.79	5.7	28.8
FIT68-6	24.31	13.56	6.8	20.2
FIT68-7	18.64	10.23	8.1	14.8
FIT80-1	128.0	74.04	4.0	95.2
FIT80-2	107.5	58.05	4.8	67.9
FIT80-3	80.75	42.0	5.7	44.8
FIT80-4	65.04	31.60	6.8	32.8
FIT80-5	47.70	22.79	8.1	22.5
FIT80-6	38.07	18.11	9.7	17.0
FIT106-1	253.0	153.0	4.0	139.0
FIT106-2	197.0	113.0	4.8	106.0
FIT106-3	154.0	84.0	5.7	74.0
FIT106-4	116.0	61.90	6.8	48.5
FIT106-5	93.0	48.0	8.1	39.1
FIT106-6	70.05	35.30	9.7	24.0

For more detailed specifications on individual parts, click on the part number or visit us at: [www.TriadMagnetics.com](http://www.TriadMagnetics.com)

**RoHS Compliance:** As of manufacturing date February 2005, all standard products meet the requirements of 2011/65/EU, known as the RoHS initiative.

\*Upon printing, this document is considered "uncontrolled". Please contact Triad Magnetics website for the most current version. For soldering and washing information please see <http://www.triadmagnetics.com/faq.html>



### Dimensions:

**Height = 2.0"**

**Width = 5.5"**

**Length = 7.25"**

**Weight = 1.5 Lbs.**