

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









www.lemo.com

# FLS.01.250.DLAE31

### **SUMMARY**

#### # Wires

 Low
 0

 High
 0

 Coax
 1

 Triax
 0

 Quad
 0

Fiber 0 Fluidic 0

Series 01

Termination type Male solder

IP rating 50

 Cable Ø
 0.00 - 0.00 mm

 Matching parts
 ERA.01.250.DLL

Status

Alternative part



Image is for illustrative purpose only

#### **Download**

Request a quote

Catalog

### **TECHNICAL DETAILS**

#### **Mechanics**

Shell Style/Model FLS.01\*: Elbow plug, for cable crimping

Keying Circular (can rotate)

Housing Material Brass (gold plated) shell, collet nut, brass latch sleeve and mid pieces

Cable Fixing : 0 - 0 mm

Variant

#### **Performance**

**Configuration** 0.25 : 1 Coax (50 Ohm)

Insulator

**Rated Current** 

#### **Specifications**


Contact Type: Solder

#### **Others**

IP Rating: 50

## **DRAWINGS**

#### **Draws**



#### **Dimensions**

	А	Н	L	М
mm.	7.5	12	12.1	6.6
in.	0,30	0,47	0,48	0,26

# **RECOMMENDED BY LEMO**

**Tools** 

None

**Cables**