



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





American Hakko Products, Inc.

P R O D U C T B U L L E T I N

Bulletin No: PB248



Issue Date: November 29, 2006

Product:

FM2027 Locking Connector Assembly for the FM-202 and FP-102 station

Part No:

FM2027-01
FM2027-02



Specification:

Part No.	Specifications
FM2027-01	Includes FM-2027 connector assembly, B3216 (Yellow) sleeve assembly, B2300 heat resistant pad, and instruction manual
FM2027-02	Connector assembly and instruction manual only.

Applicable soldering stations	FM-202 and FP-102
Power Consumption	70W (24V)
Tip to Ground Resistance	<2Ω
Leak Voltage	<2mV
Cord	1.2m (3.9 ft.)
Total Length (w/o Cord) When T7-D24 tip is attached	188mm (7.4 in.)
Weight (w/o Cord) When T7-D24 tip is attached	30g (1.1 oz)

For pricing information, please contact your local American Hakko representative or our customer service department at (661) 294-0090.

From...

American Hakko Products, Inc.
28920 N. Avenue Williams.
Valencia, CA 91355
Tel: (661) 294-0090
Fax: (661) 294-0096
www.hakkousa.com
AHP14 Rev 2000-01

Comments:

The FM-2027 locking connector assembly provides additional support to a T7 series tip. The tip locks into the sleeve assembly with an audible click and then the sleeve assembly locks into the connector. To unlock the assembly the operator simply presses the tabs on the sleeve assembly. The FM-2027 may be used with the FM-202 and FP-102 soldering systems.

Accessories:

Part No.	Name	Specifications
B3216	Sleeve assembly Yellow (Lock type, antibacterial)	Requires FM-2027 connector assembly
B3217	Sleeve assembly Orange (Lock type, antibacterial)	Requires FM-2027 connector assembly
B3218	Sleeve assembly Blue (Lock type, antibacterial)	Requires FM-2027 connector assembly
B3219	Sleeve assembly Green (Lock type, antibacterial)	Requires FM-2027 connector assembly
B3240	Conversion kit, sleeve assembly and locking connector cover. Converts a FM-2021 connector to a locking FM-2027 connector.	Yellow sleeve assembly, B3216 and connector cover, B3215
B3271	Conversion kit, sleeve assembly and locking connector cover. Converts a FM-2021 connector to a locking FM-2027 connector.	Blue sleeve assembly, B3218 and connector cover, B3215
B3272	Conversion kit, sleeve assembly and locking connector cover. Converts a FM-2021 connector to a locking FM-2027 connector.	Orange sleeve assembly, B3217 and connector cover, B3215
B3273	Conversion kit, sleeve assembly and locking connector cover. Converts a FM-2021 connector to a locking FM-2027 connector.	Green sleeve assembly, B3219 and connector cover, B3215
B3215	Connector cover	To convert FM-2021 to FM-2027

Available:

December 1, 2006

For pricing information, please contact your local American Hakko representative or our customer service department at (661) 294-0090.

From...

American Hakko Products, Inc.
28920 N. Avenue Williams.
Valencia, CA 91355
Tel: (661) 294-0090
Fax: (661) 294-0096
www.hakkousa.com
AHP14 Rev 2000-01