

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







NOTES:

1. MATERIALS AND FINISHES

BODY - BRASS, NICKEL PLATING CONTACT - BERYLLIUM COPPER, SILVER PLATING INSULATOR - PTFE

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM

B. FREQUENCY RANGE: DC 0-4 GHz

D. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.

MECHANICAL:


A. DURABILITY: 500 CYCLES MIN.

B. TEMPERATURE RANGE: - 65°C to +165°C

4. USED WITH CABLES: 59B/U, 62A/U, 71B/U, 140/U, 210/U

5. CONTACT PIN SOLDER TO CABLE

6. INSULATOR IS USED WITH RG-62A/U OR RG-71B/U CABLES ONLY.



RECOMMENDED							
CABLE	STRIPPING	DIM'S					

- 7.92 -


CABLE	Α
RG-59 B/U	2.78
RG-62 A/U	7.57
RG-71 B/U	3.57

⊕ ←

REV

S REDRAWN TO UPDATE FORMAT

THIRD ANGLE PROJ.



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

REVISIONS

ECO

47204

48842

DATE

08-Dec-08'

26-Dec-11

APPR

SH

SH

DESCRIPTION

T STAMP "AMPHENOL" WAS "74868"\RD-DM11120601R3

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:	MATERIAL	DRAWN	DATE	TITLE			Amphenol RF
0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ±0.1mm ±0.2mm ± 0.3mm ±1°	REFERENCE APPROVE S. HSI	R.MAO	12-Dec-11	BNC JACK UG-261/U			Danbury CT USA, Tainan Taiwan, Shenzhen China www.amphenoIrf.com
NOTICE - These drawings, specifications, or other data (1) are, and remain the		ENGINEER	DATE				
property of Amphenol Corp. (2) must be returned upon request; and (3) are			29-Jul-03				DRAWING NO.31-15
are given by Amphenol Corp. The furnishing of these drawings, specifications, or		APPROVED	DATE				
other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any		S.HSIEH	12-Dec-11	SCALE: 3/1	SHEET	2 OF 2	ITEM NO. 31-15
		CAD FILE		DWG SIZE	CODE ID	REV	
product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	FINISH	F:\DWG\CNPD\31\15-TSZ		В	74868	T	PART NO. 31-15