



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





American Hakko Products, Inc.

PRODUCT BULLETIN

Bulletin No: PB358

Issue Date: 3-31-2015

Available: 4-27-2015

Product Description:

HAKKO FR-870B 2-Bank IR Preheater

Part No:

FR870B-04



Contents:

Part No.	Description
--	FR-870B 2-Bank IR Preheater
B2419	Power Cord
B3516	Thermocouple
A5003	Spare Heating Lamp

Specification:

Model	FR-870B
Input Voltage	120 VAC 50/60 Hz
Power Consumption	730W
Heater Area (W x D)	248 x 140 mm (9.8 x 5.5 in.)
Effective Heating Area (W x D)	190 x 80 mm (7.5 x 3.2 in.)
Maximum Board Depth	220 mm (8.7 in.)
Heating Zones	2
Operating Modes	Manual – Power; Manual – Thermocouple Automatic – Power; Automatic – Thermocouple
External T/C Range	50 – 200°C (122 – 392°F)
External T/C Stability	±5°C (±9°F)
Power Range	0 – 100% (1% increments)
T/C Inputs	1
Heater Control	Power – Percentage-based Thermocouple – PID Control
Heater Type	High Efficiency Carbon Filament
Heater Lamp MTBF	Approx. 2100 hours
External Connections ¹	1 – Integrate w/ FR-803B or FM-206
ESD Safe	Yes

¹ Requires optional cable (not included)


Specifications continued on page 2

AHP14 Rev 2012-11



American Hakko Products, Inc.

Specification (continued):

Dimensions (W x H x D)	296 x 100 x 311 mm (11.7 x 3.9 x 12.2 in.)
Weight	3.2 kg (7.1 lb.)
Shipping Dimensions (W x H x D)	407 x 203 x 425 mm (16 x 6 x 16.7 in.)
Shipping Weight	4.77 kg (10.5 lb.)
Safety Approval	

Comments:

The HAKKO FR-870B 2-Bank IR Preheater is an updated replacement for the popular HAKKO FR-870 IR Preheater that includes and upgrade to use the new high efficiency carbon filament lamps that nearly eliminates the visible spectrum while maintaining a very high output in the infrared spectrum with minimal shadowing, allowing for a very even preheating of the PCB.

The HAKKO FR-870B also includes an upgrade to use the new software features found in the FR-872 4-Bank IR Preheater, allowing you to control the ramp rate at 1, 2, or 3 degrees Celsius per second when you are in one of the two thermocouple modes.

The HAKKO FR-870B has 2 switchable zones for heating and still offers the same low profile and with a simple integrated PCB holder that is very easy to setup, automatic operation modes allowing for a 3-heating zone profile that can be programmed into the system, and a total of 10 profiles that can be stored for each automatic operation mode. The HAKKO FR-870B can also be integrated for start/stop operation in conjunction with the popular HAKKO FR-803B Hot Air Rework Station, or the HAKKO FM-206 3-Port Rework System (integration requires an optional connection cable that is not included).

For more information please visit us at www.HakkoUSA.com