



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PART NO	WIRE RANGE AWG (mm ²)	COLOR	STRIP LENGTH (mm)	A	P	ID-1	OD-1	ID-2	OD-2	INSTALLATION TOOLS
FSF72-6-D	26 (0,14)	BROWN	3/8 (9,5)	0,41 (10,5)	0,24 (6,0)	0,03 (0,8)	0,05 (1,3)	0,08 (2,0)	0,10 (2,5)	CT-1002
FSF72-8-D			15/32 (11,9)	0,49 (12,5)	0,31 (8,0)	0,03 (0,8)	0,05 (1,3)	0,08 (2,0)	0,10 (2,5)	
FSF73-6-D	24 (0,25)	VIOLET	3/8 (9,5)	0,41 (10,5)	0,24 (6,0)	0,03 (0,8)	0,05 (1,3)	0,08 (2,0)	0,10 (2,5)	
FSF73-8-D			15/32 (11,9)	0,49 (12,5)	0,31 (8,0)	0,03 (0,8)	0,05 (1,3)	0,08 (2,0)	0,10 (2,5)	
FSF74-6-D	24 (0,34)	PINK	3/8 (9,5)	0,41 (10,5)	0,24 (6,0)	0,03 (0,8)	0,05 (1,3)	0,08 (2,0)	0,10 (2,5)	
FSF74-8-D			15/32 (11,9)	0,49 (12,5)	0,31 (8,0)	0,03 (0,8)	0,05 (1,3)	0,08 (2,0)	0,10 (2,5)	
FSF75-6-D	22 (0,50)	WHITE	3/8 (9,5)	0,45 (11,5)	0,24 (6,0)	0,04 (1,1)	0,06 (1,4)	0,10 (2,5)	0,12 (3,0)	
FSF75-8-D			15/32 (11,9)	0,53 (13,5)	0,31 (8,0)	0,04 (1,1)	0,06 (1,4)	0,10 (2,5)	0,12 (3,0)	
FSF75-10-D			17/32 (13,5)	0,61 (15,5)	0,39 (10,0)	0,04 (1,1)	0,06 (1,4)	0,10 (2,5)	0,12 (3,0)	
FSF76-6-D	20 (0,75)	BLUE	3/8 (9,5)	0,47 (12,0)	0,24 (6,0)	0,05 (1,3)	0,06 (1,6)	0,11 (2,8)	0,13 (3,2)	
FSF76-8-D			15/32 (11,9)	0,55 (14,0)	0,31 (8,0)	0,05 (1,3)	0,06 (1,6)	0,11 (2,8)	0,13 (3,2)	
FSF76-10-D			17/32 (13,5)	0,63 (16,0)	0,39 (10,0)	0,05 (1,3)	0,06 (1,6)	0,11 (2,8)	0,13 (3,2)	
FSF76-12-D			5/8 (15,9)	0,71 (18,0)	0,47 (12,0)	0,05 (1,3)	0,06 (1,6)	0,11 (2,8)	0,13 (3,2)	
FSF77-6-D	18 (1)	RED	3/8 (9,5)	0,49 (12,5)	0,24 (6,0)	0,06 (1,5)	0,07 (1,8)	0,12 (3,0)	0,14 (3,6)	
FSF77-8-D			15/32 (11,9)	0,57 (14,5)	0,31 (8,0)	0,06 (1,5)	0,07 (1,8)	0,12 (3,0)	0,14 (3,6)	
FSF77-10-D			17/32 (13,5)	0,65 (16,5)	0,39 (10,0)	0,06 (1,5)	0,07 (1,8)	0,12 (3,0)	0,14 (3,6)	
FSF77-12-D			5/8 (15,9)	0,73 (18,5)	0,47 (12,0)	0,06 (1,5)	0,07 (1,8)	0,12 (3,0)	0,14 (3,6)	
FSF78-6-D	16 (1,50)	BLACK	3/8 (9,5)	0,49 (12,5)	0,24 (6,0)	0,07 (1,8)	0,08 (2,1)	0,13 (3,4)	0,16 (4,0)	
FSF78-8-D			15/32 (11,9)	0,57 (14,5)	0,31 (8,0)	0,07 (1,8)	0,08 (2,1)	0,13 (3,4)	0,16 (4,0)	
FSF78-10-D			17/32 (13,5)	0,65 (16,5)	0,39 (10,0)	0,07 (1,8)	0,08 (2,1)	0,13 (3,4)	0,16 (4,0)	
FSF78-12-D			5/8 (15,9)	0,73 (18,5)	0,47 (12,0)	0,07 (1,8)	0,08 (2,1)	0,13 (3,4)	0,16 (4,0)	
FSF78-18-D			7/8 (22,2)	0,96 (24,5)	0,71 (18,0)	0,07 (1,8)	0,08 (2,1)	0,13 (3,4)	0,16 (4,0)	

PART NO	WIRE RANGE AWG (mm ²)	COLOR	STRIP LENGTH (mm)	A	P	ID-1	OD-1	ID-2	OD-2	INSTALLATION TOOLS
FSF79-8-D	14 (2,50)	YELLOW	15/32 (11,9)	0,57 (14,5)	0,31 (8,0)	0,08 (2,1)	0,09 (2,4)	0,14 (3,6)	0,17 (4,2)	CT-1002 CT-1003
FSF80-8-D			15/32 (11,9)	0,59 (15,0)	0,31 (8,0)	0,09 (2,3)	0,10 (2,6)	0,17 (4,2)	0,19 (4,8)	
FSF80-12-D		GREY	5/8 (15,9)	0,75 (19,0)	0,47 (12,0)	0,09 (2,3)	0,10 (2,6)	0,17 (4,2)	0,19 (4,8)	
FSF80-18-D			7/8 (22,2)	0,98 (25,0)	0,71 (18,0)	0,09 (2,3)	0,10 (2,6)	0,17 (4,2)	0,19 (4,8)	
FSF81-10-D	12 (4)	ORANGE	17/32 (13,5)	0,69 (17,5)	0,39 (10,0)	0,11 (2,9)	0,13 (3,3)	0,19 (4,8)	0,21 (5,4)	
FSF81-12-C			5/8 (15,9)	0,79 (20,0)	0,47 (12,0)	0,11 (2,9)	0,13 (3,3)	0,19 (4,8)	0,21 (5,4)	
FSF81-18-C			7/8 (22,2)	1,02 (26,0)	0,71 (18,0)	0,11 (2,9)	0,13 (3,3)	0,19 (4,8)	0,21 (5,4)	
FSF82-12-C	10 (6)	GREEN	5/8 (15,9)	0,79 (20,0)	0,47 (12,0)	0,14 (3,6)	0,16 (4,0)	0,24 (6,2)	0,27 (6,8)	
FSF82-18-C			7/8 (22,2)	1,02 (26,0)	0,71 (18,0)	0,14 (3,6)	0,16 (4,0)	0,24 (6,2)	0,27 (6,8)	
FSF83-12-C	8 (10)	BROWN	5/8 (15,9)	0,83 (21,0)	0,47 (12,0)	0,18 (4,6)	0,20 (5,0)	0,30 (7,5)	0,32 (8,1)	
FSF83-18-C			7/8 (22,2)	1,06 (27,0)	0,71 (18,0)	0,18 (4,6)	0,20 (5,0)	0,30 (7,5)	0,32 (8,1)	
FSF84-12-C	6 (16)	WHITE	5/8 (15,9)	0,91 (23,0)	0,47 (12,0)	0,24 (6,0)	0,25 (6,4)	0,35 (8,8)	0,38 (9,6)	
FSF84-18-C			7/8 (22,2)	1,14 (29,0)	0,71 (18,0)	0,24 (6,0)	0,25 (6,4)	0,35 (8,8)	0,38 (9,6)	
FSF85-16-L	4 (25)	BLACK	3/4 (19,1)	1,14 (29,0)	0,63 (16,0)	0,30 (7,5)	0,31 (7,9)	0,43 (11,0)	0,47 (12,0)	
FSF85-18-L			7/8 (22,2)	1,22 (31,0)	0,71 (18,0)	0,30 (7,5)	0,31 (7,9)	0,43 (11,0)	0,47 (12,0)	
FSF85-22-L			1 (25,4)	1,38 (35,0)	0,87 (22,0)	0,30 (7,5)	0,31 (7,9)	0,43 (11,0)	0,47 (12,0)	
FSF86-16-L	2 (35)	RED	3/4 (19,1)	1,18 (30,0)	0,63 (16,0)	0,33 (8,5)	0,35 (8,9)	0,49 (12,5)	0,53 (13,5)	
FSF86-18-L			7/8 (22,2)	1,26 (32,0)	0,71 (18,0)	0,33 (8,5)	0,35 (8,9)	0,49 (12,5)	0,53 (13,5)	
FSF86-25-L			1 (28,6)	1,54 (39,0)	0,98 (25,0)	0,33 (8,5)	0,35 (8,9)	0,49 (12,5)	0,53 (13,5)	
FSF87-20-L	1 (50)	BLUE	15/16 (23,8)	1,42 (36,0)	0,79 (20,0)	0,41 (10,5)	0,44 (11,1)	0,59 (15,0)	0,64 (16,2)	
FSF87-25-0			1 (28,6)	1,61 (41,0)	0,98 (25,0)	0,41 (10,5)	0,44 (11,1)	0,59 (15,0)	0,64 (16,2)	



NOTES:

- MATERIAL:
A. STAMPING - COPPER, TIN PLATED
B. HOUSING - PLASTIC, COLOR CODED
- DIMENSIONS IN BRACKETS ARE IN mm OR mm²
- FOR TOLERANCING REFER TO DIN 46228 PART 4
- PACKAGE QTY.: -0:25
-L:50
-C:100
-D:500

						CIG FILENAME/LAYERS		A41668_03	
						PANDUIT CORP TINLEY PARK, ILLINOIS			
						FERRULE - SINGLE WIRE (FRENCH)			
						UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE 1 (,XX) ± (,XXX) ± ANGLES ±			
						UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION			
03	1/01	EJS	ADDED PACKAGE CODE TO PART NUMBER, ADDED NOTE 4						
02	3/99	JKD	SKB	WIRE RANGE FOR CT-1003 TOOL WAS 14-8 AWG			07519	TRO	JCJ
01	3/99	JKD	SKB	WIRE RANGE WAS 22 FOR FSF74-6 & -8, 20 FOR FSF75-6, -8 & -10			07488	TRO	JCJ
00	2/99	JKD	SKB	RELEASED			07459	TRO	JCJ
REV	DATE	BY	CHK	DESCRIPTION			ECN #	PM	CUST
						DRAWN BY		MATT'L	
						DATE		SCALE	
						2/9/99		NONE	
						DRAWING NO.		DWG	
						A41668		B	
								SIZE	