



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Ordering Info for 115VAC versions



Delivery includes Fan tray assembly, molex power connector and mating pins.

Part Number	Description	Fan Specification
FT1U-3	3-Fans, 1.72"H x 19"W x 7.9"D	89 CFM, 52 dBA each fan
FT1U-6	6-Fans, 1.72"H x 19"W x 13.1"D	89 CFM, 52 dBA each fan
FT1U-9	9-Fans, 1.72"H x 19"W x 18.3"D	89 CFM, 52 dBA each fan



Ordering Info for 12VDC versions

Part Number	Description	Fan Specification
FT1U-3AC	3-Fans, 1.72"H x 19"W x 7.9"D	70 CFM, 52 dBA each fan
FT1U-6AC	6-Fans, 1.72"H x 19"W x 13.1"D	70 CFM, 52 dBA each fan
FT1U-9AC	9-Fans, 1.72"H x 19"W x 18.3"D	70 CFM, 52 dBA each fan

Delivery includes Fan tray assembly and 6' long 10A, 115VAC power cord.

Features

1U, 19" Rack-mountable Fan Trays

- 1U x 19", Rack-mountable per EIA-RS-310D
- Designed for high airflow performance
- Available in 3, 6 or 9 fan sizes
- Available with 115VAC or 12VDC input

Fan trays are designed as a cost effective solution, providing cooling as integral part of the rack equipment. Designed to operate at fixed speeds, the fans offer good reliability and performance in high density applications, providing an even airflow across the full cabinet width.

Fan trays are fully assembled, factory tested. All electrical components and finger guard covers are UL approved and recognized.