



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Gang Flash Programming Support for GainSpan GS200 Wifi Modules



GainSpan is changing the Wi-Fi industry with technology that lets users add Wi-Fi connectivity to nearly any product. High speed 4Gang programming of these modules are supported by Xeltek **SuperPro 7100**. **SuperPro 7100** is an advanced gang programmer that can program four chips in parallel at high programming speed. Powerful software features allow users to erase, blank check, program, verify and read MAC address from Gainspan wifi modules.

Xeltek have designed Clamshell socket adapters for easy insertion of Gainspan 49-pin **GS2011M**, 37-pin **GS2011MxxS**, and 40-pin **GS2100M** low power WiFi modules:

Gainspan Module	Number of pins	Socket Adapter	Xeltek Programmer
GS2011MIE	49	FX9998-T001	Superpro 7100
GS2011MIPS	37	FX9997-T001	Superpro 7100
GS2100MIP	40	FX9999-T001	Superpro 7100

SuperPro 7100 can operate in both PC and stand-alone mode (no PC required). Stand-alone cluster setup allow users to program 8 chips at a time.

FX9997-T001



Socket Adapter for GS2011MlxxS 37 pin module

FX9998-T001 Socket Adapter



Programmer: SuperPro 7100

FX9999-T001 Socket Adapter



Programmer: SuperPro 7100