imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



	1		2			3			
							1		
						DRAWN	REV		
D	E-A-R					DH	00		
						KP/TC	01		
		~	4.45	5[.175]		ТС	02		
	A -		12.7 [.500]				02		
	7.		*Ø 4.83 [.190] 1.5	57[.062]					
		<pre>i \</pre>							
			\backslash						
				×					
		{ {	45° X 1.0N	IM CHAMFER —	Ø 9.53 [.3	375]			
C									
	\backslash								
		Í							
	Α-		—CAVITY #	1.44[.057]>					
					1.44[.057]]			
		SECTION A-A							
	G-505-1	C-1002							
B	G-505-2	C-1105							
	G-505-3	C-1100							
	G-505-C8012	C-8002	3. MAX DRAFT: 2° .						
	G-505-8	C-8002							
	G-505-C8001	C-8001	2. CRITICAL DIMENSIONS SHALL HAVE Cpk VALUE >=						
	G-505-V2325 G-505-V2350	V-2325 V-2350	1. CRITICAL DIMENSIONS ARE MARKED WITH "*".						
	G-505-V2350 G-505-V2375	V-2350 V-2375			-0.				
	G-505-V2375 V-2375 NOTES:								
	G-505-V2550	V-2550				ATERIAL:			
	G-505-V2575	V-2575	RANGE	TOL I	UNITS ARE: MM [IN] OLERANCE FOR ANGLES: ±1.0°	SEE TABLE ON	LEFT		
Α	G-505-V2590	V-2590	0 <dim<=2 [0.078]<="" td=""><td>± 0.15 [.006]</td><td>QL</td><td>JALITY CONTROL: MUST COMPLY WITH E-A-</td><td>-R</td><td></td></dim<=2>	± 0.15 [.006]	QL	JALITY CONTROL: MUST COMPLY WITH E-A-	-R		
	G-505-V2725	V-2725	2 [0.078] <dim<=25 [0.98]<="" td=""><td></td><td>LLOWABLE FLASH:</td><td>SPECIALTY COMPOSITES SUPPLIER QUALITY MANU</td><td>3</td><td></td></dim<=25>		LLOWABLE FLASH:	SPECIALTY COMPOSITES SUPPLIER QUALITY MANU	3		
	G-505-V2750	V-2750	25 [0.98] <dim<=50 [1.969]<="" td=""><td></td><td>2MM [.050] GATE: NO</td><td>REQUIREMENTS DTES:</td><td></td><td></td></dim<=50>		2MM [.050] GATE: NO	REQUIREMENTS DTES:			
	G-505-V2775	V-2775		L±	25MM [.010] AN	Y FEATURE NOT DIMENSIC	ONED RESENT		
	PART NUMBER	MATERIAL	50 [1.969] <dim 0.6="" [.024]<="" td="" ±=""><td>0.5 GRAM REF</td><td>PRINT MUST BE VISIBLY PR ILIZE 3D CAD FOR CREATION</td><td>ON</td><td></td></dim>		0.5 GRAM REF	PRINT MUST BE VISIBLY PR ILIZE 3D CAD FOR CREATION	ON		
			0			0			

1

2

3

		4		
	REVISIONS			
DESCRIPTION		DATE	APPROVED	
ORIGINAL		8-26-98	DC	
UPDATED FORMAT, NOTES, TOLERANCES, ADDED WEIGHT, CAVITY LOCATION, AND -X TO NAMING CONVENTION.		9-8-11	MS	D
DELETED INCORRECT MATERIAL V2599 FROM TABLE		11-2-11	MS	

С

В

Α

JE >= 1.33 WITH ONGOING SPC DATA REQUIRED.

AEARO TECHNOLOGIES LLC * a 3M company

GROMMET - SYMMETRIC, NON-RIBBED

DRAWING NO.
G-505-X

TITLE

size B PAGE NO. 1 OF 1