

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







PROFESSIONAL.



International



ORIGINAL CHERRY.

THE POWER OF IDEAS COMBINED WITH THE RELIABILITY OF EXPERIENCE ...

CHERRY has developed and produced innovative input systems for computers since 1967. The difference in quality, reliability, durability and design is something you need to experience first-hand. No other manufacturer has more experience and knowledge worldwide. How does this benefit you, the customer? CHERRY products are synonymous with first-rate technology.

From the very beginning, CHERRY products have delighted customers and operators with uncompromising high quality and attractive ergonomic designs. In other words: CHERRY fulfils and exceeds the expectations of both professional and private users with specially tailored input solutions for all areas.

Insist on original CHERRY ...

CHERRY Professional







PERFORMANCE PLUS

PAGE 08-11 OFFICE

PAGE 12-43 **eHEALTH**

PAGE 44-49







SECURITY

PAGE 50 - 63 INDUSTRIAL

PAGE 64-79 POS/POT

PAGE 80 - 105

	mber		page	p_			Calu (ellilla)							(USB / PS/2)			4	sCard™	mat	Wireless transmission	Codeset 3 support	Touchpad / Trackball	Programmable buttons	Smart card terminal	Magnetic card terminal	Contactless smart card terminal	Biometric fingerprint sensor	ē	
	Part number	Z Z Z	Catalog page	Keyboard	Desktop	Mouse	Olliai C	× Z	SX	LPK	ATK	NTK	RealKey	Combo (USB	PS/2	USB	PCMCIA	ExpressCard TM	19" Format	Wireles	Codese	Touchp	Progran	Smart	Magnet	Contact	Biometr	Software	Other
				PR	ODU	CT TYPI			TEC	HNOL	_OGY*	k			CON	INEC	TION					F	UNC	CTION	1				
Ь	G80-3930	MX-BOARD 6.0	11				Т	•																					
Ш	G85-23200	STREAM 3.0	14	=			7							=															
OFFICE	G85-23200	STREAM 3.0 T2	15																										"Europe-Keyboard"
0	G80-3800	MX-BOARD 2.0	16																										
	G80-3850	MX-BOARD 3.0	17	=				-																					
	JK-0800	KC 1000	18	=																									
	JK-0300	STRAIT	19	=					-							-													
	JK-0340	STRAIT BLACK	21	=																									
	G80-1800	COMPACT	22	=				-						=					=		=								
	G80-3000	STANDARD	23	=				-						=															
	JK-1700	KW 2000	24	-			_			-						-													
	JD-0300	DW 8000	27				_		=							=													
	JD-0510	DW 5100	28																										
	JD-0400	B.UNLIMITED AES	29				_									-													
	JD-0700	DW 3000	30				4			•						•													
	JD-0800-2	DC 2000	31				4									-													
	JW-T0100	MW 3000	33			-	4									•													
	JW-0700-2	MW 2400	34			-	4									•													
	JW-T0310	MW 2310	35			-	1									=				•									
	JW-T0210	MW 2110	36																										

^{*} For a detailed description of the technology please see the service pages 112-113.

CHERRY	Profe	ssinna

	CHERRY	Professional					minal								PS/2)						mission	ort	ckball	buttons	minal	terminal	rt card termina	print sensor		
	Part number	Name	Catalog page	Keyboard	Desktop	Mouse	Smart card terminal	XX	ML	SX	LPK	ATK	NTK	RealKey	Combo (USB/	PS/2	USB	PCMCIA	ExpressCard™	19" Format	Wireless transmission	Codeset 3 support	Touchpad / Trackball	Programmable buttons	Smart card terminal	Magnetic card terminal	Contactless smart card termina	Biometric fingerprint sensor	Software	Other
				PR	ODU	CT TY	/PE			TECH	HNOL	.OGY	k			CON	NEC.	TION					F	UNC	MOIT	l				
핑	JM-4000	MC 4000	37														-													Illuminated
OFFICE	JM-0120	MC 3000	38																											
	JM-0600-2	MC 2000	39			=																								Tilt-Wheel
	JM-0800	MC 1000	40																											
	M-5400/-0	WHEELMOUSE	41			=																								
	M-5450	WHEELMOUSE	41																											
	JM-0300-0	GENTIX	42			=																								Illuminated
	JM-0300-2	GENTIX	42			=																								Illuminated
	JM-0300	GENTIX	43			=																								
王.	EZN-4100	EZCLEAN KB	46																											Cover + Keyboard
eHEALTH	ST-1503	BCS TERMINAL	47																											
e T	ST-2052	MKT+ TERMINAL	48																											
	ST-1530	MOBILE TERMINAL	49																											
\succeq	JK-A0100	KC 1000 SC	53																											FIPS 201 certified
SECURITY	JK-A0104	KC 1000 SC	53																											TAA comliant
SEC	JT-0300	TC 1300	55																											
	JT-0200	TC 1200	56																											
	JT-0100	TC 1100	57																											FIPS 201 certified
	ST-1144	SMARTTERMINAL	58																											FIPS 201 certified
	ST-2000	SMARTTERMINAL	59																											

^{*} For a detailed description of the technology please see the service pages 112-113.

	Part number	Name	Catalog page	Keyboard	Desktop	Mouse	Smart card terminal	MX	ML	SX	LPK	ATK	NTK	RealKey	Combo (USB / PS/2)	PS/2	USB	PCMCIA	ExpressCard™	19" Format	Wireless transmission	Codeset 3 support	Touchpad / Trackball	Programmable buttons	Smart card terminal	Magnetic card terminal	Contactless smart card terminal	Biometric fingerprint sensor	Software	Other
				PR	RODUC	CT TYP	E		-	ΓECH	INOL	OGY*				CON	NEC	TION					F	UNC	TION	1				
\succeq	G83-14401	FINGERTIP ID BOARD	60	-													=													
SUR	G83-14501	FINGERTIP ID BOARD	61														-													
INDUSTRIAL SECURITY	M-4230	FINGERTIP MOUSE	62																											
AL	JK-1068	KC 1068	67																											IP 68
TRI	JK-0700	KC 4000	68	-													=			=										
DOS	JK-0720	KC 4020	69	=																=										Backlight
\leq	G84-4400	TRACKBALL	70	-												=	=			=										Optical Trackball
	G84-4420	TRACKBALL	71	-												=	=			=										Optical Trackball
	G84-4700	KEYPAD	71														=													
	G84-5200	XS COMPLETE	72	-											=					=										
	G86-52400	MINI INDUSTRIAL	73														-													
	G80-11900	TOUCHBOARD	74	-													=			=										
	G86-62400	COMPACT SERIES	75																											IP 54
	J86-4400	VANDAL PROOF	76	-													=													IP 65
	J84-2120	BACKLIT	78																											Washable
	MW-2900	WASHABLE MOUSE	79														-													Washable
TO	G80-8000	MX MULTIBOARD	82																											
POS/POT	G80-8040	MX MULTIBOARD	83	•													=								-	=			=	
PO	G80-8113	MULTIBOARD V2	84	•													=						•			=			-	
	G80-8200	MULTIBOARD V2	85														=													

^{*} For a detailed description of the technology please see the service pages 112-113.

CHERRY Profossional

	Professional	page				card terminal								SB / PS/2)				ard TM	at	Wireless transmission	support	Touchpad / Trackball	Programmable buttons	Smart card terminal	card terminal	s smart card termina	Biometric fingerprint sensor		
Part number	Name	Catalog pa	Keyboard	Desktop	Mouse	Smart car	×	M	SX	LPK	ATK	NTK	RealKey	Combo (USB	PS/2	USB	PCMCIA	ExpressCard™	19" Format	Wireless t	Codeset 3	Touchpad	Programn	Smart car	Magnetic o	Contactless	Biometric	Software	Other
			-		ICT TY					HNOL					CON		TION					F	UNC	TION					
G86-61400	SPOS	86	-																										
G86-61400 G86-61401 G86-61410	SPOS	87	-																										
G86-61410	SPOS	88	=																										
G86-61411	SPOS	89	=																										
G86-61510	SPOS	90	=																										Encryptable MSR
G86-61511	SPOS	91																											Encryptable MSR
G86-62430	SPOS BIO	92	=																										
G86-62460	SPOS BIO	93	=								=																		
G86-62461	SPOS BIO	94	=								=														-			=	
G86-63400	SPOS MATRIX	95	=								=																		Rows & Columns
G86-63401	SPOS MATRIX	96	=								=											=						=	Rows & Columns
G86-63410	SPOS MATRIX	97	=								=																	-	Rows & Columns
G86-63411	SPOS MATRIX	98	=								=					-						•			-			=	
G86-71400	LPOS	99	=								=																	-	
G86-71410	LPOS	100	=								=					=									=			=	
G86-71411	LPOS	101	=								=					-						•						=	
G86-71510	LPOS	102	=								=					=									=			=	Encryptable MSR
G86-71511	LPOS	103	=								=											•						=	Encryptable MSR
G86-51410	MPOS	104									=																		

^{*} For a detailed description of the technology please see the service pages 112-113.



PERFORMANCE PLUS. ORIGINAL CHERRY.

INPUT DEVICES IN UNPRECEDENTED QUALITY -IN TERMS OF TECHNOLOGY, MATERIAL AND DESIGN.

In every product class, CHERRY sets the standard for performance with its outstanding reliability, functionality and durability.

We combine the very best of our CHERRY technology. We only use the highest-quality materials and merge them all in an exceptional design. Only this allows us to exceed our own standards.

Following the road to uncompromising perfection has its price. Because the experience is exclusive. Because it goes far beyond performance. Because it means showing what is possible. That is Performance Plus by CHERRY.









CHERRY MX BOARD 6.0

CORDED MX KEYBOARD WITH REALKEY ANALOG TECHNOLOGY

UNCOMPROMISINGLY FAST WHILE CONCENTRATING ON THE ESSENTIALS.

- ightarrow The world's fastest keyboard with CHERRY MX and CHERRY RK
- → Mechanics: CHERRY MX technology Gold Crosspoint precision module for all keys "Made in Germany"
- → Electrics: CHERRY RealKey technology fully analog signal processing
- → Full N-Key rollover all keys are read simultaneously
- → 100 % anti-ghosting no inputting errors
- → Aluminium top housing with sanded finish and grease resistant coating
- → Bi-color status keys (blue backlight when activated)
- → Win-Key deactivation
- → 12 double function keys
- → Red LED key backlight with adjustable brightness (dimmer)
- → Rubber palm rest with magnetic connector (quick-snap)
- → 200 cm cable with textile covering

HNICAL DATA	
ensions	approx. 454 x 147 x 28,4 mm
le length	approx. 2 m
rent consumption	max. 479 mA
nection	USB

PART NUMBER	COLOR	MODULE	OPERATION	FORCE
G80-3930LYBxx-2	Aluminium	Red Switch	Linear	45 cN

10 PERFORMANCE PLUS 11



OFFICE ORIGINAL CHERRY.

HIGH-QUALITY KEYBOARDS AND MICE OPTIMIZED FOR DAILY OFFICE USE

Reliability and ergonomics are vital. CHERRY has decades of experience in the development and production of high-quality input devices.

Choose from many different technologies designed for any purpose. CHERRY is not only known for quality and durability, we also take pride in making exceptionally attractive products.

Regardless of which of our keyboards or mice you decide on, the CHERRY name guarantees excellent quality in terms of product development and manufacturing.





STREAM 3.0

CORDED MULTIMEDIA KEYBOARD

ROBUST ELEGANCE WITH LASER-ETCHED KEYS.

- → Durable abrasion-proof laser inscription of key caps
- → Designed for continuous usage over 20 mill. activations per key
- → Spill-resistant
- → Plug & Play for easy start-up with no software installation
- → Ultra-flat ergonomic top-design for fatigue-free work
- → Ultra-silent. Whisper keystroke for low-noise typing
- → 6 HotKeys for comfortable volume control and the most important Mediaplayer functions
- → Standard keyboard layout (including cursor and number block)
- → Blue status LEDs
- → GS approval
- → Awarded the "Blaue Engel" environmental seal

TECHNICAL DATA

imensions	approx. 472 x 176 x 18 mm
able length	approx. 1,80 m
urrent consumption	max. 25 mA

PART NUMBER	COLOR	CONNECTION
G85-23200xx-0	Pale grey	USB
G85-23200xx-2	Black	USB

CHESTRY •



STREAM 3.0 T2

CORDED KEYBOARD

THE EUROPEAN KEYBOARD IDEAL FOR TYPING INTERNATIONAL SPECIAL CHARACTERS.

- → Durable abrasion-proof laser inscription of key caps
- → Extended key inscriptions and keyboard layout T2 according to DIN 2137 ("Europe keyboard")
- → Fast input of special characters
- → Easy to install, requiring no technical knowledge
- ightarrow For Microsoft Office versions for Windows XP, Windows Server or higher
- → Robust, ultra-flat and made to the highest quality standards. 6 hotkeys for the media player
- → Spill resistant
- → GS approval and Blue Angel seal of approval (high level of work ergonomics)
- \rightarrow Based on the Keyboard STREAM 3.0

TECHNICAL DATA	
Dimensions	approx. 472 x 176 x 18 mm
Cable length	approx. 1,80 m
Current consumption	max. 25 mA

PART NUMBER	COLOR	CONNECTION
G85-23200DEAESP	Pale grey	USB
G85-23200DEADSP	Black	USB



CHERRY MX-BOARD 2.0

CORDED KEYBOARD

COMPACT AND ROBUST KEYBOARD WITH MX-TECHNOLOGY.

- → Compact, corded keyboard with original CHERRY MX modules
- → World exclusive CHERRY Gold Crosspoint technology
- → Four different keyswitches available: black, red, brown, blue
- ightarrow 50 million+ operations for each key
- → Wear-resistant lettering on the key caps thanks to laser technology
- → USB connection for laptops and PCs
- → Easy to install, requiring no technical knowledge

ECHNICAL DATA	
imensions	approx. 446 x 158 x 28 mm
able length	approx. 1.80 m
urrent consumption	typically 16 mA

PART NUMBER	COLOR	MODULE	OPERATION	FORCE
G80-3800LSAEU-2	Black	Blue Switch	Click pressure	60 cN
G80-3800LYAEU-2	Black	Red Switch	Linear	45 cN
G80-3800LXAEU-2	Black	Brown Switch	Soft pressure	55 cN
G80-3800LUAEU-2	Black	Black Switch	Linear	60 cN

Only available in Asia-Pacific.

Connection

CHERRY Professional



CHERRY MX-BOARD 3.0

CORDED KEYBOARD

PROFESSIONAL KEYBOARD FOR FAST AND PRECISE INPUT.

- ightarrow Proved itself billions of times: original CHERRY MX modules "Made in Germany"
- → World exclusive CHERRY Gold Crosspoint technology
- → Four different keyswitches available: black, red, brown, blue
- → 50 million+ operations for each key
- → N-key rollover: simultaneous operation of up to 14 keys without any key ghosting effects
- → Win-Key lock: Windows buttons can be disabled
- → Integrated metal plate and anti-slip protection ensure it remains robust
- → Detachable cable

TECHNICAL DATA

I LOTHINGAL DATA	
Dimensions	арргох. 446 х 158 х 28 гг
Cable length	approx. 1.80 m
Current consumption	max. 100 mA
Connection	USB

PART NUMBER	COLOR	MODULE	OPERATION	FORCE
G80-3850LSBxx-2	Black	Blue Switch	Click pressure	60 cN
G80-3850LYBxx-2	Black	Red Switch	Linear	45 cN
G80-3850LXBxx-2	Black	Brown Switch	Soft pressure	55 cN
G80-3850I UBxx-2	Black	Black Switch	Linear	60 cN





CHERRY KC 1000

CORDED KEYBOARD

THE QUIET ALL-ROUNDER.

- → Flat, corded keyboard including cursor and number pad
- ightarrow Whisper keystroke keys with wear-resistant laser key legends
- → Up to 10 million keystrokes
- → 4 HotKeys (calculator, e-mail, browser, sleep mode)
- → Plug & Play via USB connection
- → 3 blue status LEDs
- → Optimized for professional use in the office (GS approval)
- → Awarded the "Blauer Engel" environmental seal

TECHNICAL DATA

Dimensions	approx. 458 x 170 x 20 mm
Cable length	approx. 1.80 m
Current consumption	max. 50 mA

PART NUMBER	COLOR	CONNECTION
JK-0800xx-0	Pale-grey	USB
JK-0800xx-2	Black	USB





STRAIT

CORDED KEYBOARD

PURIST, ELEGANT DESIGN WITH WHISPER KEYSTROKE.

- → Purist design for the office and living room
- ightarrow High-quality finish for lasting reliability
- → Whisper keystroke: ideal for everyday work
- → 5 HotKeys to control Media Player
- → USB connection for laptops and PCs
- ightarrow Plug & Play without installing any software

TECHNICAL DATA	
Dimensions	approx. 441 x 161 x 15 mm
Cable length	approx. 1.80 m
Current consumption	typically 45 mA

PART NUMBER	COLOR	CONNECTION
JK-0300xx	Silver	USB





STRAIT BLACK

CORDED KEYBOARD

PREMIUM KEYBOARD WITH UNIQUE LOOK.

- → Unique appearance due to the buttons with a blue background
- → Pure elegance in black a real eye-catcher for your desk
- → High-quality finish for lasting reliability
- → Whisper keystroke ideal for everyday work
- → 5 HotKeys to control Media Player
- → USB connection
- → Plug & Play: just plug in and get going

I LOTHINGAL DATA	
Dimensions	approx. 441 x 161 x 15 mm
Cable length	approx. 1.80 m
Current Consumption	typically 45 mA

PART NUMBER	COLOR	CONNECTION	
JK-0340xx Black		USB	





G80-1800

COMPACT CORDED KEYBOARD

SMALL DIMENSIONS AND TOP PERFORMANCE.

- → Individual keys with Gold Crosspoint contacts (MX technology)
- → Codeset 3 support (PS/2 connection only) e.g. for Unix computers
- → Perfect key feeling
- → High-quality and compact 19" PC keyboard space-saving and ergonomic
- → High-quality keyboard for outstanding writing performance, fulfilling even the highest demands
- → Extremely high service life of individual keys

TECHNICAL DATA	
Dimensions	approx. 405 x 180 x 44 mm
Cable length	approx. 1.75 m
Current consumption	typically 16 mA

PART NUMBER	COLOR	CONNECTION	PRESSURE POIN
G80-1800LPCxx-0	Light grey	USB (PS/2 via adapter)	Black Switch
CON 19001 DCvv 2	Plack	LICE (DC/2 via adaptor)	Plack Switch

CHERRY Professional





G80-3000

STANDARD CORDED KEYBOARD

ACCURATE AND RELIABLE EVEN AFTER YEARS OF SERVICE.

- → Individual keys with Gold Crosspoint contacts (MX technology)
- → Codeset 3 support (PS/2 connection only) e.g. for Unix computers
- → Perfect key feeling
- → High-quality keyboard for outstanding writing performance, fulfilling even the highest demands
- → Extremely high service life of individual keys
- → Three different types of confirmation: linear, soft or click pressure point
- → Compatible for PC and Mac via USB connection
- → Includes adapter for PS/2 interface

TECHNICAL DATA	
Dimensions	

approx. 470 x 195 x 44 mm
approx. 1.75 m
typically 15 mA

PART NUMBER	COLOR	CONNECTION	PRESSURE POINT
G80-3000LPCxx-0	Light grey	USB (PS/2 via adapter)	Black Switch
G80-3000LPCxx-2	Black	USB (PS/2 via adapter)	Black Switch
G80-3000LSCxx-0	Light grey	USB (PS/2 via adapter)	Blue Switch
G80-3000LSCxx-2	Black	USB (PS/2 via adapter)	Blue Switch
G80-3000LXCxx-0	Light grey	USB (PS/2 via adapter)	Brown Switch
G80-3000LXCxx-2	Black	USB (PS/2 via adapter)	Brown Switch

Other versions on request.



CHERRY KW 2000

WIRELESS KEYBOARD

PERFECT FREEDOM: WIRELESS, FLAT AND ULTRA-SILENT.

- → Flat, wireless keyboard including cursor and number pad
- → Whisper keystroke keys with wear-resistant laser key legends
- → Nano USB receiver
- ightarrow GS approval
- \rightarrow Up to 10 million keystrokes
- → 4 hotkeys (calculator, e-mail, browser, sleep mode)
- → Plug & Play via USB connection
- → Battery status display
- → Interference-free wireless 2.4 GHz technology (range of up to 10 meters)
- → Multi-station capability operation of several wireless products in one room

Dimensions	approx. 458 x 170 x 20 mm (keyboard) approx. 18 x 13 x 5 mm (receiver)
Fransmission range	approx. 10 m
Current consumption	max. 3 mA (keyboard) max. 35 mA (receiver)

USB

Black

JK-1700xx-2





CHERRY DW 8000

WIRELESS DESKTOP

TOP QUALITY, PURIST DESIGNER DESKTOP SET.

- → Ultra-flat wireless keyboard with 5 hotkeys
- → Simple installation; no technical knowledge required
- → 3-button mouse with an infrared sensor and adjustable resolution [1000/2000 dpi]
- → Battery status display in mouse and keyboard
- ightarrow Almost interference-free wireless 2.4 GHz technology (range of up to 10 metres)
- → USB receiver

TECHNICAL DATA

Dimensions

Transmission range
Current consumption

approx. 441 x 165 x 18 mm [keyboard]
approx. 107 x 60 x 27 mm [mouse]
approx. 42 x 18 x 8 mm [receiver]
approx. 10 m
typically 1.5 mA [keyboard]
typically 5 mA [mouse]
typically 30 mA [receiver]

PART NUMBER	COLOR	CONNECTION	
JD-0300xx	Silver	USB	





CHERRY DW 5100

WIRELESS ERGO DESKTOP

INCREASED ECONOMICS AT EVERY WORKPLACE.

- → Durable, high quality professional keyboard with 10 hotkeys
- → Battery status display in keyboard and mouse
- → Almost interference-free wireless 2.4 GHz technology (range of up to 5 metres)
- → Multi-station capability operation of several wireless products
- → Easy to install, requiring no technical knowledge
- \rightarrow Ergonomic 5 button mouse, Optimized for use with the right hand
- → Infrared sensor and adjustable resolution (1000/1750 dpi)
- → Nano USB receiver: also ideal for permanent use with the notebook
- \rightarrow Non-slip rubber on the sides
- → Mouse has on/off switch for additional energy efficiency

Dimensions		approx. 467.7 x 171.5 x 21.6 mm (keyboard) approx. 106 x 68 x 39 mm (mouse) approx. 19 x 15 x 6 mm (receiver)
Transmission range		approx. 5 m
Current consumption		max. 5 mA (keyboard) typically 4.5 mA (mouse) typically 30 mA (receiver)
PART NUMBER	COLOR	CONNECTION
JD-0510xx-2	Black	USB







CHERRY B.UNLIMITED AES

RECHARGEABLE WIRELESS DESKTOP

WIRELESS KEYBOARD AND MOUSE WITH RELIABLE ENERGY SUPPLY.

- → Charging function via USB cable for keyboard and mouse even during use
- → High-quality, pre-charged NiMH batteries (very low self-discharge)
- → Interference-free, wireless 2.4 GHz technology (with a range of approx. 10 m)
- → 3-button mouse: infrared sensor and adjustable resolution (1000/2000 dpi)
- → Operation of several desktops (multi-station capability)
- → Easy to install, requiring no technical knowledge
- → USB receiver

TECHNICAL DATA	
Dimensions	approx. 460 x 165 x 15 mm (keyboard) approx. 115 x 60 x 35 mm (mouse) approx. 42 x 18 x 8 mm (receiver)
Transmission range	approx. 10 m
Current consumption	typically 3 mA (keyboard) typically 10 mA (mouse) typically 30 mA (received)

PART NUMBER	COLOR	CONNECTION
JD-0400xx-0	Pale grey	USB
JD-0400xx-2	Black	USB



CHERRY DW 3000

WIRELESS DESKTOP

PROFESSIONAL WIRELESS DESKTOP FOR BEGINNERS.

- ightarrow Flat, wireless keyboard including cursor and number pad
- → Whisper keystroke keys with wear-resistant laser key legends
- → Up to 10 million keystrokes
- → 4 hotkeys (calculator, e-mail, browser, sleep mode)
- → Plug & Play via USB connection
- → 3-button mouse, for both left-handed and right-handed operation
- → Optical sensor technology (1,200 dpi)
- → Battery status display in keyboard and mouse
- → Almost interference-free wireless 2.4 GHz technology (range of up to 10 metres)
- → Nano USB receiver
- ightarrow GS approval

TECHNICAL DATA approx. 458 x 170 x 20 mm (keyboard) Dimensions approx. 109 x 62 x 37 mm (mouse) approx. 18 x 13 x 5 mm (receiver) approx. 10 m Transmission range Current consumption typically 3 mA (keyboard) typically 6 mA (mouse) max. 35 mA (receiver) CONNECTION PART NUMBER COLOR JD-0700xx-2 Black USB

CHERRY DC 2000

CORDED DESKTOP

CORDED BUSINESS DESKTOP IN CHERRY QUALITY.

- → Optimized for professional use in the office (GS certification)
- → Wired mouse with 3 keys and scroll wheel
- → Symmetrical design in standard size suitable for left- and right-handed users
- → Resolution 1.200 dpi
- → Flat, corded keyboard with abrasion-resistant labelling
- → 4 hotkeys (calculator, e-mail, browser, sleep mode)
- → 3 blue status LEDs in the keyboard
- → Up to 10 million keystrokes
- → Plug & Play via 1 USB connection for keyboard and for mouse

ECHNICAL DATA			
limensions		approx. 458 x 170 x 20 mm (keyboard) approx. 109 x 62 x 37 mm (mouse)	
ransmission range		approx. 1.80 m	
Current consumption		max. 50 mA (keyboard) max. 50 mA (mouse)	
PART NIIMBER	COLOR	CONNECTION	

PART NUMBER	COLOR	CONNECTION
JD-0800xx-2	Black	USB

CHERRY Professional



CHERRY MW 3000 WIRELESS MOUSE

ENERGY-SAVING 2.4 GHZ WIRELESS MOUSE WITH A PRACTICAL NANO USB RECEIVER.

- ightarrow Non-slip rubber on the sides
- → Nano USB receiver: able to stay in the notebook permanently
- → 5-button mouse: infrared sensor and adjustable resolution (1.000/1.750 dpi)
- ightarrow Optimized for use with the right hand
- → Interference-free, wireless 2.4 GHz technology (with a range of approx. 5 m)
- ightarrow On/off button, for additional energy saving
- → Simple installation: no technical knowledge required

approx. 106 x 68 x 39 mm (mouse) approx. 19 x 15 x 6 mm (receiver)
5 buttons
approx. 5 m
1.000/1.750 dpi (adjustable)
typically 4.5 mA (mouse) typically 30 mA (receiver)

PART NUMBER	COLOR	CONNECTION
JW-T0100	Black	USB



CHERRY MW 2400

WIRELESS MOUSE

PROVIDES EASY TO HANDLE PRECISION FOR ANY WORKPLACE.

- → 3-button mouse, for both left-handed and right-handed operation
- → Nano USB receiver
- \rightarrow GS approval
- → Optical sensor technology (1.200 dpi)
- → Battery status indicator on mouse
- → Interference-free wireless 2.4 GHz technology (range of up to 10 meters)
- → Operation for several mice (multi-station capability)
- → Plug & Play via USB connection

Dimensions		approx. 109 x 62 x 37 mm (mouse) approx. 18 x 13 x 5 mm (receiver)	
Number of buttons		3 buttons	
Transmission range Resolution		approx. 10 m 1.200 dpi	
PART NUMBER	COLOR		CONNECTION
JW-0700-2	Black		USB



CHERRY MW 2310 WIRELESS MOUSE

KEEP NAVIGATING AND CLICKING FOR MORE THAN 3 YEARS WITHOUT NEEDING TO CHANGE BATTERIES.

- → 5-button mouse: infrared sensor and adjustable resolution (1.000/1.500/2.000 dpi)
- → Nano USB receiver: able to stay in the notebook permanently
- ightarrow Long battery lifespan* thanks to energy-efficiency infrared sensor
- → Optimized for both left-handed and right-handed operation
- → Simple installation: no technical knowledge required
- → Interference-free, wireless 2.4 GHz technology (with a range of approx. 10 m)
- * Using the supplied batteries, each with 2.200 mAh, allows for a service life of 733 hours [at 6 mAl. Assuming the mouse is used constantly for one hour a day and 230 work days a year, you will only need to change the battery after approx. 3 years]

Dimensions		approx. 120 x 75,5 x 38 mm (mouse) approx. 18 x 13 x 6 mm (receiver)	
Number of buttons		5 buttons	
Transmission range		approx. 10 m	
Resolution		1.000/1.500/2.000 dpi (adjustable)	
Current consumption		max. 7 mA (mouse) max. 40 mA (receiver)	
PART NUMBER	COLOR	CONNECTION	
JW-T0310	Black	USB	



CHERRY MW 2110

WIRELESS MOUSE

ENERGY-SAVING MOUSE FOR WIRELESS WORK.

- → 3-button mouse: infrared sensor and adjustable resolution (1.000/1.500/2.000 dpi)
- → Nano USB receiver: able to stay in the notebook permanently
- → 18-month battery lifespan* thanks to energy-efficiency infrared sensor
- → Optimized for both left-handed and right-handed operation
- → Simple installation: no technical knowledge required
- → Interference-free, wireless 2.4 GHz technology (with a range of approx. 10 m)

Dimensions		approx. 100 x 59 x 37,5 mm (mouse) approx. 18 x 13 x 6 mm (receiver)	
Number of buttons		3 buttons	
Transmission range		approx. 10 m	
Resolution		1.000 / 1.500 / 2.000 dpi (adjustable)	
Current consumption		max. 7 mA (mouse) max. 40 mA (receiver)	
PART NUMBER	COLOR	CONNECTION	
	LULUR		
IW-T0210	Black	USB	

NEW



CHERRY MC 4000 CORDED MOUSE

PRECISE, FAST AND USER-FRIENDLY.

- → Reliable corded mouse with 6 buttons
- \rightarrow The all-round 360° smooth surface ensures secure and stable mouse movements
- ightarrow High-quality optical sensor and adjustable DPI resolution for two speeds
- → Illumination color depends on the set resolution (1000 dpi = blue, 2000 dpi = red)
- → High-speed motion detection at 60 ips
- → Optimized for professional requirements where speed is a factor
- \rightarrow Red/blue illumination on the sides, the scroll wheel, and the DPI switch
- → Symmetrical design suitable for left- and right-handed users

TECHNICAL DATA

Dimensions approx. 140 x 95 x 45 mm Number of buttons 6 buttons Cable length approx. 1.80 m Resolution 1000 / 2000 dpi (adjustable) Current consumption max. 100 mA

PART NUMBER	COLOR	CONNECTION
JM-4000	Black	USB

^{*} Using the 2.200 mAh battery supplied with the mouse, the service life totals 366 hours (at 6 mA). Assuming the mouse is used constantly for one hour a day and 230 work days a year, you will only need to change the battery after approx. 18 months)





CHERRY MC 3000 CORDED MOUSE

PROVEN RELIABILITY.

- → Ergonomic design for maximum comfort and fatigue-free working
- → High-resolution optical sensor (500/1000 dpi) for accurate, smooth cursor control
- \rightarrow 5 button mouse
- → Rubber, ribbed side surfaces offer outstanding grip
- → Adjustable resolution (fast/slow) for individual adjustment of the scanning speed to suit the application
- \rightarrow 1.8 m cable with USB connection for use on the laptop and PC
- → Browser navigation: forward and backward with the side mouse buttons
- → Plug & Play for easy start-up

T	E	Cl	ΗN	I	CAL	. [DΑ	T	Δ
=									7

Dimensions	appro
Number of buttons	5 but
Cable length	appro
Resolution	500 /
Current consumption	may

approx. 107 x 66x 41 mm	
5 buttons	
approx.1.80 m	
500 / 1000 dpi (adjustable)	
max. 100 mA	

PART NUMBER	COLOR	CONNECTION
JM-0120-0	White	USB
JM-0120-2	Black	USB

CHERRY Professional



CHERRY MC 2000

CORDED TILT-WHEEL MOUSE

INFRA-RED MOUSE WITH TILT-WHEEL TECHNOLOGY.

- → 3-button mouse, for both left-handed and right-handed operation
- → Simple horizontal and vertical scrolling via comfortable 4-way scroll wheel (tilt wheel)
- → Optical sensor technology (1.600 dpi)
- → Optimized for professional use in the office (GS approval)

TECHNICAL DATA

Dimensions	approx. 109 x 62 x 37 mm
Number of buttons	3 buttons
Cable length	approx.1.80 m
Resolution	1.600 dpi
Current consumption	max. 50 mA

PART NUMBER	COLOR	CONNECTION
JM-0600-2	Black	USB





CORDED BUSINESS MOUSE

CORDED BUSINESS MOUSE IN CHERRY QUALITY.

- → 3-button mouse, for both left-handed and right-handed operation
- → Optimized for professional use in the office (GS approval)
- → Optical sensor technology (1.200 dpi)



TECHNICAL DATA

I E O I I I I I I I I I I I I I I I I I	
Dimensions	approx. 109 x 62 x 37 mm
Number of buttons	3 buttons
Cable length	арргох. 1.80 m
Resolution	1.200 dpi
Current consumption	max. 50 mA

PART NUMBER	COLOR	CONNECTION
JM-0800-2	Black	USB
JM-0800-0	Pale-grey	USB

CHERRY Professional







WHEELMOUSE

CORDED OPTICAL MOUSE

SIMPLY INSERT AND OFF YOU GO.

- → Optical sensor for precise movement of the mouse pointer
- → Compatible for PCs and Macs via USB connection
- → Precise performance with 1.000 dpi resolution
- → Easy scrolling with the PowerWheel
- → Elegant design, ideal for right and left-handed users
- ightarrow Problem-free connection and disconnection, including during operation
- → Includes adapter for PS/2 interface

HNICAL	DAIA		
ensions			

Dimensions	approx. 120 x 65 x 40 mm
Number of buttons	3 buttons
Cable length	approx. 1.80 m
Resolution	1.000 dpi
Current consumption	typically 30 mA

PART NUMBER	COLOR	CONNECTION
M-5400	Light grey	USB (PS/2 via adapter)
M-5450	Black	USB (PS/2 via adapter)
M-5400-0	Pale-grey	USB (PS/2 via adapter)





GENTIX
CORDED OPTICAL MOUSE

PROFESSIONAL QUALITY AND A MODERN DESIGN AT AN AMAZING PRICE.

- → Reliable corded mouse with three buttons and optical sensor
- → Rubber side surfaces and rubber scroll wheel offer improved grip
- → Symmetrical design suitable for left and right-handed users
- → High-resolution optical sensor with 1.000 dpi resolution for precise and flowing cursor control
- \rightarrow Plug & Play for easy start up
- → 1.80 m cable with USB connection for use with laptop and PC

TECHNICAL DATA		
Dimensions	approx. 112 x 69 x 35 mm	
Number of buttons	3 buttons	
Cable length	approx. 1.80 m	
Resolution	1.000 dpi	
Current consumption	max. 100 mA	

PART NUMBER	COLOR	CONNECTION
JM-0300-2	Black	USB
JM-0300-0	Pale-grey	USB

CHERRY Professional



GENTIX
CORDED OPTICAL ILLUMINATED MOUSE

EXCEPTIONAL DESIGN AND PROFESSIONAL QUALITY AT THE PERFECT PRICE.

- → Reliable corded mouse with three keys and optical sensor
- → Striking blue light on sides and scroll wheel
- → Rubber side surfaces and rubber scroll wheel offer improved grip
- → Symmetrical design suitable for left and right-handed users
- → High-resolution optical sensor with 1.000 dpi resolution for precise and flowing cursor control
- → 1.80 m cable with USB connection for use with laptop and PC

Dimensions	approx. 112 x 69 x 35 mm
Number of buttons	3 buttons
Cable length	approx. 1.80 m
Resolution	1.000 dpi
Current consumption	max. 100 mA

PART NUMBER	COLOR	CONNECTION
JM-0300	Black	USB



eHEALTHORIGINAL CHERRY.

SPECIAL KEYBOARDS AND TERMINALS OPTIMIZED FOR USE IN HEALTH CARE

Proven solutions are vital. CHERRY has decades of experience in the development and production of high quality speciality input devices.

CHERRY is an innovator in this field. We are the only manufacturer that enables the new German health insurance cards to be read directly in a keyboard. CHERRY supplies a highly specialized range of keyboards and terminals for the health care branch.

Whatever you require for your eHealth applications, CHERRY can develop the custom solution to suit your needs.



EZCLEAN® KEYBOARD

EZN-4100 + KBCF-41002

COMBO INTERFACE: USB WITH PS/2 ADAPTER.

- → Mechanical CHERRY ML keyswitch technology with Gold Crosspoint contacts
- ightarrow Soft, flat, easy to clean snap on silicone cover

TE	Γ	MI	CAI	DATA
1 -	OII	141	UAL	DAIR

I LUTINICAL DATA	
Dimensions	approx. 297 x 147 x 27 mm
Cable length	approx. 2.50 m
Current consumption	typically 16 mA

PART NUMBER	COLOR	CONNECTION
EZN-4100LCMUS-2	Black	USB (PS / 2 via adapter)
KBCF-41002	Silicon cover with a black bezel	

Only available in USA.

CHERRY Professional



eHEALTH-BCS TERMINAL

ST-1503

FLEXIBLE TERMINAL FOR THE NEW ELECTRONIC HEALTH CARD.

- → Smart card terminal for the new german health card
- → Secure PIN entry
- → With USB and LAN interface
- → Protocols: T=0, T=1, S=8, S=9, S=10
- ightarrow 2 full-size card slots for eGK and HBA
- ightarrow 2 slots for SMCs and SM-KT
- → Graphic display 128 x 64 pixels
- → On/Off switch

TECHNICAL DATA	
Dimensions	approx. 130 x 240 x 65 mm
Smart card protocols	T=0, T=1, S=8, S=9, S=10
Smart card mating cycles	eGK approx. 300.000 operations

PART NUMBER	COLOR	CONNECTION
ST-1503AAGZ	Pale-grey	USB
ST-1503AAEZ	Black	USB

Only available in Germany.

eHEALTH 47



MKT+ TERMINAL ST-2052

THE LOW-COST ALTERNATIVE FOR EHEALTH CARD APPLICATIONS.

- → Common Criteria EAL 3+ certified for electronic signatures
- → MKT+ for eGK (electronic health card)
- → High-quality USB-smartcard reader
- → Secure PIN entry
- ightarrow "Single-handed operation" through high weight and stable standing
- → CT-Api support
- → Smartcard terminal for the new health card and current health insurance cards
- ightarrow EMV 2000 Level 1 compatible
- → PIN pad with 16 keys
- → CCID compatible

TECHNICAL DATA

I LOTHINGAL DATA		
Dimensions	approx. 150 x 92 x 55 mm	
Cable length	approx. 1.75 m	
Smart card protocols	T=0, T=1, S=8, S=9, S=10	
Smart card mating cycles	approx. 100.000 operations	
Current consumption	max. 100 mA	

PART NUMBER	COLOR	CONNECTION	
ST-2052UGZ White		USB	

Only available in Germany.



MOBILE TERMINAL

ST-1530

COMPACT, MOBILE CARD TERMINAL.

- → Stores eGK and KVK 200 data records
- → MKT+, mobile card terminal
- → USB / (series accessory)
- → Listed on gematik
- → Easy to operate
- → Configured for HBA (Health Professional Card)
- → High-resolution colour display
- → Storage of cards without switching on, guick saving
- → Warning when cards have expired
- → Can be migrated to phase 2 with a software update (based on gematik approval)

TECHNICAL DATA

I LUTINICAL DATA		
Dimensions	approx. 135 x 83 x 18 mm	
Cable length	approx. 1.5 m	
Smart card mating cycles	approx. 300.000 operations	
Current consumption	max. 350 mA	

PART NUMBER	COLOR	CONNECTION
ST-1530	White	USB

Only available in Germany.

48 eHEALTH 49