



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Mini Industrial Keyboard G86-52400 Series



Enhanced 83 Key Layout, Offers an IP54 for Spill and Dust Resistant for Harsh Environments.

Facts & Features

- Reduced-size keyboard with QWERTY layout
- Enhanced US 83-Position Key Layout
- Robust Product Design with IP 54 Spill and Dust Resistant Key Field for Harsh Environments
- Plug & Play Configuration for all Common POS Features
- Yellow Status LEDs for Improved Visibility in Rooms with Artificial Illumination

Compatibility

- Designed for MS Windows™ XP
- Windows™ 2000, XPembedded, Vista
- Works with Linux, Mac, UNIX, Sun

Agency Approvals

- cUrus, FCC, CE, BSMI, VCCI, C-Tick, WHQL VDE, WEEE, RoHS

Technical Data

- Interface:
USB 2.0
- Cable Length:
Approx. 1.85 m
- Layout:
Compact size 83 position US key Layout
- Weight:
Net: 936 g
With Packaging 1,217g
- Dimensions:
Keyboard: 11.8" x 6.3" x 1"
Packaging: 13.5" x 8.5" x 1.75"
- Current Input:
typ. 35 mA
- Keyswitch Lifetime:
25 million operations
- Operating Temperature:
0°C to +50°C
- Storage/Transport Temperature:
-20°C to +60°C
- Packaging Unit:
21 keyboards per master carton
12 master cartons per pallet (252 pcs.)
- Warranty:
2 years

Order Description

Service Design	Order Number	Interface	Color
Heavy Use	G86-52400EUADAA	USB	black

Other country versions upon request.

Cherry Americas, LLC
11200 88th Avenue
Pleasant Prairie, WI 53158
USA
Phone: 262.942.6508
Internet: www.cherryamericas.com

E-Mail: keyboardsupport@cherryamericas.com

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice. Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

Rev Date: January 17, 2017