imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



	1 2	3	4	5		6	7	8	
	This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document. The marking on thisproduct doesn't contain environmental bazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.	Rolenol 72	ORIG	POS A B	PDF PDF Format	SYM ECN No. A NE-14204	REVISIONS DESCRIPTION RELEASE TO PRODUCTION	DATE APPROVED 11/10/2014 Arron Lin	A
В	CIRCUIT 2 CIRCUIT 1 1A 2 3 4 5 1A 2 1A	6 7 13 14 -LAST CIRCUIT		02 3.85 04 3.0 6.85 06 6.0 9.85 08 9.0 12.85 10 12.0 15.85 12 15.0 18.85 14 18.0 21.85 16 21.0 24.85 18 24.0 27.85 20 27.0 30.85 22 30.0 33.85 24 33.0 36.85	1. 2. 3.	TES: MATERIAL: HOUSING: THERMOPLASTI PACKING IS PER AMTA PA THIS PRODUCT DOESN'T C PER DIRECTIVE 2011/65/E RECOMMENDED CRIMPING	CKING SPECIFICATION PKS- ONTAIN ENVIRONMENTAL HA EU FOR RoHS COMPLIANT.	-0001. AZARDOUS	
С	3.86	1.23	8.28	7.57			RECEPTACLE		С
D						24.6			D
		1.93 17P	3.28 6.86	ONLY FOR 2PIN					
E		$\cdot \cdot \cdot = - \cdot = - \cdot \cdot = - \cdot = \cdot = \cdot = \cdot = : = : = : = : = : = - : = = - : = = : = - : = : =$			M <u>ated Mi</u>	CRO POWER CONNECTOR	PLUG		E
		_ _	TOLERANCE	APPROVALS	DATE	™ MICRO POWER CON	INECTOR Ar	nphenol ®	
F			X. X.X ±0.30 X.KK ±0.20 X.XXX ±0.10 ANGULAR ±1*	Debby Hung CHECKED Roger Tsai APPRDVED Arron Lin	11/10/2014 11/10/2014 11/10/2014	3.0MM PITCH, DUA HOUSING ,CRIMPING	L ROWS Amphenol G TYPE Amphenol	Corporation Taiwan Corporation 81HXX22CEU	F
			UNLESS OTHERWISE SPECIFIED	DWG TYPE CUST DWG	PREJECT CEDE -	SCALE NA	SHEET DVG NO. G881H	HXX22CEU REV. A	
	1 2	3	4	5		6	7	8	,

		1 2	3	4	5	6	7	8	
B D		used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document. The marking on thisproduct doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sany GP compliant or per directive 2011/65/EU for	STO HS E	ORIGI	Forma	A NE-14204			A
C 2*6P 2*7P 2*6P 2*7P 2*6P 2*7P 2*6P 2*7P 2*6P 2*7P 2*6P 2*1P 2*12P	В								В
2'6P 2'7P 2'8P 2'9P 2 2'9P 2'9P 2 2'10P 2'10P 2'12P 2'10P 2'11P 2'12P 2'10P 2'11P 2'12P 1 1 1 1 1 1 1 1 1 2'10P 2'11P 2'12P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <td< th=""><th></th><th>2*1P</th><th>2*2P</th><th>2*3P</th><th>2*4P</th><th>2*5P</th><th></th><th></th><th></th></td<>		2*1P	2*2P	2*3P	2*4P	2*5P			
$ = 2^{*/p} = 2^{t}$ $ = 2^{*/p} = 2^{t}$ $ = 2^{*10P} = 2^{*12P} = 2^{*12P}$	C								C
E 2*10P 2*11P 2*12P Image: Second state of the second state of	D	2*6P		2*7P	2*8P	2*	ŀĝ₽		D
E Z TOT Z TOT TOLERANCE APPROVALS DATE MICRO POWER CONNECTOR Amphenol Corporation X.X ±0.30 X.XX ±0.10 CHECKED Roger Tsai 11/10/2014 HOUSING ,CRIMPING TYPE Amphenol Taiwan Corporation Amphenol Taiwan Corporation									
X. ±0.30 Debby Hung 11/10/2014 MICKO POWER CONNECTOR Amphenol Corporation X. ±0.20 X.X ±0.10 EHECKED 11/10/2014 3.0MM PITCH, DUAL ROWS Amphenol Corporation Amphenol Taiwan Corporation Amphenol Taiwan Corporation Amphenol Taiwan Corporation	E	2*10P		2*11	P	2*12P			E
APPRIVED UNIT SIZE PAPT No.				X. DR/	Debby Hung 11/10/24	⁰¹⁴ 3.0MM PITCH, DUAL R	OWS Amphenol Corporc	ition	
DVG TYPE PROJECT CODE ((+)) SCALE SHEET DVG NO. REV	F	1 2 1		ANGULAR ±1* APP UNLESS OTHERWISE SPECIFIED DW	Roger Isai 11/10/24 PREVED Arron Lin 11/10/24 G TYPE OUST DWG SKT	014 E SCALE SHEET NA 2 0	A3 PAPT NO. G881HXX22	2CEU IU ^{rev.} A	F

	1 2	3	4	5		6	7		8	
	This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.	Stenol Teles	ORIGIN		LMPHENO	SYM ECN No. A NE-14204		REVISIONS SCRIPTION TO PRODUCTION		PROVED on Lin
А	The marking on thisproduct doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.	BoHS B			PDF Gunssier Format					A
					D.C.					
				PE	BAGE					
R	PRODUCT									В
Ľ		X								Ľ
										_
				000 PCS			/			
С										С
			CARTON					1		
	TAPE					AIR BAGE	POS	PCS/PE BAGE	PCS/CARTON	
		7	$<$ \land		0	00	02	1000	12000	
П		N N	\backslash \sim \land	<u> </u>			04	1000	10000	D
D		4	$ \searrow $	\rightarrow			00	800	8000	Ľ
		Li Li				\checkmark	10	800	8000	
					AR		12	800	8000	
	1			enol ^e Corporation			14	800	8000	
			Amph	enol			16	600	6000	
		tion	$\langle \rangle$				18	600	6000	
Ε	Amphenol Corpora		360+5	300±5			20	600	6000	E
	Amphenoi						22	500	5000	
							24	500	5000	
	\checkmark									_
			TOLERANCE	APPROVALS	DATE			Δ 100 μ		R
			X. DR	AWN Debby Hung		CRO POWER		Amp	ohenol	-
F			X.X +0.30	ECKED Roger Tsai	0.1	OMM PITCH, [Amphenol Co	prporation	F
I			X.XX ±0.20 X.XXX ±0.10			DUSING ,CRIM	0170		iwan Corporatio	on '
			ANGULAR +1°	Arron Lin	11/10/2014 PREJECT CEDE		n A3	G881	HXX22CEU	
			UNLESS OTHERWISE SPECIFIED	CUST DWG	SKT	/ NA	SHEET 3 OF 3	G881HX		. A
	1 2 1	3	4	5		6	7		8	