



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**Prestta™ WiFi/BT/ISM/Zigbee  
Embedded Antennas**  
2.4 GHz



Ethertronics' Prestta series of Isolated Magnetic Dipole™ (IMD) stamped metal antennas include an embedded Bluetooth design that delivers on the key needs of today's wireless product designers: **miniaturized design, superior signal sensitivity and high isolation properties** that virtually **eliminate de-tuning**. Together, these features provide compelling advantages for IMD-enabled cell phones, handsets headphones, laptops and other wireless devices that utilize Bluetooth technology.

**TECHNOLOGY ADVANTAGES**



**Stays in Tune**

The form factor of IMD antenna technology provides superior RF field containment, resulting in less interaction with surrounding components. Ethertronics IMD antennas **resist de-tuning**, which impairs the end-user

**Protecting Your Brand Name**

With consumer expectations high and competition formidable, you can't afford end-user disappointment. The high isolation characteristics of IMD antennas offer you performance stability you can rely on, while their radically smaller volume and higher operating efficiencies provide you with the design freedom needed to create mobile and wireless products that set your brand apart from the competition.



**KEY BENEFITS**

**DESIGN ADVANTAGES**

**Quicker Time-to-Market**

- By optimizing antenna size, performance and emissions, customer and regulatory specifications are more easily met.

**Greater Flexibility**

- IMD technology helps you achieve more advanced product designs coupled with superior performance and a wider range of antenna placement options.

**RoHS Compliant**

- Ethertronics' antennas are fully compliant with the European RoHS Directive 2002/95/EC.

**END USER ADVANTAGES**

**Excels in Real-Life Conditions**

- IMD embedded Bluetooth antennas deliver better end-user performance in situations where consumers have high expectations of exceptional service.
- Meets the ever-growing demand for smaller, thinner product designs by eliminating whip and stub antennas.

**Superior Network Coverage**

- Better network coverage means more reliable wireless connections for mobile phones, laptops, stereo headsets, cars, media players, audio systems and more.

**Faster Data Rates**

- Improved performance also means faster data rates for downloading e-mail, surfing the internet and watching mobile video.

**SERVICE AND SUPPORT**

**Extensive RF Experience**

- Our design teams are composed of RF PhDs, project managers and a complete engineering team to support every project – from initial prototyping to TIS and TRP performance testing.

**Global Operations & Design Support**

- Ethertronics' global operations supports an integrated network of design centers that can take projects from concept to production.

**PRODUCT: Embedded 2.4GHz Antenna - Table top type - P/N GB04001**

**Example: Ethertronics' Prestta™ Bluetooth Embedded Antenna Specifications.**  
 Ethertronics produces a wide variety of standard and custom stamped metal antennas to meet user needs. Below are the typical specs.

**Electrical Specifications**

Typical Characteristics  
 (inside an enclosure)



		2.390-2.490 GHz
Peak Gain		1 dBi
Efficiency		65%
VSWR Match		2.1 : 1
Feed Point Impedance		50 ohms unbalanced
Power Handling		2 Watt CW
Polarization		Linear

**Mechanical Specifications**

Dimensions		15x10x3 mm
Mechanical Mounting		Metal on plastic carrier. Antenna Assembly is SMD mounted (by reflow).
RF Mounting		RF and Ground feed pads are SMD attached to main PCB.

**Typical Efficiency, Return Loss**

— For demo board on edge 1.5nH\_1.5pF\_Board 1 (80x50)



**Antenna Radiation Patterns**

Typical Performance

2.390-2.490 GHz Band

