imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

Features:

- 3-Feeds (4G, WiFi, GNSS)
- GNSS Active Antenna
 - LNA gain 30dB
 - Pre and post LNA filtering
- Direct mount
- Connector SMA Male
- Cable 17 feet
- RoHS compliant

Applications:

- 4G LTE 698-2700MHz
- WiFi dualband 2.4/5GHz
- DSRC 5850-5925GHz
- GNSS (Beidou, GPS, Galileo, Glonass)
- · Vehicular mounting
- Asset Tracking, Navigation, Fleet Management
- Mobile and Fixed broadband

All dimensions are in mm / inches



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 4G/WiFi/Active GNSS Direct Mount Antenna

Series: SharkFin

PART NUMBER: GNSSDM700/5800SSS

ELECTRICAL SPECIFICATIONS			
Frequency(LTE Cable) 698-960/1710-2170		/2300-2700	MHz
Frequency(WiFi cable) 2400-2485		5/5150-5925	MHz
	1561.0	98±2.046/	
		42±1.023/	MHz
		2.5625 ± 4	
Nominal Impedance		50	Ω
VSWR (LTE)*		2.5:1	Max
VSWR (WiFi/GNSS)*		2:1	Max
Peak Gain (LTE,698-960MHz,Typical)**		3.0	dBi
Peak Gain (LTE,1710-2700MHz,Typical)**		4.5	dBi
Peak Gain (WiFi, 2400-2500MHz,Typical)**		4.1	dBi
Peak Gain (WiFi, 5150-5925MHz,Typical)**		5.9	dBi
Efficiency (LTE,698-960MHz,Typical)**		83	%
Efficiency (LTE,1710-2700MHz,Typical)**		82	%
Efficiency (WiFi,2400-2500MHz,Typical)**		82	%
Efficiency (WiFi,5150-5925MHz,Typical)**		54	%
HPBW / Horizontal Plane (LTE/WiFi)**		On	nni
HPBW / Vertical Plane (LTE, 698-960MHz, Typical)**		52	2
HPBW / Vertical Plane (LTE,1710-2700MHz, Typical)**		35	
HPBW / Vertical Plane (WiFi, 2400-2485MHz, Typical)**		32	
HPBW / Vertical Plane (WiFi,5150-5925MHz, Typical)**		25ຶ	
Polarization (LTE/WiFi)		Vertical	
Polarization (GNSS)		RHCP	
Power Withstanding (LTE, 698-960MHz)		100	W W
Power Withstanding (LTE, 1710-2700MHz)		20	W
Power Withstanding (WiFi, 2400-5925MHz)		20	W
Issue: 1709			₽∠́µs

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

2

RoHS



Series: SharkFin

RHCP Peak Gain (Radiating element, Typical)*** 1 dBic Gain (LNA gain) $30 \text{ dB} \pm 2 \text{ dB}$ Out of Band Rejection 698 MHz >70 dB 960MHz >65 dB 1710MHz >60 dB 2170MHz >65 dB 2400MHz >65 dB 2700MHz >65 dB Noise Figure <2.4 dB **Operating Voltage** 3.3-5 Vdc±0.5V **Current Consumption** 9 mA + 2 mA

* Tested with 5.18m cable and with 500mm ground plane

**Tested with 200mm cable and with 500mm ground plane

***Tested with 70X70mm ground plane

Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3



Series: SharkFin

MECHANICAL SPECIFICATIONS

Overall Length Weight Antenna Color Connector type Cable type Cable length 3.5 H x Ø4.26 /88.3 x Ø108[in/mm] 470g BLACK or WHITE SMA MALE RG58/RG174[GNSS/ LTE&WLAN] 17' / 5.18m

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature Storage Temperature Ingress Protection Wind-loading RoHS Compliant -40/+85 ° C -40/+85 ° C IP65 120km/h Yes

Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




Δ



Series: SharkFin

MECHANICAL DRAWING



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



5



Series: SharkFin

Test Setup

* VSWR is tested with 5.18m cable and with 500mm ground plane
**Radiation performance is tested with 200mm cable and with 500mm ground plane

***GNSS module is tested with 70X70mm ground plane

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

VSWR of LTE

5 4.5 4 3.5 VSWR 3 2.5 2 1.5 1 500 1000 1500 2000 2500 3000 Freq(MHz)

VSWR of WiFi



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




7




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS



Radiation Efficiency of LTE

Radiation Efficiency of WiFi



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary.


CONFIDENTIAL AND PROPRIETARY INFORMATION

8




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS



Peak Gain of LTE

Peak Gain of WiFi



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


9




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

LTE antenna X-Y plane radiation pattern at LTE low band



LTE antenna Z-X plane radiation pattern at LTE low band



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION


ROHS 10




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

LTE antenna Y-Z plane radiation pattern at LTE low band



LTE antenna X-Y plane radiation pattern at LTE high band



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

LTE antenna Z-X plane radiation pattern at LTE high band



LTE antenna Y-Z plane radiation pattern at LTE high band



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.




12




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

WiFi antenna X-Y plane radiation pattern at WiFi low band



WiFi antenna Z-X plane radiation pattern at WiFi low band



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

WiFi antenna Y-Z plane radiation pattern at WiFi low band



WiFi antenna X-Y plane radiation pattern at WiFi high band



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

WiFi antenna Z-X plane radiation pattern at WiFi high band



WiFi antenna Y-Z plane radiation pattern at WiFi high band



Issue: 1709


In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 15




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS



Radiation Pattern (70mm x 70mm ground plane) GPS & Galileo



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


16




TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

CHARTS

Radiation Pattern (70mm x 70mm ground plane) GLONASS



Radiation Pattern (70mm x 70mm ground plane) BD2



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



17



TECHNICAL DATA SHEET Description: 4G/WiFi/Active GNSS Direct Mount Antenna PART NUMBER: GNSSDM700/5800SSS

PACKAGING

1pcs antennas per PE bag

12pcs antenna per package box

Package box: 400mm*300mm*30mm

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

