



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



INTRODUCTION

This compact timer emulates the traditional dial-set spring timers by using 12 LEDs in a circle to indicate the timer setting and timer progress. All On/Off control and time presetting is achieved via a single pushbutton. A buzzer indicates the time-out point. Applications include domestic and industrial process monitoring and control. The unit will automatically switch to a power-save mode, reducing the battery consumption to mere micro amps.

SET UP AND USE

Connect power source to the +3 V and G terminals (two AA batteries). The S1 switch is used for setting, starting, and stopping the timer.

1. Push the S1 switch – The LEDs will blink, indicating the circuit is in timer mode.
2. Push the S1 switch again – The LEDs will stay lit until the timer is set.
3. Push and hold S1 switch for about 3 seconds – the LEDs light up in sequence
4. Return to step 1.



