



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






TE Connectivity

# Specification Control Drawing


a) Part as supplied.

HFT5000

Heat-shrinkable Fabric Tubing.



b) Part fully recovered.



Warp material: E/167 dtex Polyester.

Weft material: 0.30mm nom. Irradiated Modified Polyolefin.  
(0.01)

Coating: Modified Polyolefin

Conforms to TE Connectivity Specification RW2060

Dimensions in millimetres. (inches)

PART No.	D DIA.		d DIA.	
	MIN		MAX	
	a		b	
# HFT5000-6/3	6	(0.23)	3	(0.12)
HFT5000-12/6	12	(0.47)	6	(0.24)
HFT5000-20/10	20	(0.79)	10	(0.39)
HFT5000-25/12	25	(0.98)	12	(0.47)
HFT5000-30/15	30	(1.18)	15	(0.59)
HFT5000-34/17	34	(1.34)	17	(0.67)
HFT5000-40/20	40	(1.57)	20	(0.79)
HFT5000-50/25	50	(1.97)	25	(0.98)
HFT5000-60/30	60	(2.36)	30	(1.18)
HFT5000-70/35	70	(2.76)	35	(1.38)
HFT5000-80/40	80	(3.15)	40	(1.57)
HFT5000-100/50	100	(3.94)	50	(1.97)

\* Contact Product Management for Performance Characteristics - does not conform fully to RW2060

Fully recovered fabric wall thickness approximately 1mm (0.039)  
Longitudinal change on full recovery -10 to -20%

Drawn RK

Checked HMR

Issue 5


Date 24MAR11

Conforms to ISO Recommendations  
3rd Angle Projection  
Not to Scale

Approval  
Design

MKTG.

O.A.



*Handwritten signature*  
25/05/09



TE Connectivity

**Specification  
Control Drawing**

Part Number

**HFT5000**

Issue 5

Iss.	Date	E.C.R. No.	Details of Change
2	July 2000	CR00-DM-0136	Size 80/40 added
3	March 2004	CR04-CP-0158	Size 6/3 added
4	February 2005	CR05-DM-031	Size 100/50 added

TE Connectivity UK Ltd.  
Faraday Road,  
Swindon, Wiltshire, SN3 5HH  
England  
Telephone: (01793) 528171 Fax: 572516

TE Connectivity  
300, Constitution Drive,  
Menlo Park, CA 94025  
USA  
Telephone (650) 361-3860 Fax: (650) 361-5579

Cage Code K1010

Cage Code 06090