

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Quality Products. Service Excellence.

Low-Profile Wall Mount Cabinet HLP Series

200 lbs Weight Capacity











It's official! We've completely redesigned the HLP, reducing the cost and improving the features! The HLP is perfect for your networking and server installations, in tight spaces.

Features

- Available in three (3) rack mounting heights and two (2) depths (vertical mounting).
 - Each cabinet ships with a 2U pitvoting rack rail and a fixed rack rails of your choosing.
 - Fixed rack mounting units available in 4U, 6U and 8U.
 - Rails install in three positions, providing 180 degrees of equipment mounting options.
 - Optional pivoting 180 degrees rails available for even easier equipment mounting.
- Up to 41 inches of usable equipment mounting depth (mounted vertical).
- · Locking hinged front door includes side venting for airflow.
 - Door and latch can be reversed to swing left-to-right.
- Rear wall mounting section features 3.00", 2.00", 1.38" and 1.12" conduit knock-outs on top and bottom.
- Side venting are designed for optional fans for active cooling.
- Generous cable management lances located on the rear section.
- · Heavy duty keyhole for wall mounting.
- · Large knockouts in rear for cable access.

Specifications

- · Body and rear section constructed of 16-gauge steel.
- Rack rails are 14-gauge steel with 10-32 tapped EIA mounting rails.
- Dedicated bonding points that also provide drill-less mounting of electrical 4x2 utility boxes.
 - Grounding kit sold separately GRDKIT01 or GRDKIT04.
- Rated for up to 200 lbs (91 kg) static load rating.
- Body and door are finished in rugged sand-textured black powder paint. The rack rails are finished in smooth white powder paint.
 - o Available in White and Light Gray (special order).
- · TAA Compliant.
- · RoHS Compliant.
- Manufactured in North America.

Gallery









Accessories

- Cabinet Fan Kits
- Hook and Loop Roll

- · Ground Wire Kits
- 10-32 Mounting Screw and Clip Nut
- Combo-Pack
- Universal Rack Shelf

Outlet Strips

Two Post Mounting Clamping Shelf

New Design

	0	Overall Dimensions			Maximum Vertical
Part No.	Height	Width	Depth	Units	Usable Depth
HLP4U31BK	31.00	27.50	11.15	4U	29.00
HLP4U43BK	43.00	27.50	11.15	4U	41.00
HLP6U31BK	31.00	27.50	15.46	6U	29.00
HLP6U43BK	43.00	27.50	15.46	6U	41.00
HLP8U31BK	31.00	27.50	19.65	8U	29.00
HLP8U43BK	43.00	27.50	19.65	8U	41.00

Old Design (Available While Supplies Last)

	Ov	erall Dimension	s	Rack	Horizontal	Vertical
Part No.	Height	Width	Depth	Units	Usable Depth	Usable Depth
HLP4UBK	31.00	27.50	10.80	4U	7.00	29.00
HLP6UBK	31.00	27.50	15.05	6U	10.50	29.00
HLP8UBK	31.00	27.50	19.30	8U	14.00	29.00

Optional 180-Degree Rotating Mounting Rail Kits

	Mounting Di	imensions	Rack	
Part No.	Height	Width	Units	Rotation
HLP2UR	3.50	19.00	2U	180 Degrees
HLP4UR	7.00	19.00	4U	180 Degrees
HLP6UR	10.50	19.00	6U	180 Degrees
HLP8UR	14.00	19.00	8U	180 Degrees

Data subject to change without notice

© 2018. Hammond Manufacturing Ltd. All rights reserved.