# mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



### **IPSUAT Series**

#### Intrinsically Safe Pressure Transducer

Approvals:-ATEX / IECEx © II 1G Ex ia IIC T4 Ga (Ta -see schedule)

- Piezo-resistive thick film ceramic sensor
- Stainless steel body
- Accuracy <±0.25% FS BFSL</p>
- Pressure ranges from vacuum to 5800psi

The IPSUAT series is ideally suited for use in a wide range of industrial applications in hazardous areas. The probe uses a piezo-resistive ceramic sensor, giving excellent media compatibility within a stainless steel housing

The electronics incorporate a microprocessor based amplifier, requiring no adjusting and giving stable electronics, especially industrial applications.

Each device is temperature compensated, calibrated and supplied with a traceable serial number and calibration data.

Electrical Protection		Performance			
Supply reverse polarity	No damage but also no function	Accuracy (Non-Linearity & Hysteresis)		<±0.25% / FS (BFSL)	
Electromagnetic compatibility	CE Compliant	Setting Errors (offsets)		Zero & Full Scale, $<\pm0.5\%$ / FS	
Mechanical Stability		Material Specifications			
Shock	100g / 11s	Housing	316 Sta	inless Steel	
Vibration	10g RMS (20 - 2000Hz)	"0" ring seals	Viton		
Environment & Thermal Effects		Diaphragm	Cerami	c Al <sub>2</sub> O <sub>3</sub> 96%	
Ambient Temperature Range	-20°C to +75°C	Media wetted parts		g & connection, "O" ring seal,	
Storage temperature	-40°C to +80°C		diaphra	gm	
Compensated temperature range	+20°C to +80°C	Weight	Approx 100g Any		
Thermal Zero Shift (TZS)	<±0.04% /FS/°C	Installation position			
Thermal Span Shift	<±0.015% /℃	Operational Life	> 100x	10 <sup>6</sup> cycles	
Permissible environment	Zone O	Insulation resistance	> 50 MC	Ohms at 50Vdc	

Pressure Ranges										
Nominal Pressure, Gauge,	psi	15	30	75	150	300	750	1500	3750	6000
Compound range	psi	-15 to O	-15 to 30	-15 to 75	-15 to 12	35 -15 to	285 -15 t	o 360		
Permissible Overpressure	psi	30	60	150	300	600	1500	3000	6000	9750
Burst Pressure	psi	60	75	180	375	750	1800	3750	7500	9750

Output Signal ar	nd Supply Voltage				
Wire system	Output	Supply Voltage	Connection Pin Nos		
2-wire	4-20mA	10-28Vdc	+ve Supply Pin 1	-ve Supply Pin 2	Ground Earth Pin

Cynergy3 Components Ltd. 7 Cobham Road Ferndown Industrial Estate Wimborne, Dorset BH21 7PE *Telephone +44 (0) 1202 897969* 

Email:sales@cynergy3.com

#### IS09001certified

IPSUAT 2017



www.cynergy3.com






## **IPSUAT Series** *Intrinsically Safe Pressure Transducer*



Part Number	Pressure Rating
IPSUAT-GP015-5	0-15psi G
IPSUAT-GP030-5	0-30psi G
IPSUAT-GP075-5	0-75psi G
IPSUAT-C0446-5	-14.5 to +150 psi G
IPSUAT-GP100-5	0-100psi G
IPSUAT-GP150-5	0-150psi G
IPSUAT-C0447-5	-14.5 to +350 psi G
IPSUAT-GP300-5	0-300psi G
IPSUAT-GP750-5	0-750psi G
IPSUAT-GP1K5-5	0-1500psi G
IPSUAT-GP3K6-5	0-3600psi G
IPSUAT-GP5K8-5	0-5800psi G



IS09001 CERTIFIED





www.cynergy3.com

© 2017 Cynergy3 Components, All Rights Reserved. Specifications are subject to change without prior notice. Cynergy3 Components and the Cynergy3 Components logo are trademarks of Cynergy3 Components Limited.