



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## IRLG5 310X220X0.25

### Flexield

Category : **Noise Suppressing / Magnetic Sheets**  
 Sub Category : **Noise Suppressing / Magnetic Sheets**  
 TDK Series Name : **IRLG5**  
 Application : **No Data Available.**  
 Function : **No Data Available.**  
 Description : **No Data Available.**

- ▶ [Submit Sample Request](#)
- ▶ [Check Distributor Inventory](#)
- ▶ [Print Page](#)

### Additional Search Tools:

- ▶ [Application](#)
- ▶ [Catalog](#)
- ▶ [SEAT](#)
- ▶ [CCV](#)
- ▶ [TVCL](#)
- ▶ [Tech Notes](#)

### Property Name

Product Lifecycle Stage  
 Part Number Replacement  
 Lead (Pb) Free  
 Surface Mount  
 Body Length (L)  
 Body Breadth (W)  
 Standard Sheet Thickness  
 Recommended Frequency Range  
 Recommended Frequency Range  
 Category Temperature Range  
 Category Temperature Range  
 Initial Permeability  
 Initial Permeability Measuring Condition  
 Surface Resistivity  
 Thermal Conductivity  
 Density  
 Storage Temperature Range  
  
 Country of Origin  
 Packing  
 Minimum Package Qty  
 Minimum Order Qty  
 Weight

### Property Description

**Production**  
*No Data Available.*  
**Yes**  
**No**  
 Nom **310** mm  
 Nom **220** mm  
 Nom **0.25** mm  
 Min *No Data Available.*  
 Max *No Data Available.*  
 Min **-40** Cel  
 Max **85** Cel  
 Min *No Data Available.*  
**13.56MHz**  
 Min **10** kOhm  
 Nom **1.5** W/(m.k)  
 Nom **3700** kg/m\*\*3  
 Min *No Data Available.*  
 Max *No Data Available.*  
  
**JPN**  
**Box**  
 Nom **1** Pcs  
 Nom **1** Pcs  
 Nom **56** g

Disclaimer: This information is to be used for reference purposes only and is subject to change by TDK without notice. It reflects an overview of the product characteristics/performance for the particular part number. For product specification information, please refer to TDK's general product specification. Please note that this standard part is not designed or warranted to meet any specifications of any intermediate or end user different from or in addition to the specifications set forth in TDK's general product specification. Note also that this standard part has not been specially designed or manufactured for, nor is it intended or warranted for use in , or permitted to be resold for, specialized applications such as aviation, medical, and/or governmental/military applications (collectively, "Excluded Applications").