



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.





LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			F3	REVISED PER ECO-11-004917	11MAR11	RK	HMR

MATERIAL:
 HOUSING: THERMOPLASTIC, UL94V-0, BLACK.
 TERMINALS: BRIGHT TIN OVER COPPER ALLOY.
 SCREWS: #6-32 STEEL, ZINC PLATING W/ CLEAR CHROMATE. (EXCEPT WHERE NOTED.)
 PITCH (TERMINAL SPACING): .375"

ELECTRICAL:
 RATED CURRENT UL/CSA:
 CLASS C: 20A, 300V
 CLASS D: 5A, 600V
 WIRE RANGE: 12-22 AWG

MECHANICAL:
 RECOMMENDED TORQUE: 7 IN-LB
 OPERATING TEMP.: 105°C MAX

- ① SCREWS AND TERMINALS ARE NICKEL PLATED BRASS.
- ② SCREWS ARE STAINLESS STEEL.
- ③ SCREWS ARE NICKEL PLATED BRASS.
- ④ PRELIMINARY PART NUMBER.



9.000	9.314	23	JC6-T307-23	1-1546701-2
8.625	8.939	22	JC6-T307-22	1-1546701-1
8.250	8.564	21	JC6-T307-21	1-1546701-0
③ 7.875	8.189	20	JC6-T305-20	1776006-5
① 7.875	8.189	20	JC6-T305-20-205	8-796985-9
7.875	8.189	20	JC6-T307-20	1546701-9
7.500	7.814	19	JC6-T307-19	1546701-8
7.125	7.439	18	JC6-T307-18	6-1437666-7
6.750	7.064	17	JC6-T307-17	1546701-7
6.375	6.689	16	JC6-T307-16	1546701-5
6.000	6.314	15	JC6-T307-15	1546701-4
② 5.625	5.939	14	JC6-T307-14-193	1776006-3
5.625	5.939	14	JC6-T307-14	1546701-3
5.250	5.564	13	JC6-T307-13	1546701-2
① 4.875	5.189	12	JC6-T305-12-204	4-796985-1
② 4.875	5.189	12	JC6-T307-12-191	1776006-1
4.875	5.189	12	JC6-T307-12	9-1437665-7
4.500	4.814	11	JC6-T307-11	1546701-6
4.125	4.439	10	JC6-T307-10	9-1437665-6
② 3.750	4.064	9	JC6-T307-09-192	1776006-2
3.750	4.064	9	JC6-T307-09	9-1437665-5
3.375	3.689	8	JC6-T307-08	9-1437665-4
① 3.000	3.314	7	JC6-T305-07-219	1776006-4
3.000	3.314	7	JC6-T307-07	1546701-1
2.625	2.939	6	JC6-T307-06	9-1437665-3
2.250	2.564	5	JC6-T307-05	9-1437665-2
1.875	2.189	4	JC6-T307-04	9-1437665-1
1.500	1.814	3	JC6-T307-03	9-1437665-0
④ ③ 1.125	1.439	2	JC6-T305-02	1776006-6
1.125	1.439	2	JC6-T307-02	8-1437665-9
DIM B	DIM A	NO OF POS	CATALOG NUMBER	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN S SCHLEGEL 01OCT02	 TE Connectivity
	0 PLC ± -	CHK S YODER 10/1/02	
	1 PLC ± -	APVD S YODER 10/1/02	
MATERIAL	FINISH	NAME	
		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO
		APPLICATION SPEC	A3 00779 C-8-1437665-9
		WEIGHT	SCALE NTS SHEET 1 OF 1 REV F3
		CUSTOMER DRAWING	