

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANDUIT PART NO.	PRODUCT WORKS WITH PANDUIT PART NUMBERS:	APPLICATION SURFACE:	WEIGHT bs 10 (g) pcs.	
JMSBCB87-3	JMJH2 JMOD CABLE SUPPORT	BEAMS UP TO 0.75" (19.05mm) THICK	7.34 (3329)	



1.96 -

[49.73]

(REF)

NOTES:

- 1. SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE.
- 2. SCREW USED TO ATTACH THE BEAM CLAMP TO THE METAL BRACKET CAN BE LOOSENED ALLOWING USER TO VARY INSTALLED ANGLE. AFTER BEAM CLAMP HAS BEEN ROTATED TO THE DESIRED ANGLE, USER SHOULD RE-TIGHTEN THÉ SCREW.
- 3. ASSEMBLY COMPONENT MATERIALS:
 - A. PRE-GLAVANIZED STEEL (JMCMB25-1)
 - ZINC PLATED STEEL (BOLT)
 - MALLEABLE IRON (BEAM CLAMP)
- 4. RATED STATIC LOAD: 180 lbs. (81.65kg)
- 5. JMSBCB87-3 WILL ACCEPT UP TO SIX JMJH2 J HOOK PRODUCTS.

DIMENSIONS IN BRACKETS ARE METRIC [mm]

CAD FILENAME/LAYERS G02672DV_PS_JMSBCB873_01



TINLEY PARK, ILLINOIS

0

JMOD BEAM CLAMP BRACKET ASSEMBLY (JMSBCB87-3-_)

UNLESS	OTHERWISE SPECIFIED.	
DIMENS	IONAL TOLERANCES ARE:	
	±0.05 [1.3] (.XXX) ±0.010 [0.25	1

UNLESS OTHERWISE SPECIFIED. ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.

DRAWN	BY	JAD	MAT'L:

DRAWING	NO.	

SCALE NONE

									J		
1	2/20/06	JAD		UPDATE APPLICATION SURFACE CALLOUT, WAS .88"	GB2722DV	l				DATE 3/7/03	
REV	DATE	ВҮ	СНК	DESCRIPTION	ECN -	R	CUST	SUP		CHK *D	

SEE NOTE 3

DWG GB2672DV