

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







MALLORY Mallory Sonalert Products, Inc.				Part #: JT028-RYG-CS	
Sales Outline Drawing				Revision: <b>B</b>	
Specifications:					
Stack Number:	1	2	3		
LED Color:	RED	YELLOW	GREEN		
Connection Wires:	Red and Brown	Yellow and Brown	Green and Brown		
LED Current Draw:	<50mA	<60mA	<40mA		
Rated Voltage:			24 VAC/DC		
Operating Voltage:	20-28 VAC/DC				
Total Max Current:	<150mA				
Operating Temperature:	-25° ~ +60°C				
Lens Color:	Opaque White				
Material:	ABS FR15U				
Mounting Method:	Stainless Steel Pole				
Weight Typical (g):	625				
NEMA 12:	Approved				
Options:		cUL Recognized	Please contact fact	tory.	ROHS Compliant
	GREEN  3.4 [61.8]	18.2 [461.1]	## sc	gasket  #0.20 [#5.2] 3 places  10 or 5mm  rews for  mounting  0.39 [9.9]  0.95 [24.3]  MDUNTIN  DIAGRAM	48° wire   00.57 [014.6] for wires   2.04 [51.9]   0.95 [24.3] G
LED OPERATION: CONN	ECT STACK COL	OR WIRE TO POWER A	AND BROWN WIRE	TO POWER.	