imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





K02 - VERSASENSE DEVELOPMENT KIT (SmartMesh IP, no batteries)

PRODUCT DESCRIPTION

The VersaSense IoT Fabric provides a simple, reliable and affordable Industrial Internet of Things (IIoT) solution for wireless sensing and control.

All VersaSense sensors and actuators are truly plug-and-play, making them easy to install and use.

The VersaSense Evaluation and Development Kit provides everything that is needed to learn about the VersaSense technology, create basic wireless sensing and control systems and begin programming applications.

KIT CONTENTS:

- ★ 1 * VersaSense Edge Gateway: Manages up to 100 wireless devices, provides a web interface and open APIs over Ethernet and WiFi.
- ★ 2 * VersaSense Wireless Devices: Forms a reliable, low-power mesh network. Each device supports 3 plugand-play peripherals. Note: Wireless Devices in K02 kit come without batteries.
- ★ 4 * Plug & Play Sensors: light, temperature and humidity, passive infrared, buzzer actuator.
- ★ 1 * Commissioning Peripheral for commissioning and updating nodes.

NETWORK TECHNOLOGY

The VersaSense IoT Fabric is designed for challenging environments such as factories, distribution facilities and data centers. It uses SmartMesh IP[™] from Linear Technology[®] to provide a self-healing mesh network that delivers 99.999% reliability. Each VersaSense Edge Gateway (**M01**) coordinates a network of up to 100 VersaSense Wireless Devices (**Pxx**). Each wireless device acts as a repeater or 'router' with an approximate indoor range of 50M. This allows a single mesh network to cover very large areas, such as entire factories, office buildings, ships or trains.

SOFTWARE SUPPORT:

- ★ Web Interface: View documentation, securely pair devices with your manager, monitor network status, configure devices, view live sensor data and control actuators.
- ★ RESTful API: A request/reply RESTful API to access and configure your network, peripherals and devices.
- ★ WebSockets API: Pushes a stream of JSON sensor data to your web sockets application.

DATA SHEETS FOR KIT CONTENTS:

P06: Wireless Device (SmartMesh IP): VersaSense-Pxx.pdf

M01: Edge Gateway (SmartMesh IP): VersaSense-M01.pdf

S01: Passive Infrared Presence Sensor: VersaSense-S01.pdf

S03-04: Temperature & Humidity Sensor: VersaSense-S03-04.pdf

S10: Light Sensor: VersaSense-S10.pdf

S19: Buzzer Actuator: VersaSense-S19.pdf

Z01: Commissioning Peripheral with Micro-USB cable: <u>VersaSense-Z01.pdf</u>

PRODUCT INFORMATION:

Product brochure: Product catalog: Documentation:

http://www.versasense.com/files/VersaSense-Brochure.pdf http://www.versasense.com/files/VersaSense-Catalog.pdf http://www.versasense.com/docs/

CONTACT INFORMATION:

Technical Support	E-Mail
Sales Enquiries	E-Mail
General Enquiries	E-Mail
General Enquiries	Post

support@versasense.com sales@versasense.com info@versasense.com VersaSense NV, Kapeldreef 60, 3001 Leuven, Belgium