

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









K110620001

Old item no.: LC1ABK

LC1ABK LC LIGHT, 45" ARM WITH EDGE CLAMP BLACK

One of the most widely used task lights in the world. With a combined 22W circline fluorescent and 14W compact fluorescent lightsource, LC provides the perfect balance of high light output with good color rendition. Edge clamp mount. Color: black.

| Lightsource | |
|--------------------|------------|
| Number of lamps | 1 |
| Lamp power (W) | 2 2 |
| Number of lamps 2 | 1 |
| Lamp base | G10Q |
| Lamp power 2 (W) | 1 4 |
| Lamp base 2 | E26 |
| Lightsource | T 9 |
| Lightsource 2 | T 4 |
| | |
| Dimensions | |
| Net weight (kg) | 0 |
| Gross weight (lb.) | 8 |
| Arm length (in.) | 4 5 |
| | |
| Body | |
| Body color | Black |
| Body material | Aluminum |
| | |
| Termination | |
| Cord length (ft) | 6 |
| Mounting | Edge clamp |









| Electrical data | |
|------------------------|---------------|
| Minimum frequency (Hz) | 6 0 |
| Maximum frequency (Hz) | 6 0 |
| Voltage from (V) | 1 1 5 |
| Maximum voltage (V) | 1 2 0 |
| Total consumption (W) | 3 6 |
| | |
| Ballast | |
| Number of ballast | 2 |
| Type of Ballast | Multi watt HF |
| | |
| Optic | |
| Material of reflector | Aluminum |
| Color of reflector | White |
| | |
| Technical data | |
| IP classification | 2 0 |
| | |