

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











COMBO/LC SERIES

Adjustable arm with a 9-1/2" diameter shade, inner reflector and porcelain socket. 3-conductor cord set. Includes FC8T9/CW 22 watt fluorescent tube and 60 watt incandescent bulb (max 100) LC1/A has a 45" arm. LC2/A has a 30" arm.

UL Listed.

| Model Number | Reach | Mounting | Color Specify | | Price |
|-----------------|-------|-----------|------------------|------|----------|
| LC-1/A | 45" | "A" Clamp | Black | (BK) | \$205.00 |
| LC-2/A | 30" | "A" Clamp | White | (WT) | 205.00 |
| | | | Oyster | (OW) | |
| | | | Light gray | (LG) | |

FL Fluorescent Lamp

Adjustable arm with heavy duty metal shade. The FL1/A has three conductor cord set and comes with two F15T8/CW15 watt fluorescent tubes. The FL1/A can reach up to 45" and comes with a clamp for mounting on horizontal surfaces. UL Listed.

| Model Number | Reach | Mounting | Colors Specify | | Price | |
|-----------------|-------|-----------|--|------------------------------|----------|---|
| FL-1/A | 45" | "A" Clamp | Black White Oyster Light gray | (BK) (WT) (OW) (LG) | \$205.00 | - |

LS SERIES


Luxo's premier incandescent series with two-conductor cord set, 45" or 30 inch arm, 8" shade and inner reflector and porcelain socket. All LS models are 100 watt rated and come with 60 watt bulb. LS-1/A and LS-2/A include a clamp for mounting on horizontal surfaces. UL Listed.

| Model Number | Reach | Mounting | Colors Specify | | Price |
|-----------------|-------|------------|-------------------|------|----------|
| LS-1/A | 45" | "A" Clamp | Black | (BK) | \$130.00 |
| LS-2/A | 30" | "A" Clamp | White | (WT) | 130.00 |
| LS-1/E | 45" | Metal Base | Oyster | (OW) | 162.00 |
| LS-2/E | 30" | Metal Base | Light gray | (LG) | 162.00 |

LB SERIES

Adjustable arm with 4-5/8" diameter bullet shade, inner reflector and porcelain socket. All LB Models have 3 conductor cord sets and come with a 60 watt bulb. Model LB-1/A has 45" reach. LB2/A has a 30" reach. UL Listed.

| Model Number | Reach | Mounting | Colors Specify | | Price | |
|------------------|------------|----------------------|--|------------------------------|--------------------|--|
| LB-1/A LB-2/A | 45" 30" | "A"Clamp "A"Clamp | Black White Oyster Light gray | (BK) (WT) (OW) (LG) | \$130.00 130.00 | |



MOUNTING OPTIONS

| Description | Model Number | Colors Specify | Price |
|--|-----------------|------------------------------|-------------------|
| A - Edge Mount Clamp. For edge mounting on horizontal surfaces | 50001 | | \$13.00 |
| B - Wall Mount Bracket. For permanent mounting on vertical surfaces. | 50003 | Black (Br White (W1 | / 301.500 |
| C - Surface Mount Bracket. For permanent mounting on horizontal surfaces. | 50005 | Oyster (O) Light gray (LG | / 1 301.5 UU |
| E-Round Weighted base. For use with all Luxo incandescent lamps except LIL. | 50008 | | \$56.00 |
| D - Drafting Board Bracket. For edge mounting on inclined surfaces such as drafting boards | 60016 | | \$21.00 |
| M- Economy mounting Bracket for use with Magalux (16272.). | 50015 | , | BK) /T) \$8.00 |



50001



50002













Technologically advanced illuminated magnifier lets you see work in a new light. 3-diopter lens in $6-3/4 \times 4-1/2$ "Stadium shaped viewing area. Twin 7- watt fluorescent light sources with independent switches; (one light for 3 - dimensional viewing; both lights for shadow-free illumination). U.L. Listed

| Model Number | Reach | Mounting | Color Specify | Price |
|-----------------|-------|-----------|------------------|----------|
| 17805 | 45" | "A" Clamp | Black (BK) | \$415.00 |
| 17806 | 30" | "A" Clamp | Light gray (LG) | 415.00 |

INTERMEDIATE FLUORESCENT MAGNIFIER

Adjustable 45" arm with 5" diameter, 3 diopter lens, including 3-conductor cord set FC8T9/CW 22 watt fluorescent tube, and a clamp for mounting to horizontal surfaces. Unit comes with a splash guard diffuser. No lens accessories available with this model. U.L. Listed.

| Model Number | Reach | Mounting | Color | Price |
|-----------------|-------|-----------|-----------------|----------|
| 16301 | 45" | "A" Clamp | Light gray (LG) | \$170.00 |

MAGNA-LUX II MAGNIFIER

Economy multipurpose magnifier with 39" arm reach. 60 watt showcase (60T10/CF) bulb; 5" diagonally measured 3 diopter lens. Universal Mtg. Bkt., and 2-conductor cord set. U.L. Listed.

| Model Number | Reach | Mounting | Color | Price |
|-----------------|-------|-----------|------------|---------|
| 16272 | 39" | "M" Clamp | Black (BK) | \$85.00 |

EXHAUST FAN LAMP

Models come on a 45" and 30" adjustable heavy duty K-arm. Separate switches for fan and lamp. 5-bladed fan delivers 100CFM @ 2.900 rpm. Equipped with 3 conductor cord set. FC8T9/CW 22 watt fluorescent tube and clamp for mounting to horizontal surfaces. U.L. Listed.

| Model Number | Reach | Mounting | Color | Price |
|-----------------|-------|-----------|-----------------|----------|
| 16159 | 45" | "A" Clamp | Light gray (LG) | \$350.00 |
| 16160 | 30" | "A" Clamp | | 350.00 |

KFM MAGNIFIER SERIES

All models are on adjustable K-arm (no external springs) with 5" diameter, 3 diopter (3d) or 5 diopter (5d) lens. Units include an FC8T9/CW 22 watt fluorescent tube. Model KFM-1/A has a 45" reach; models KFM-2/A and KFM-2/FE have a 30" reach. KFM-1/A and KFM-2/A come with a clamp for mounting to horizontal surfaces; KFM-2/FE is mounted in a weighted base. All models include an industrial grade splash guard/diffuser. UL Listed.

| Model Number | Reach | Mounting | Diopter | Colors Specify | | Price |
|-----------------|-------|------------|---------|-------------------|------|----------|
| 17113 | 45" | "A" Clamp | 3 | | | \$253.00 |
| 17115 | 45" | "A" Clamp | 5 | Black (| (BK) | 270.00 |
| 17213 | 30" | "A" Clamp | 3 | White (\ | WT) | 305.00 |
| 17215 | 30" | "A" Clamp | 5 | | (OW) | 270.00 |
| 17253 | 30" | Metal Base | 3 | Light gray (I | LG) | 325.00 |
| 17255 | 30" | Metal base | 5 | | | 345.00 |

KFM LENS

Primary lens available up to 20 diopter can be changed by simply removing three screws. Secondary lenses snap on in seconds. The 10 Diopter swing away lens clips on

Secondary lenses Ordering Guide

| Model | Lens | Diameter | Price |
|-------|------------------|--------------|-------|
| 50201 | 4d | 4 inches | |
| 50202 | 8d | 3-1/8 inches | |
| 50203 | 10d (swing away) | 1-1/2 inches | |

