



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# Web-Strap Ratcheting Hoists

**KN1500P-EX**  
Standard

**KN1500P-EXH**  
with Hot Rings

**NEW!** **KN1600P-EX**  
with Removable Handle

**KLEIN  
TOOLS**  
For Professionals... Since 1857™





# Web-Strap Ratcheting Hoists

Tight ratcheting for less work, less fatigue

- Controlled tension release for safety
- 360° handle rotation easily works from any angle
- Meets ANSI/ASME B30.21-2014 & B30.10-2014 standards

**360°**  
Rotation  
on all models

## Single Line

**LOAD RATING:**  
1500 lbs. (675 kg)

**Min. to Max. Pulling Distance:**  
20" - 138" (51 cm - 350 cm)



## Double Line

**LOAD RATING:**  
3000 lbs. (1350 kg)

**Min. to Max. Pulling Distance:**  
26" - 79" (66 cm - 201 cm)



KN1500P-EX



KN1500P-EXH



**NEW**

KN1600P-EX

### Additional Features:

Removable handle for less obstruction and storage space required.

Wing nut and cotter pin assembly for easy removal of floating hook.

Deep V-notch in hook reduces lateral movement.

### Additional Features:

Hot rings attached to hooks, handle and ratchet switch for hot stick compatibility.

Cat. No.	UPC# 0-92644+	Hot Rings	Approx. Weight
KN1500P-EX	61425-5	No	12.5 lbs. (5.7 kg)
KN1500P-EXH	61103-2	Yes	13 lbs. (5.9 kg)
KN1600P-EX	61106-3	No	13 lbs. (5.9 kg)



**KLEIN TOOLS**  
EST. 1857  
For Professionals... Since 1857™

See our complete line of Utility products  
[www.kleintools.com](http://www.kleintools.com)



© 2017 Klein Tools, Inc.  
Lincolnshire, IL 60069-1418  
96363 Rev. 06/17 B