



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



SparkFun Serial Graphic LCD 128x64

LCD-09351 ROHS ✓

★ ★ ★ ☆ ☆ 2



© images are CC BY-NC-SA 3.0

Description: This is a smaller version of our serial graphic LCD. The SparkFun Serial Graphic LCD backpack is soldered to the 128x64 pixel Graphic LCD and provides the user a simple serial interface to a full range of controls.

Besides writing text, this serial graphic LCD allows the user to draw lines, circles and boxes, set or reset individual pixels, erase specific blocks of the display, control the backlight and adjust the baud rate. Additionally, all source code for the ATmega168 processor is compiled using the free WinAVR compiler and is free for downloading.

Check our serial graphic LCD tutorial!

Features:

- Voltage: 6V – 7V DC
- Current: 220mA (backlight at 100%)
- Input: 0-5V, 115,200bps (adjustable), 8 data bits, 1 stop bit, no parity

Dimensions: 3 x 2 x 0.6"