imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



NPB
559Switchcraft1/4" LongframePatchcords

PRELIMINARY

1/4" Longframe Single Patchcords



Introducing Switchcraft's re-designed 3-conductor 1/4" Longframe audio patchcords. Now made with a low capacitance 110 Ohm cable it is ideal not only for analog applications but also for digital AES/EBU audio and SMPTE time code patching. The overall flexible jacket is available in eight attractive colors. The overmolded rubber flex handle-boot reduces strain off the cable when pulled or tugged. The overmold covers a metallic shell which greatly reduces crosstalk. The nickel plated plugs ends are non-tarnishing as well as self cleaning when used with Switchcraft MT series patchbays.





Broadcast Series

1/4" Longframe Analog and Digital Audio Patchcords

Cable Color

Part Numbering System

LF	
Longframe	Length
	(Feet)

Colors		Color Code	Standard Foot Lengths
			1'
Black	=	BK	2'
Red	=	R	3'
Orange	=	0	4'
Yellow	=	Y	5'
Green	=	GN	6'
Blue	=	BL	7'
Purple	=	Р	8'
Gray	=	GY	9'
			10'

Custom lengths are available by request. 1 meter is equal to 3.28 feet.

SPECIFICATIONS:

- * Mil Spec Series: M642
- * Standard plug terminations are 1/4" Longframe Plug handle is molded thermoplastic.
- * Plugs: Tip Rod, Ring and Sleeve Copper Alloy
- * Cable: 26 AWG (30x40) OFBC, 110 Ohm Low Capacitance Jacket is Matte PVC

