



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Self-Laminating Labels for Laser AND Ink Jet Printers

- Same label can be printed on laser or ink jet printer
- White print-on area with clear overlamine for permanent protected identification
- Thin film with permanent adhesive



US Letter Sheet Format (8.5" x 11" / 215.9mm x 279.4 mm)

Part Number	Material	Label Size A x B x C In. (mm)	Nominal Cable O.D. Range In. (mm)	Typical Electrical (THHN)	Typical UTP	Std. Pkg. Qty.*
LJSL1-Y3-5	GMY6 Self- Laminating Polyester	0.50 x 0.75 x 0.34 (12.7 x 19.1 x 8.6)	0.11 - 0.13 (2.7 - 3.3)	12 AWG	—	5000
LJSL2-Y3-5		0.50 x 1.50 x 0.50 (12.7 x 38.1 x 12.7)	0.16 - 0.32 (4.0 - 8.1)	8-6 AWG	4 Pair	5000
LJSL3-Y3-2.5		1.00 x 0.75 x 0.34 (25.4 x 19.1 x 8.6)	0.11 - 0.13 (2.7 - 3.3)	12 AWG	—	2500
LJSL3-Y3-5						5000
LJSL4-Y3-2.5†		1.00 x 1.00 x 0.34 (25.4 x 25.4 x 8.6)	0.11 - 0.21 (2.7 - 5.3)	12-10 AWG	—	2500
LJSL5-Y3-1		1.00 x 1.33 x 0.47 (25.4 x 33.8 x 11.9)	0.15 - 0.27 (3.8 - 6.8)	10-6 AWG	4 Pair	1000
LJSL5-Y3-2.5†						2500
LJSL20-Y3-1		1.00 x 1.33 x 0.50 (25.4 x 33.8 x 12.7)	0.16 - 0.26 (4.0 - 6.7)	8-6 AWG	4 Pair	1000
LJSL6-Y3-1		1.00 x 3.17 x 0.97 (25.4 x 80.5 x 24.6)	0.31 - 0.70 (7.8 - 17.8)	4 AWG-4/0	4-50 Pair	1000
LJSL19-Y3-1		1.00 x 5.45 x 1.00 (25.4 x 138.4 x 25.4)	0.32 - 1.42 (8.1 - 36.0)	4 AWG- 1000 MCM	4-300 Pair	1000
LJSL18-Y3-1		1.88 x 3.17 x 0.97 (47.8 x 80.5 x 24.6)	0.31 - 0.70 (7.8 - 17.8)	4 AWG-4/0	4-50 Pair	1000
LJSL7-Y3-1		2.00 x 1.50 x 0.50 (50.8 x 38.1 x 12.7)	0.16 - 0.32 (4.0 - 8.1)	8-6 AWG	4 Pair	1000
LJSL8-Y3-1		2.00 x 3.17 x 1.00 (50.8 x 80.5 x 25.4)	0.32 - 0.69 (8.1 - 17.5)	4 AWG-4/0	4-50 Pair	1000

DIN A4 Sheet Format (8.26" x 11.69" / 210 mm x 297 mm)

Part Number	Material	Label Size A x B x C In. (mm)	Nominal Cable O.D. Range In. (mm)	Typical Electrical (THHN)	Typical UTP	Std. Pkg. Qty.*
LJSL9-Y3-2.5†	GMY6 Self- Laminating Polyester	0.70 x 1.33 x 0.33 (17.8 x 33.8 x 8.4)	0.11 - 0.32 (2.7 - 8.1)	12-6 AWG	4 Pair	2500
LJSL10-Y3-1		0.90 x 2.17 x 0.50 (22.9 x 55.0 x 12.7)	0.16 - 0.53 (4.0 - 13.5)	8 AWG-1/0	4-25 Pair	1000
LJSL21-Y3-1†		0.90 x 2.17 x 0.67 (22.9 x 55.0 x 17.0)	0.21 - 0.48 (5.3 - 12.1)	8-1 AWG	4-25 Pair	1000
LJSL11-Y3-1†		1.00 x 2.67 x 0.67 (25.4 x 67.8 x 16.9)	0.21 - 0.64 (5.3 - 16.2)	8 AWG-3/0	4-50 Pair	1000
LJSL12-Y3-1		1.20 x 2.67 x 0.83 (30.5 x 67.8 x 21.1)	0.26 - 0.58 (6.6 - 14.9)	6 AWG-2/0	4-25 Pair	1000
LJSL17-Y3-0.5†		1.40 x 3.67 x 1.00 (35.6 x 93.1 x 25.4)	0.32 - 0.85 (8.1 - 21.6)	4 AWG- 350 MCM	4-50 Pair	500
LJSL14-Y3-0.5		1.40 x 5.50 x 1.00 (35.6 x 139.7 x 25.4)	0.32 - 1.40 (8.1 - 35.6)	4 AWG- 1000 MCM	4-300 Pair	500
LJSL15-Y3-0.5		1.80 x 5.50 x 1.17 (45.7 x 139.7 x 29.6)	0.37 - 1.38 (9.5 - 35.0)	2 AWG- 1000 MCM	4-300 Pair	500
LJSL21-PO3-1	GMPO6 Polyolefin	0.90 x 2.17 x 0.67 (22.9 x 55.0 x 17.0)	0.21 - 0.48 (5.3 - 12.1)	8-1 AWG	4-25 Pair	1000

† Labels available with TIA Specified Colored Print-On Area. To order, insert color designation after 'Y3' in part number: BLU for blue, BRN for Brown, GRN for Green, GRY for Gray, ORN for Orange, PUR for Purple, RED for Red, or YEL for Yellow. I.E. order LJSL4-Y3BLU-2.5 for Blue Print-On Area.

*Order number of labels required in multiples of Std. Pkg. Qty.

PANDUIT® Self-Laminating Labels for Laser and Ink Jet Printers

Cross Reference to Other Panduit Part Numbers

The new LJSL series is replacing many older Panduit label parts. Users of JSL, PEL and PLL self-laminating labels should refer to the chart below to determine the new LJSL part number to order.

Old Part Number	LJSL Part Number
JSL1-Y3-5	LJSL1-Y3-5
JSL2-Y3-5	LJSL2-Y3-5
JSL3-Y3-2.5	LJSL3-Y3-2.5
JSL4-Y3-2.5	LJSL4-Y3-2.5
JSL5-Y3-1	LJSL5-Y3-1
JSL5-Y3-2.5	LJSL5-Y3-2.5
JSL6-Y3-1	LJSL6-Y3-1
JSL7-Y3-1	LJSL7-Y3-1
JSL8-Y3-1	LJSL8-Y3-1
JSL9-Y3-2.5	LJSL9-Y3-2.5
JSL10-Y3-1	LJSL10-Y3-1
JSL11-Y3-1	LJSL11-Y3-1
JSL12-Y3-1	LJSL12-Y3-1
PEL-17-BLU-2.5	LJSL9-Y3BLU-2.5
PEL-17-BRN-2.5	LJSL9-Y3BRN-2.5
PEL-17-GRN-2.5	LJSL9-Y3GRN-2.5
PEL-17-GRY-2.5	LJSL9-Y3GRY-2.5
PEL-17-ORN-2.5	LJSL9-Y3ORN-2.5
PEL-17-PUR-2.5	LJSL9-Y3PUR-2.5
PEL-17-RED-2.5	LJSL9-Y3RED-2.5
PEL-17-Y3-2.5	LJSL9-Y3-2.5
PEL-17-YEL-2.5	LJSL9-Y3YEL-2.5
PEL-18-BLU-1	LJSL21-Y3BLU-1
PEL-18-BRN-1	LJSL21-Y3BRN-1
PEL-18-GRN-1	LJSL21-Y3GRN-1
PEL-18-GRY-1	LJSL21-Y3GRY-1
PEL-18-ORN-1	LJSL21-Y3ORN-1
PEL-18-PO3-1	LJSL21-PO3-1

Old Part Number	LJSL Part Number
PEL-18-PUR-1	LJSL21-Y3PUR-1
PEL-18-RED-1	LJSL21-Y3RED-1
PEL-18-Y3-1	LJSL21-Y3-1
PEL-18-YEL-1	LJSL21-Y3YEL-1
PEL-19-BLU-1	LJSL11-Y3BLU-1
PEL-19-BRN-1	LJSL11-Y3BRN-1
PEL-19-GRN-1	LJSL11-Y3GRN-1
PEL-19-GRY-1	LJSL11-Y3GRY-1
PEL-19-ORN-1	LJSL11-Y3ORN-1
PEL-19-PUR-1	LJSL11-Y3PUR-1
PEL-19-RED-1	LJSL11-Y3RED-1
PEL-19-Y3-1	LJSL11-Y3-1
PEL-19-YEL-1	LJSL11-Y3YEL-1
PEL-20-Y3-1	LJSL12-Y3-1
PEL-21-BLU-0.5	LJSL17-Y3BLU-.5
PEL-21-BRN-0.5	LJSL17-Y3BRN-.5
PEL-21-GRN-0.5	LJSL17-Y3GRN-.5
PEL-21-GRY-0.5	LJSL17-Y3GRY-.5
PEL-21-ORN-0.5	LJSL17-Y3ORN-.5
PEL-21-PUR-0.5	LJSL17-Y3PUR-.5
PEL-21-RED-0.5	LJSL17-Y3RED-.5
PEL-21-Y3-0.5	LJSL17-Y3-0.5
PEL-21-YEL-0.5	LJSL17-Y3YEL-.5
PEL-22-Y3-0.5	LJSL14-Y3-0.5
PEL-23-Y3-0.5	LJSL15-Y3-0.5
PEL-30-Y3-1	LJSL10-Y3-1
PLL-3-Y3-5	LJSL1-Y3-5
PLL-10-Y3-2.5	LJSL3-Y3-2.5

Old Part Number	LJSL Part Number
PLL-10-Y3-5	LJSL3-Y3-5
PLL-11-Y3-2.5	LJSL4-Y3-2.5
PLL-11-Y3B-2.5	LJSL4-Y3BLU-2.5
PLL-11-Y3BR-2.5	LJSL4-Y3BRN-2.5
PLL-11-Y3G-2.5	LJSL4-Y3GRN-2.5
PLL-11-Y3IG-2.5	LJSL4-Y3GRY-2.5
PLL-11-Y3OR-2.5	LJSL4-Y3ORN-2.5
PLL-11-Y3PR-2.5	LJSL4-Y3PUR-2.5
PLL-11-Y3RD-2.5	LJSL4-Y3RED-2.5
PLL-11-Y3Y-2.5	LJSL4-Y3YEL-2.5
PLL-12-Y3-1	LJSL5-Y3-1
PLL-12-Y3-2.5	LJSL5-Y3-2.5
PLL-12-Y3B-2.5	LJSL5-Y3BLU-2.5
PLL-12-Y3BR-2.5	LJSL5-Y3BRN-2.5
PLL-12-Y3G-2.5	LJSL5-Y3GRN-2.5
PLL-12-Y3IG-2.5	LJSL5-Y3GRY-2.5
PLL-12-Y3OR-2.5	LJSL5-Y3ORN-2.5
PLL-12-Y3PR-2.5	LJSL5-Y3PUR-2.5
PLL-12-Y3RD-2.5	LJSL5-Y3RED-2.5
PLL-12-Y3Y-2.5	LJSL5-Y3YEL-2.5
PLL-13-Y3-1	LJSL6-Y3-1
PLL-21-Y3-1	LJSL8-Y3-1
PLL-33-Y3-5	LJSL2-Y3-5
PLL-37-Y3-1	LJSL18-Y3-1
PLL-38-Y3-1	LJSL19-Y3-1
PLL-39-Y3-1	LJSL20-Y3-1
PLL-40-Y3-1	LJSL7-Y3-1

Our products are warranted to be free from defects in material and workmanship at the time of sale but our obligation under this warranty is limited to the replacement of any product proved to be defective within 6 months (for product) or 90 days (for tools) from the date of delivery. Tool warranty is void if Panduit tools are modified, altered or misused in any way. Use of Panduit tooling with any product other than the specified Panduit products for which the tool was designed, constitutes misuse. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith.



ELECTRICAL GROUP

This warranty is made in lieu of and excludes all other warranties, expressed or implied. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE ARE SPECIFICALLY EXCLUDED. Neither seller nor manufacturer shall be liable for any other injury, loss or damage, whether direct or consequential, arising out of the use of, or the inability to use, the product.

The information contained in this literature is based on our experience to date and is believed to be reliable. It is intended as a guide for use by persons having technical skill at their own discretion and risk. We do not guarantee favorable results or assume any liability in connection with its use. Dimensions contained herein are for reference purposes only. For specific dimensional requirements consult the factory. This publication is not to be taken as a license to operate under, or a recommendation to infringe any existing patents. This supersedes and voids all previous literature, etc.

Contact Heiland Electronics for all of your Panduit needs at (800)400-7041