



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





All dimensions are in mm; tolerances according to ISO 2768 c-H

**Available variants**

Type	"A" (mm)	"C" (mm)	Insertion loss ≤ (dB) at 26.5 GHz	Marking	Weight (g) / pce
LU7-153-500	500	20±3	1.30	ROSENBERGER WW/YY XXX LU7-153-500	58
LU7-153-1000	1000	20±3	2.30	ROSENBERGER WW/YY XXX LU7-153-1000	94
LU7-153-1500	1500	20±3	3.35	ROSENBERGER WW/YY XXX LU7-153-1500	130
LU7-153-2000	2000	20±3	4.40	ROSENBERGER WW/YY XXX LU7-153-2000	166

WW - week  
YY - year  
XXX – serial no.

**Documents**

Technical data sheet connectors	RPC-3.50 plug RPC-3.50 jack	03S121-2U7S3 03K121-2U7S3
Technical data sheet cable	RTK 162	

**Assembly parts**

Connector left	RPC-3.50 plug	03S121-2U7S3
Connector right	RPC-3.50 jack	03S121-2U7S3
Cable	RTK 162	

Dieses Dokument ist urheberrechtlich geschützt • This document is protected by copyright • Rosenberger Hochfrequenztechnik GmbH & Co. KG

RF\_35/05:10/6.0

## Technical Data Sheet

# Rosenberger

Cable assembly - Standardportfolio  
RPC-3.50 Plug / RPC-3.50 Jack – RTK 162

## LU7-153-XXX

### Electrical data

Impedance	50 $\Omega$
Frequency	DC to 26.5 GHz
Return loss	$\geq 19$ dB, DC to 26.5 GHz
Insertion loss	see table available variants
RF-leakage	$\geq 100$ dB up to 1 GHz

### Mechanical data

Minimum bend radius:	
Single	9.65 mm
Multiple	50.8 mm

### Environmental data

Temperature range	-40°C to +85°C
2002/95/EC (RoHS)	compliant

### Packing

Standard	1 pce in box
----------	--------------

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.

Draft	Date	Approved	Date	Rev.	Engineering change number	Name	Date
Martin Moder	26/01/12	Herbert Babinger	03/02/12	g00	12-s045	Maik Knoll	03/02/12

Rosenberger Hochfrequenztechnik GmbH & Co. KG P.O.Box 1260 D-84526 Tittmoning Germany <a href="http://www.rosenberger.de">www.rosenberger.de</a>	Tel. : +49 8684 18-0 Fax : +49 8684 18-499 Email : <a href="mailto:info@rosenberger.de">info@rosenberger.de</a>	Page 2 / 2
--	---	---------------