

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









# USB Sync / Charge Cable with Lightning Connector - Black, 10 Piece Bulk Pack, 10-in.

## MODEL NUMBER: M100-10N-BK-10



Sync and Charge your iPhone, iPad, or iPod device

### Description

Tripp Lite's M100-10N-BK-10 is a 10 piece bulk pack of 10-in. Black USB Sync / Charge Cable with Lightning connector allows for Uploading / Downloading data to and from the latest generation of iPhone, iPad, and iPod devices, while charging the devices at the same time. Cables are MFI Certified, so they are made for use with iPhone (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus, SE, 7, 7 Plus, 8, 8 Plus, X), iPad (4th and 5th generations), iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPod Touch (5th and 6th generations), iPad Pro 12.9 inch (1st generation) and iPad Pro 9.7 inch. Reversible Lightning connector allows plug-ability in either direction to the device.

#### **Features**

- USB Sync / Charge Cable with Lightning Connector Black, 10 Piece Bulk Pack, 10-in.
- MFI Certified Made for iPhone (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus, SE, 7, 7 Plus, 8, 8 Plus, X), iPad (4th and 5th generations), iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPod Touch (5th and 6th generations), iPad Pro 12.9 inch (1st generation) and iPad Pro 9.7 inch

#### **Highlights**

- 10 piece bulk pack
- Sync / Charge Cable with Lightning Connector
- MFI Certified Made for iPhone
   (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus,
   SE, 7, 7 Plus, 8, 8 Plus, X), iPad
   (4th and 5th generations), iPad
   mini, iPad mini 2, iPad mini 3,
   iPad mini 4, iPad Air, iPad Air 2,
   iPod Touch (5th and 6th
   generations), iPad Pro 12.9 inch
   (1st generation) and iPad Pro
   9.7 inch

## **System Requirements**

- USB computer or wall adapter
- MFI Certified Made for iPhone
   (5, 5c, 5s, 6, 6 Plus, 6s, 6s Plus, SE, 7, 7 Plus, 8, 8 Plus, X), iPad
   (4th and 5th generations), iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPod Touch (5th and 6th generations), iPad Pro 12.9 inch
   (1st generation) and iPad Pro 9.7 inch

#### Package Includes

 USB Sync / Charge Cable with Lightning Connector - Black, 10
 Piece Bulk Pack, 10-in.

# **Specifications**

OVERVIEW	
UPC Code	037332188526
Technology	Lightning; USB (all versions)





INPUT		
Cable Length (ft.)	0.8	
Cable Length (m)	0.24	
Cable Length (in.)	10	
PHYSICAL		
Wire Gauge (AWG)	24 Power Pair / 30 Data Pair	
Shipping Dimensions (hwd / in.)	1.180 x 5.120 x 2.760	
Shipping Dimensions (hwd / cm)	3.00 x 13.00 x 7.01	
Shipping Weight (lbs.)	0.0500	
Shipping Weight (kg)	0.02	
Unit Packaging Type	Вох	
Material of Construction	PVC	
Color	Black	
Cable Outer Diameter (OD)	2.8mm	
Cable Jacket Rating	VW-1	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 140 F (-20 to 60 C)	
Storage Temperature Range	-4 to 176 F (-20 to 80 C)	
Relative Humidity	0% to 90% RH, Non-Condensing	
CONNECTIONS		
Side A - Connector 1	USB A (MALE)	
Side B - Connector 1	LIGHTNING (MALE)	
Connector Plating	Nickel	
Contact Plating	Gold	
FEATURES & SPECIFICATIONS		
USB Specification	USB 2.0 (up to 480 Mbps)	
CERTIFICATIONS		
Certifications	Tested to MFI, CA65, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	2-year limited warranty	



**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>