



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



MAGNETIZER

Quickly **magnetize** and **demagnetize** screwdriver tips and bits using powerful rare-earth magnets



**KLEIN
TOOLS** 
For Professionals... Since 1857™

MAGNETIZER



Fits these drivers

- Phillips: #3
- Keystone Slotted (round or square shank): 1/4"
- Cabinet Slotted: 5/16"
- Insulated Phillips: #2
- Insulated Cabinet: 1/4"
- Most precision screwdrivers

Single swipe operation easily magnetizes and demagnetizes screwdrivers from precision sizes up to #3 Phillips and 1/4" slotted with square shank.



To magnetize screwdriver:

Insert screwdriver shaft fully into magnetizing slot; avoid rotating shaft while drawing out slowly



To demagnetize screwdriver:

Insert shaft fully into smallest demagnetizing slot that fits; avoid rotating shaft while drawing out slowly



Cat. No.	UPC 0-92644+	Length	Width	Depth	Weight
MAG2	32446-8	2.2" (56 mm)	1.1" (28 mm)	.7" (17.78 mm)	1.12 oz (32 g)



KLEIN TOOLS
EST. 1857
For Professionals... Since 1857™

See our complete line of Klein Tools
www.kleintools.com



© 2017 Klein Tools, Inc.
Lincolnshire, IL 60069
96538 Rev. 07/17 A