



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

BANDING PART NUMBER	COIL BAND WIDTH ±.010" [0.25]	MAT'L TYPE	MAT'L COATING	REQ'D.MLT HEAD PART NUMBER	MAT'L LENGTH	MAT'L THICKNESS ±.001" [0.03]	MAT'L EDGES
MBEH-TLR	.500" [12.70]	304	-----	MTEH-C	250.0' [76.2m]	.010" [.25]	NOTE 5
MBEH-TLR316	.500" [12.70]	316	-----	MTEH-C316	250.0' [76.2m]	.010" [.25]	NOTE 5
MBSH-TR	.625" [15.88]	304	-----	MTHSH-C	200.0' [61.0m]	.015" [.38]	NOTE 6
MBSH-TR316	.625" [15.88]	316	-----	MTHSH-C316	200.0' [61.0m]	.015" [.38]	NOTE 6
MBCEH-QR316	.500" [12.70]	316	POLYESTER	MTHCEH-C316	82.5' [25.0m]	.010" [.25]	NOTE 7
MBCSH-QR316	.625" [15.88]	316	POLYESTER	MTHCSH-C316	82.5' [25.0m]	.015" [.38]	NOTE 7



NOTES:

1. INSTALLATION TOOLS:
RT2HT, ST2MT (MBEH, MBCEH ONLY), PBTMT, RT2HTN
2. BRACKETS [] DENOTES DIMENSIONS IN MILLIMETERS
3. SEE TABLE FOR COMPATIBLE BANDING HEAD PART NUMBERS
4. TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X ± .13 [3.30]
5. FULLY ROUNDED EDGES
6. BROKEN EDGES TO ELIMINATE SHARP EDGES
7. FULLY COATED MATERIAL:
COATING THICKNESS: .003"/.007" [.08/.18] PER SIDE

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
05A	4/13	JAMB	MIM	RGRO	UPDATE DRAWING TO NEW GLOBAL PANDUIT TITLE BLOCK WITH PANDUIT LOGO	SSECN01049
04A	7/11	JAMB	MIM	---	NOTE #1 REMOVED INSTALLATION TOOL ST3MT. ADDED INSTALLATION TOOL ST2MT (MBEH, MBCEH ONLY) PBTMT, RT2HTN	-----
03A	10/08	JAMB	SKB	---	NOTE #1: INSTALLATION TOOL RT1HT REPLACED BY RT2HT	-----
02A	11/07	JAMB	EJD	---	Ⓢ PART NO.MBSH-TR & MBSH-TR316 MAT'L LENGTH CHANGED FROM 200.0' [70.0m] TO 200.0' [61.0m]. ORIG CAD FILE SPEC WAS S41199-02	-----
02	9/05	JAMB	EJD	---	REMOVED PPTMT, GS4MT, ST2MT & HTMT APPLICATION TOOLS	SSECN00049
01	5/05	JAMB	EJD	JJB	Ⓐ REQ'D BANDING HEAD PART NO.MTHCSH-C316 WAS PART NO. MTHCSDH-C316	12678

TITLE STAINLESS STEEL METAL BANDING CONTINUOUS	
CUSTOMER DRAWING	
ITEM REVISION NAME N41199BS/05	PANDUIT
DATASET FILE NAME N41199BS_DC/05A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]	
.x ± .1 [2.54] .xx ± .01 [.25]	.xxx ± .005 [.127] ANGLES ± 5 °
THIRD ANGLE PROJECTION	
DRAWN BY JAMB	DATE 5/05
CHK EJD	SCALE NONE
DRAWING NUMBER: N41199BS_DC	
SHT 1 OF 1	
SIZE A	