



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## MID-RANGE SBC V33 BOARD

### Description:

This demo board enables device evaluation of the Mid-Range SBC product family and accelerates the design-in phase. It is populated with the representative product families' superset component TLE9263-3QX V33. The evaluation board can be connected to the "UIO STICK" (Power Easy Kit Lite) and controlled via USB using a powerful and intuitive Graphical User Interface (GUI) installed on your computer.

# Parametrics

Parametrics	MID-RANGE SBC V33 BOARD
Applications	Automotive
Configuration	TLE9263BQX-3QX V33
Description	This demo board enables device evaluation of the Mid-Range SBC product family and accelerates the design-in phase. It is populated with the representative product families' superset component TLE9263BQX-3QX V33. The evaluation board can be connected to the "UIO STICK" (Power Easy Kit Lite) and controlled via USB using a powerful and intuitive Graphical User Interface (GUI) installed on your computer.
Family	Motor Driver ; System Basis Chip (SBC)
Input Type	DC
Output Voltage <b>min max</b>	5.0 V 1.8 V 8.0 V
Product Description	This demo board enables device evaluation of the Mid-Range SBC product family and accelerates the design-in phase. It is populated with the representative product families' superset component TLE9263BQX-3QX V33. The evaluation board can be connected to the "UIO STICK" (Power Easy Kit Lite) and controlled via USB using a powerful and intuitive Graphical User Interface (GUI) installed on your computer.
Qualification	Automotive
Supply Voltage <b>min max</b>	12.0 V 5.5 V 28.0 V
Target Application	Motor Control & Drives ; Motorcycles, E-Bikes & Small E-Vehicles
Topology	SBC with 3 output voltage regulators, CAN-FD, LIN, LSS
Type	Evaluation Board

# Order

<b>Sales Product Name</b>	<b>MID-RANGE SBC V33 BOARD</b>
<b>OPN</b>	MIDRANGESBCV33BOARDTOBO1
<b>Product Status</b>	active and preferred
<b>Package name</b>	--
<b>Order online</b>	
<b>Completely lead free</b>	
<b>Halogen free</b>	
<b>RoHS compliant</b>	no
<b>Packing Size</b>	1
<b>Packing Type</b>	CONTAINER
<b>Moisture Level</b>	
<b>Moisture Packing</b>	NON DRY