



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



mikroBasic PRO for dsPIC™

Manual

mikroBasic PRO for dsPIC30/33 and PIC24 is a full-featured Basic compiler for dsPIC30, dsPIC33 and PIC24 MCUs from Microchip. It is designed for developing, building and debugging dsPIC30/33 and PIC24-based embedded applications. This development environment has a wide range of features such as: easy-to-use IDE, very compact and efficient code, many hardware and software libraries, comprehensive documentation, software simulator, COFF file generation, SSA optimization (up to 30% code reduction) and many more. Numerous ready-to-use and well-explained examples will give a good start for your embedded project.

Compiler

 **MikroElektronika**

SOFTWARE AND HARDWARE SOLUTIONS FOR EMBEDDED WORLD ...making it simple

Table of Contents

CHAPTER 1	30
INTRODUCTION	30
Introduction to mikroBasic PRO for dsPIC30/33 and PIC24	31
Features	31
Where to Start	31
What's new in mikroBasic PRO for dsPIC30/33 and PIC24	32
Compiler Changes	32
IDE Changes	32
Software License Agreement	33
mikroElektronika Associates License Statement and Limited Warranty	33
IMPORTANT - READ CAREFULLY	33
LIMITED WARRANTY	33
HIGH RISK ACTIVITIES	34
GENERAL PROVISIONS	34
Technical Support	35
How to Register	35
Who Gets the License Key	35
How to Get License Key	35
After Receiving the License Key	37
CHAPTER 2	39
mikroBasic PRO for dsPIC30/33 and PIC24 Environment	39
Main Menu Options	40
File	41
File Menu Options	41
Edit	42
Edit Menu Options	42
Find Text	43
Replace Text	43
Find In Files	44
Go To Line	44
Regular expressions option	44
View	45
View Menu Options	45
Project	47
Project Menu Options	47
Build	48
Build Menu Options	48
Run	49
Run Menu Options	49
Tools	50
Tools Menu Options	50

Help	51
Help Menu Options	51
mikroBasic PRO for dsPIC30/33 and PIC24 IDE	52
IDE Overview	52
Code Editor	53
Editor Settings	53
Auto Save	54
Highlighter	54
Spelling	54
Comment Style	54
Code Folding	54
Code Assistant	55
Parameter Assistant	55
Bookmarks	55
Go to Line	55
Column Select Mode	56
Editor Colors	56
Auto Correct	57
Auto Complete (Code Templates)	58
Code Explorer	60
Routine List	61
Project Manager	61
Project Settings	63
Library Manager	64
Managing libraries using Package Manager	65
Routine List	66
Statistics	66
Memory Usage Windows	66
RAM Memory Usage	67
Used RAM Locations	67
SFR Locations	68
ROM Memory Usage	68
ROM Memory Constants	69
Functions	69
Functions Sorted By Name Chart	70
Functions Sorted By Size Chart	70
Functions Sorted By Addresses	71
Function Tree	71
Memory Summary	72
Messages Window	73
Quick Converter	74
Macro Editor	74
Image Preview	75
Toolbars	77

File Toolbar	78
Edit Toolbar	78
Advanced Edit Toolbar	79
Find/Replace Toolbar	79
Project Toolbar	80
Build Toolbar	80
Debug Toolbar	81
Styles Toolbar	81
Tools Toolbar	82
View Toolbar	82
Layout Toolbar	83
Help Toolbar	83
Customizing IDE Layout	84
Docking Windows	84
Saving Layout	85
Auto Hide	85
Options	86
Code editor	86
Tools	86
Output settings	87
Integrated Tools	89
Active Comments Editor	89
ASCII Chart	90
EEPROM Editor	91
Filter Designer	91
Graphic Lcd Bitmap Editor	92
HID Terminal	93
Lcd Custom Character	94
Seven Segment Editor	95
UDP Terminal	95
USART Terminal	96
Active Comments	97
New Active Comment	97
Renaming Active Comment	104
Deleting Active Comment	105
Export Project	106
Jump To Interrupt	107
Regular Expressions	108
Introduction	108
Simple matches	108
Escape sequences	108
Character classes	108
Metacharacters	109
Metacharacters - Line separators	109
Metacharacters - Predefined classes	110

Metacharacters - Word boundaries	110
Metacharacters - Iterators	110
Metacharacters - Alternatives	111
Metacharacters - Subexpressions	111
Metacharacters - Backreferences	111
Keyboard Shortcuts	112
CHAPTER 3	114
mikroBasic PRO for dsPIC30/33 and PIC24 Command Line Options	114
CHAPTER 4	116
mikroICD (In-Circuit Debugger)	116
Introduction	116
mikroICD Debugger Options	118
Debugger Options	118
mikroICD Debugger Example	119
mikroICD Debugger Windows	123
Debug Windows	123
Breakpoints Window	123
Watch Values Window	123
RAM Window	125
Stopwatch Window	125
EEPROM Watch Window	126
Code Watch Window	127
CHAPTER 5	128
Software Simulator Overview	128
Software Simulator	129
Software Simulator Debug Windows	130
Debug Windows	130
Breakpoints Window	130
Watch Values Window	130
RAM Window	132
Stopwatch Window	132
EEPROM Watch Window	133
Code Watch Window	134
Software Simulator Debugger Options	135
Debugger Options	135
CHAPTER 6	136
mikroBasic PRO for dsPIC30/33 and PIC24 Specifics	136
GOTO Table	137
Basic Standard Issues	138
Divergence from the Basic Standard	138
C Language Extensions	138
Predefined Globals and Constants	139
Predefined project level defines	139

Accessing Individual Bits	140
sbit type	141
at keyword	142
bit type	142
Interrupts	143
Function Calls from Interrupt	143
Interrupt Handling	143
Interrupt Example	144
Linker Directives	145
Directive absolute	145
Directive orgall	145
Directive orgall	146
Built-in Routines	147
Lo	148
Hi	148
Higher	149
Highest	149
LoWord	150
HiWord	150
Inc	151
Dec	151
Chr	151
Ord	152
SetBit	152
ClearBit	152
TestBit	153
Delay_us	153
Delay_ms	153
Vdelay_ms	154
VDelay_advanced_ms	154
Delay_Cyc	155
Delay_Cyc_Long	155
Clock_kHz	155
Clock_MHz	156
Get_Fosc_kHz	156
Get_Fosc_Per_Cyc	156
Reset	157
ClrWdt	157
DisableContextSaving()	157
SetFuncCall	158
SetOrg	158
DoGetDateTime	159
DoGetVersion	159
Code Optimization	160
Constant folding	160
Constant propagation	160

Copy propagation	160
Value numbering	160
"Dead code" elimination	160
Stack allocation	160
Local vars optimization	160
Better code generation and local optimization	160
Single Static Assignment Optimization	161
Introduction	161
Proper Coding Recommendations	162
Asm code and SSA optimization	163
Debugging Notes	163
Warning Messages Enhancement	163
Common Object File Format (COFF)	164
COFF File Format	164
COFF File Generation	164
CHAPTER 7	166
dsPIC30/33 and PIC24 Specifics	166
Types Efficiency	167
Nested Calls Limitations	167
Limits of Indirect Approach Through PSV	167
Limits of Pointer to Function	167
Variable, constant and routine alignment	167
dsPIC Memory Organization	168
Program Memory (ROM)	168
Data Memory (RAM)	169
SFR Memory Space	169
X and Y Data RAM	169
DMA RAM	170
Unimplemented Memory Space	170
Memory Type Specifiers	171
code	171
data	171
rx	171
sfr	171
xdata	172
ydata	172
dma	172
Memory Type Qualifiers	173
Near Memory Qualifier	173
Far Memory Qualifier	173
Read Modify Write Problem	174
CHAPTER 8	178
mikroBasic PRO for dsPIC30/33 and PIC24 Language Reference	178
Lexical Elements Overview	180

Whitespace	181
Newline Character	181
Whitespace in Strings	181
Comments	182
Tokens	182
Token Extraction Example	182
Literals	183
Integer Literals	183
Floating Point Literals	183
Character Literals	184
String Literals	184
Keywords	185
Identifiers	188
Case Sensitivity	188
Uniqueness and Scope	188
Identifier Examples	188
Punctuators	189
Brackets	189
Parentheses	189
Comma	189
Colon	190
Dot	190
Program Organization	190
Organization of Main Module	190
Organization of Other Modules	191
Scope and Visibility	192
Scope	192
Visibility	193
Name Spaces	193
Modules	194
Include Clause	194
Main Module	194
Other Modules	195
Variables	196
External Modifier	196
Variables and dsPIC30/33 and PIC24	197
Constants	198
Labels	198
Symbols	199
Functions and Procedures	200
Functions	200
Procedures	201
Forward declaration	202
Functions reentrancy	203

Types	203
Type Categories	203
Simple Types	204
Derived Types	204
Arrays	204
Array Declaration	204
Constant Arrays	205
Multi-dimensional Arrays	205
Strings	206
String Concatenating	206
Pointers	207
Pointers and memory spaces	208
Function Pointers	208
@ Operator	209
Pointer Arithmetic	210
Assignment and Comparison	210
Pointer Addition	211
Pointer Subtraction	211
Structures	213
Structure Member Access	213
Types Conversions	214
Implicit Conversion	214
Explicit Conversion	215
Conversions Examples	215
Typedef Specifier	216
Type Qualifiers	216
Qualifier const	216
Qualifier volatile	217
Operators	217
Operators Precedence and Associativity	217
Arithmetic Operators	217
Arithmetic Operators Overview	218
Division by Zero	218
Unary Arithmetic Operators	218
Relational Operators	219
Relational Operators Overview	219
Relational Operators in Expressions	219
Bitwise Operators	219
Bitwise Operators Overview	219
Logical Operations on Bit Level	220
Unsigned and Conversions	220
Signed and Conversions	221
Bitwise Shift Operators	221
Boolean Operators	221

Unary Operators	222
Unary Arithmetic Operator	222
Unary Bitwise Operator	222
Address and Indirection Operator	222
Sizeof Operator	223
Sizeof Applied to Expression	223
Sizeof Applied to Type	223
Expressions	224
Expression Evaluation	224
Statements	225
Assignment Statements	226
Conditional Statements	226
If Statement	226
Nested if statements	226
Select Case Statement	227
Nested Case Statements	228
Iteration Statements	228
For Statement	229
Endless Loop	229
While Statement	229
Do Statement	230
Jump Statements	231
Break and Continue Statements	231
Break Statement	231
Continue Statement	231
Exit Statement	232
Return Statement	232
Goto Statement	232
Gosub Statement	233
asm Statement	234
Accessing variables	234
Asm code and SSA optimization	235
Directives	235
Compiler Directives	235
Directives #DEFINE and #UNDEFINE	236
Directives #IFDEF, #IFNDEF, #ELSE and #ENDIF	236
Include Directive #I	237
Linker Directives	237
Directive absolute	237
Directive org	238
CHAPTER 9	239
mikoBasic PRO for dsPIC30/33 and PIC24 Libraries	239

Hardware Libraries	240
Digital Signal Processing Libraries	240
Miscellaneous Libraries	241
Hardware Libraries	242
ADC Library	242
Library Routines	243
ADCx_Init	243
ADCx_Init_Advanced	244
ADCx_Get_Sample	245
ADCx_Read	245
ADC_Set_Active	246
Library Example	246
CAN Library	248
Library Routines	248
CANxSetOperationMode	249
CANxGetOperationMode	249
CANxInitialize	250
CANxSetBaudRate	251
CANxSetMask	252
CANxSetFilter	253
CANxRead	254
CANxWrite	255
CAN Constants	256
CAN_OP_MODE Constants	256
CAN_CONFIG_FLAGS Constants	256
CAN_TX_MSG_FLAGS Constants	257
CAN_RX_MSG_FLAGS Constants	258
CAN_MASK Constants	258
CAN_FILTER Constants	259
Library Example	259
HW Connection	262
CANSPI Library	263
Library Dependency Tree	263
External dependencies of CANSPI Library	263
Library Routines	264
CANSPISetOperationMode	264
CANSPIGetOperationMode	265
CANSPIInit	265
CANSPISetBaudRate	267
CANSPISetMask	268
CANSPISetFilter	269
CANSPIRead	270
CANSPIWrite	271
CANSPI Constants	271
CANSPI_OP_MODE Constants	271

CANSPI_TX_MSG_FLAGS Constants	273
CANSPI_RX_MSG_FLAGS Constants	273
CANSPI_MASK Constants	274
CANSPI_FILTER Constants	274
Library Example	275
HW Connection	278
Compact Flash Library	279
Library Dependency Tree	279
External dependencies of Compact Flash Library	280
Library Routines	281
Cf_Init	282
Cf_Detect	283
Cf_Enable	283
Cf_Disable	283
Cf_Read_Init	284
Cf_Read_Byte	284
Cf_Write_Init	284
Cf_Write_Byte	285
Cf_Read_Sector	285
Cf_Write_Sector	285
Cf_Fat_Init	286
Cf_Fat_QuickFormat	286
Cf_Fat_Assign	287
Cf_Fat_Reset	288
Cf_Fat_Read	288
Cf_Fat_Rewrite	289
Cf_Fat_Append	289
Cf_Fat_Delete	289
Cf_Fat_Write	290
Cf_Fat_Set_File_Date	290
Cf_Fat_Get_File_Date	291
Cf_Fat_Get_File_Date_Modified	291
Cf_Fat_Get_File_Size	292
Cf_Fat_Get_Swap_File	292
Library Example	294
HW Connection	299
ECAN Library	300
Library Routines	300
ECANxDmaChannelInit	301
ECANxSetOperationMode	301
ECANxGetOperationMode	302
ECANxInitialize	303
ECANxSelectTxBuffers	304
ECANxFilterDisable	304
ECANxFilterEnable	305
ECANxSetBufferSize	305

ECANxSetBaudRate	306
ECANxSetMask	307
ECANxSetFilter	308
ECANxRead	309
ECANxWrite	310
ECAN Constants	311
ECAN_OP_MODE Constants	311
ECAN_CONFIG_FLAGS Constants	311
ECAN_TX_MSG_FLAGS Constants	312
ECAN_RX_MSG_FLAGS Constants	312
ECAN_MASK Constants	313
ECAN_FILTER Constants	313
ECAN_RX_BUFFER Constants	314
Library Example	315
HW Connection	319
EEPROM Library	319
Library Routines	319
EEPROM_Erase	320
EEPROM_Erase_Block	320
EEPROM_Read	320
EEPROM_Write	321
EEPROM_Write_Block	321
Library Example	321
Epson S1D13700 Graphic Lcd Library	323
External dependencies of the Epson S1D13700 Graphic Lcd Library	323
Library Routines	324
S1D13700_Init	325
S1D13700_Write_Command	326
S1D13700_Write_Parameter	327
S1D13700_Read_Parameter	327
S1D13700_Fill	327
S1D13700_GrFill	328
S1D13700_TxtFill	328
S1D13700_Display_GrLayer	328
S1D13700_Display_TxtLayer	329
S1D13700_Set_Cursor	329
S1D13700_Display_Cursor	330
S1D13700_Write_Char	330
S1D13700_Write_Text	331
S1D13700_Dot	331
S1D13700_Line	332
S1D13700_H_Line	332
S1D13700_V_Line	333
S1D13700_Rectangle	333
S1D13700_Box	334
S1D13700_Rectangle_Round_Edges	334

S1D13700_Rectangle_Round_Edges_Fill	335
S1D13700_Circle	335
S1D13700_Circle_Fill	336
S1D13700_Image	336
S1D13700_PartialImage	337
Flash Memory Library	338
dsPIC30:	338
PIC24 and dsPIC33:	338
24F04KA201 and 24F16KA102 Family Specifics:	339
Library Routines	339
dsPIC30 Functions	339
PIC24 and dsPIC33 Functions	339
dsPIC30 Functions	340
FLASH_Erase32	340
FLASH_Write_Block	340
FLASH_Write_Compact	341
FLASH_Write_Init	341
FLASH_Write_Loadlatch4	342
FLASH_Write_Loadlatch4_Compact	343
FLASH_Write_DoWrite	344
FLASH_Read4	344
FLASH_Read4_Compact	345
PIC24 and dsPIC33 Functions	345
FLASH_Erase	345
FLASH_Write	346
FLASH_Write_Compact	346
FLASH_Read	347
FLASH_Read_Compact	347
Library Example	347
Graphic Lcd Library	349
Library Dependency Tree	349
External dependencies of Graphic Lcd Library	350
Library Routines	351
Glcd_Init	351
Glcd_Set_Side	353
Glcd_Set_X	353
Glcd_Set_Page	353
Glcd_Read_Data	354
Glcd_Write_Data	354
Glcd_Fill	355
Glcd_Dot	355
Glcd_Line	355
Glcd_V_Line	356
Glcd_H_Line	356
Glcd_Rectangle	357
Glcd_Rectangle_Round_Edges	357

Glcd_Rectangle_Round_Edges_Fill	358
Glcd_Box	358
Glcd_Circle	359
Glcd_Circle_Fill	359
Glcd_Set_Font	360
Glcd_Write_Char	361
Glcd_Write_Text	361
Glcd_Image	362
Glcd_PartialImage	362
Library Example	363
HW Connection	365
I²C Library	366
Library Routines	366
I2Cx_Init	366
I2Cx_Start	367
I2Cx_Restart	367
I2Cx_Is_Idle	368
I2Cx_Read	368
I2Cx_Write	369
I2Cx_Stop	369
Library Example	370
HW Connection	370
Keypad Library	371
External dependencies of Keypad Library	371
Library Routines	371
Keypad_Init	371
Keypad_Key_Press	372
Keypad_Key_Click	372
Library Example	373
HW Connection	374
Lcd Library	375
Library Dependency Tree	375
External dependencies of Lcd Library	375
Library Routines	375
Lcd_Init	376
Lcd_Out	377
Lcd_Out_Cp	377
Lcd_Chr	377
Lcd_Chr_Cp	378
Lcd_Cmd	378
Available Lcd Commands	378
Library Example	379
Manchester Code Library	381
External dependencies of Manchester Code Library	381
Library Routines	382
Man_Receive_Init	382

Man_Receive	383
Man_Send_Init	383
Man_Send	384
Man_Synchro	384
Man_Break	385
Library Example	386
Connection Example	388
Multi Media Card Library	389
Secure Digital Card	389
Secure Digital High Capacity Card	389
Library Dependency Tree	390
External dependencies of MMC Library	390
Library Routines	390
Mmc_Init	391
Mmc_Read_Sector	392
Mmc_Write_Sector	392
Mmc_Read_Cid	393
Mmc_Read_Csd	393
Mmc_Fat_Init	394
Mmc_Fat_QuickFormat	395
Mmc_Fat_Assign	396
Mmc_Fat_Reset	397
Mmc_Fat_Read	397
Mmc_Fat_Rewrite	398
Mmc_Fat_Append	398
Mmc_Fat_Delete	398
Mmc_Fat_Write	399
Mmc_Fat_Set_File_Date	399
Mmc_Fat_Get_File_Date	400
Mmc_Fat_Get_File_Date_Modified	401
Mmc_Fat_Get_File_Size	401
Mmc_Fat_Get_Swap_File	402
Library Example	403
HW Connection	407
OneWire Library	408
Library Routines	408
Ow_Reset	408
Ow_Read	409
Ow_Write	409
Library Example	410
HW Connection	412
Peripheral Pin Select Library	413
Library Routines	413
Unlock_IOLOCK	413
Lock_IOLOCK	413
PPS_Mapping	414

Direction Parameters	414
Input Functions	414
Output Functions	415
Port Expander Library	417
Library Dependency Tree	417
External dependencies of Port Expander Library	417
Library Routines	417
Expander_Init	418
Expander_Init_Advanced	419
Expander_Read_Byte	419
Expander_Write_Byte	420
Expander_Read_PortA	420
Expander_Read_PortB	421
Expander_Read_PortAB	421
Expander_Write_PortA	422
Expander_Write_PortB	422
Expander_Write_PortAB	423
Expander_Set_DirectionPortA	423
Expander_Set_DirectionPortB	424
Expander_Set_DirectionPortAB	424
Expander_Set_PullUpsPortA	424
Expander_Set_PullUpsPortB	425
Expander_Set_PullUpsPortAB	425
HW Connection	427
PS/2 Library	428
External dependencies of PS/2 Library	428
Library Routines	428
Ps2_Config	429
Ps2_Key_Read	429
Special Function Keys	430
Library Example	431
HW Connection	432
PWM Library	432
Library Routines	432
PWM_Init	433
PWM_Set_Duty	433
PWM_Start	434
PWM_Stop	434
Library Example	434
HW Connection	436
PWM Motor Control Library	436
Library Routines	436
PWMx_Mc_Init	437
PWMx_Mc_Set_Duty	438
PWMx_Mc_Start	438
PWMx_Mc_Stop	439

HW Connection	440
RS-485 Library	440
Library Dependency Tree	441
External dependencies of RS-485 Library	441
Library Routines	441
RS485Master_Init	441
RS485Master_Receive	442
RS485Master_Send	442
RS485Slave_Init	443
RS485Slave_Receive	444
RS485Slave_Send	444
Library Example	445
HW Connection	448
Message format and CRC calculations	449
Software I ² C Library	450
External dependencies of Software I ² C Library	450
Library Routines	450
Soft_I2C_Init	451
Soft_I2C_Start	451
Soft_I2C_Read	452
Soft_I2C_Write	452
Soft_I2C_Stop	452
Soft_I2C_Break	453
Library Example	454
Software SPI Library	456
External dependencies of Software SPI Library	456
Library Routines	456
Soft_SPI_Init	457
Soft_SPI_Read	457
Soft_SPI_Write	458
Library Example	458
Software UART Library	460
Library Routines	460
Soft_UART_Init	460
Soft_UART_Read	461
Soft_UART_Write	461
Soft_UART_Break	462
Library Example	463
Sound Library	464
Library Routines	464
Sound_Init	464
Sound_Play	464
HW Connection	467
SPI Library	468
Library Routines	468
SPIx_Init	469

SPIx_Init_Advanced	470
SPIx_Read	472
SPIx_Write	472
SPI_Set_Active	473
Library Example	473
HW Connection	474
SPI Ethernet Library	475
Library Dependency Tree	475
External dependencies of SPI Ethernet Library	476
Library Routines	476
SPI_Ethernet_Init	477
SPI_Ethernet_Enable	479
SPI_Ethernet_Disable	480
SPI_Ethernet_doPacket	481
SPI_Ethernet_putByte	481
SPI_Ethernet_putBytes	482
SPI_Ethernet_putConstBytes	482
SPI_Ethernet_putString	483
SPI_Ethernet_putConstString	483
SPI_Ethernet_getByte	483
SPI_Ethernet_getBytes	484
SPI_Ethernet_UserTCP	484
SPI_Ethernet_UserUDP	485
SPI_Ethernet_setUserHandlers	485
SPI_Ethernet_getIpAddress	486
SPI_Ethernet_getGwIpAddress	486
SPI_Ethernet_getDnsIpAddress	487
SPI_Ethernet_getIpMask	487
SPI_Ethernet_confNetwork	488
SPI_Ethernet_arpResolve	489
SPI_Ethernet_sendUDP	489
SPI_Ethernet_dnsResolve	490
SPI_Ethernet_initDHCP	491
SPI_Ethernet_doDHCPLeaseTime	491
SPI_Ethernet_renewDHCP	492
Library Example	492
HW Connection	499
SPI Ethernet ENC24J600 Library	500
Library Dependency Tree	500
External dependencies of SPI Ethernet ENC24J600 Library	501
Library Routines	502
SPI_Ethernet_24j600_Init	503
SPI_Ethernet_24j600_Enable	505
SPI_Ethernet_24j600_Disable	506
SPI_Ethernet_24j600_doPacket	507
SPI_Ethernet_24j600_putByte	507

SPI_Ethernet_24j600_putBytes	508
SPI_Ethernet_24j600_putConstBytes	508
SPI_Ethernet_24j600_putString	509
SPI_Ethernet_24j600_putConstString	509
SPI_Ethernet_24j600_getByte	509
SPI_Ethernet_24j600_getBytes	510
SPI_Ethernet_24j600_UserTCP	510
SPI_Ethernet_24j600_UserUDP	511
SPI_Ethernet_24j600_setUserHandlers	511
SPI_Ethernet_24j600_getIpAddress	512
SPI_Ethernet_24j600_getGwlpAddress	512
SPI_Ethernet_24j600_getDnsIpAddress	512
SPI_Ethernet_24j600_getIpMask	513
SPI_Ethernet_24j600_confNetwork	513
SPI_Ethernet_24j600_arpResolve	514
SPI_Ethernet_24j600_sendUDP	514
SPI_Ethernet_24j600_dnsResolve	515
SPI_Ethernet_24j600_initDHCP	516
SPI_Ethernet_24j600_doDHCPLeaseTime	516
SPI_Ethernet_24j600_renewDHCP	517
Library Example	518
SPI Graphic Lcd Library	519
Library Dependency Tree	519
External dependencies of SPI Lcd Library	519
Library Routines	519
SPI_Glcd_Init	520
SPI_Glcd_Set_Side	521
SPI_Glcd_Set_Page	521
SPI_Glcd_Set_X	521
SPI_Glcd_Read_Data	522
SPI_Glcd_Write_Data	522
SPI_Glcd_Fill	522
SPI_Glcd_Dot	523
SPI_Glcd_Line	523
SPI_Glcd_V_Line	524
SPI_Glcd_H_Line	524
SPI_Glcd_Rectangle	525
SPI_Glcd_Rectangle_Round_Edges	525
SPI_Glcd_Rectangle_Round_Edges_Fill	526
SPI_Glcd_Box	526
SPI_Glcd_Circle	527
SPI_Glcd_Circle_Fill	527
SPI_Glcd_Set_Font	528
SPI_Glcd_Write_Char	529
SPI_Glcd_Write_Text	529
SPI_Glcd_Image	530

SPI_Glcd_PartialImage	530
Library Example	531
HW Connection	533
SPI Lcd Library	534
Library Dependency Tree	534
External dependencies of SPI Lcd Library	534
Library Routines	534
SPI_Lcd_Config	535
SPI_Lcd_Out	535
SPI_Lcd_Out_Cp	536
SPI_Lcd_Chr	536
SPI_Lcd_Chr_Cp	536
SPI_Lcd_Cmd	537
Available SPI Lcd Commands	537
Library Example	538
Default Pin Configuration	538
SPI Lcd8 (8-bit interface) Library	540
Library Dependency Tree	540
External dependencies of SPI Lcd Library	540
Library Routines	540
SPI_Lcd8_Config	541
SPI_Lcd8_Out	541
SPI_Lcd8_Out_Cp	542
SPI_Lcd8_Chr	542
SPI_Lcd8_Chr_Cp	542
SPI_Lcd8_Cmd	543
Available SPI Lcd8 Commands	543
Library Example	544
SPI T6963C Graphic Lcd Library	546
Library Dependency Tree	546
External dependencies of SPI T6963C Graphic Lcd Library	546
Library Routines	547
SPI_T6963C_config	548
SPI_T6963C_writeData	549
SPI_T6963C_writeCommand	549
SPI_T6963C_setPtr	550
SPI_T6963C_waitReady	550
SPI_T6963C_fill	550
SPI_T6963C_dot	551
SPI_T6963C_write_char	551
SPI_T6963C_write_text	552
SPI_T6963C_line	552
SPI_T6963C_rectangle	553
SPI_T6963C_rectangle_round_edges	553
SPI_T6963C_rectangle_round_edges_fill	554
SPI_T6963C_box	554

SPI_T6963C_circle	555
SPI_T6963C_circle_fill	555
SPI_T6963C_image	555
SPI_T6963C_PartialImage	556
SPI_T6963C_sprite	556
SPI_T6963C_set_cursor	557
SPI_T6963C_clearBit	557
SPI_T6963C_setBit	557
SPI_T6963C_negBit	558
SPI_T6963C_displayGrPanel	558
SPI_T6963C_displayTxtPanel	558
SPI_T6963C_setGrPanel	559
SPI_T6963C_setTxtPanel	559
SPI_T6963C_panelFill	559
SPI_T6963C_grFill	560
SPI_T6963C_txtFill	560
SPI_T6963C_cursor_height	560
SPI_T6963C_graphics	561
SPI_T6963C_text	561
SPI_T6963C_cursor	561
SPI_T6963C_cursor_blink	562
Library Example	562
HW Connection	566
T6963C Graphic Lcd Library	567
Library Dependency Tree	567
External dependencies of T6963C Graphic Lcd Library	568
Library Routines	569
T6963C_init	570
T6963C_writeData	571
T6963C_writeCommand	572
T6963C_setPtr	572
T6963C_waitReady	572
T6963C_fill	573
T6963C_dot	573
T6963C_write_char	574
T6963C_write_text	575
T6963C_line	575
T6963C_rectangle	576
T6963C_rectangle_round_edges	576
T6963C_rectangle_round_edges_fill	577
T6963C_box	577
T6963C_circle	577
T6963C_circle_fill	578
T6963C_image	578
T6963C_PartialImage	579
T6963C_sprite	579
T6963C_set_cursor	580

T6963C_displayGrPanel	580
T6963C_displayTxtPanel	580
T6963C_setGrPanel	581
T6963C_setTxtPanel	581
T6963C_panelFill	581
T6963C_grFill	582
T6963C_txtFill	582
T6963C_cursor_height	582
T6963C_graphics	583
T6963C_text	583
T6963C_cursor	583
T6963C_cursor_blink	584
Library Example	584
HW Connection	588
TFT Library	589
External dependencies of TFT Library	589
Library Routines	590
TFT_Init	591
TFT_Set_Index	592
TFT_Write_Command	592
TFT_Write_Data	592
TFT_Set_Active	593
TFT_Set_Font	594
TFT_Write_Char	595
TFT_Write_Text	595
TFT_Fill_Screen	596
TFT_Dot	597
TFT_Set_Pen	598
TFT_Set_Brush	599
TFT_Line	601
TFT_H_Line	602
TFT_V_Line	602
TFT_Rectangle	602
TFT_Rectangle_Round_Edges	603
TFT_Circle	603
TFT_Image	603
TFT_Partial_Image	604
TFT_Image_Jpeg	604
TFT_RGBToColor16bit	605
TFT_Color16bitToRGB	605
HW Connection	606
Touch Panel Library	607
Library Dependency Tree	607
External dependencies of Touch Panel Library	607
Library Routines	607
TP_Init	608

TP_Set_ADC_Threshold	608
TP_Press_Detect	609
TP_Get_Coordinates	609
TP_Calibrate_Bottom_Left	610
TP_Calibrate_Upper_Right	610
TP_Get_Calibration_Consts	610
TP_Set_Calibration_Consts	611
Library Example	611
Touch Panel TFT Library	615
Library Dependency Tree	615
External dependencies of Touch Panel TFT Library	615
Library Routines	615
TP_TFT_Init	616
TP_TFT_Set_ADC_Threshold	616
TP_TFT_Press_Detect	617
TP_TFT_Get_Coordinates	618
TP_TFT_Calibrate_Min	618
TP_TFT_Calibrate_Max	618
TP_TFT_Get_Calibration_Consts	619
TP_TFT_Set_Calibration_Consts	619
HW Connection	620
UART Library	621
Library Routines	621
UARTx_Init	622
UARTx_Init_Advanced	623
UARTx_Data_Ready	624
UARTx_Tx_Idle	625
UARTx_Read	625
UARTx_Read_Text	626
UARTx_Write	627
UARTx_Write_Text	627
UART_Set_Active	628
Library Example	629
HW Connection	630
USB Library	631
USB HID Class	631
Library Routines	631
HID_Enable	632
HID_Read	632
HID_Write	632
HID_Disable	633
USB_Interrupt_Proc	633
USB_Polling_Proc	633
Gen_Enable	634
Gen_Read	634
Gen_Write	634

Library Example	635
HW Connection	635
Digital Signal Processing Libraries	636
Digital Signal Processing Libraries	636
FIR Filter Library	637
Library Routines	637
FIR_Radix	637
IIR Filter Library	638
Library Routines	638
IIR_Radix	638
FFT Library	639
Library Dependency Tree	639
FFT	639
Twiddle Factors:	640
TwiddleCoeff_64	640
TwiddleCoeff_128	640
TwiddleCoeff_256	640
TwiddleCoeff_512	641
Bit Reverse Complex Library	643
Library Routines	643
BitReverseComplex	643
Vectors Library	644
Library Routines	644
Vector_Set	644
Vector_Power	645
Vector_Subtract	645
Vector_Scale	646
Vector_Negate	646
Vector_Multiply	647
Vector_Min	647
Vector_Max	648
Vector_Dot	648
Vector_Correlate	649
Vector_Convolve	650
Vector_Add	650
Matrices Library	651
Library Routines	651
Matrix_Transpose	651
Matrix_Subtract	652
Matrix_Scale	652
Matrix_Multiply	653
Matrix_Add	654
Miscellaneous Libraries	655
Button Library	655
Library Routines	655