# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






### mikromedia for PIC18FK

#### PID: MIKROE-2588


Weight: 300 g



**Mikromedia for PIC18FK** is a compact smart display and development platform with the PIC18F67K40 microcontroller from Microchip. The large 320x240 TFT color display will allow you to build multimedia applications with speed and ease. You can use it for development and as a final product.


A 320x240 TFT Color Display with Touch Screen and Stereo MP3 Codec chip, microSD<sup>TM</sup> card, a preprogrammed PIC18FK MCU and compiler support — you are set for creating some amazing projects.

On-board ADXL345 Digital Accelerometer allows you to measure acceleration.



#### **Display features**

The development system features a TFT 320x240 display covered with a resistive touch panel. Together they form a functional unit called a touch screen. It enables data to be entered and displayed at the same time. The TFT display is capable of showing graphics in 262.144 different colors.



#### It fits in your pocket

The board is carefully designed to be very compact and handy. We have used the highest quality components and 4-layer PCB to achieve maximum efficiency.




#### PIC18F67K40 features

PIC18F67K40 is a 64-Pin, low-power, high-performance microcontroller with XLP technology. Equipped with a 10-bit ADC with Computation (ADCC) automating Capacitive Voltage Divider (CVD) techniques for advanced touch sensing, averaging, filtering, oversampling and performing automatic threshold comparisons.

The new PIC18F K-series are now the highest performance members of the PIC18F family offering up to 64 MHz operation with 16 MIPS. Operating range of 1.8 to 3.6 volts with 100K write endurance and a 40 year retention typical for both Flash and Data EEPROM memory.

#### Battery charger on board




#### MicroSD<sup>TM</sup> memory card

You can save pictures, sounds and other media files on microSD<sup>TM</sup> memory card and 8Mbit Serial Flash Memory and use it in your application.

#### Compilers

Mikromedia for PIC18FK is fully supported by mikroC, mikroBasic and mikroPascal compilers for PIC. Compilers come with dozens of examples that demonstrate every feature of the board.



#### **Use Visual TFT**

Spend less time programming and more time focusing on the design and functionality of your project. Create vibrant and colorful graphic user interfaces for mikromedia in the Visual TFT software.

Daribush 1944	Million them		and the second se	CILCULA	III Conceptions
Consistential     Constantial     Constan	Carlos tirre  Carlos tirre  Carlos tirre  Carlos Center  Security  DISAMMED  DISAMMED  Extranse	Tordary Tornersev: 10/16 °C Current Mode MOME System Log ©	Ité <sup>1</sup> C umidity 54% → 03 Estings Dicen Power Eleft: 03.000	Duning Beta Beta Current Mode Current Mode Light	

#### Programming

On-board PIC18FK is preprogrammed with fast USB UART bootloader, so it's ready to work right out of the box. You don't have to spend a dollar more on programmers. For those who need it, the board can also be programmed and debugged using the external mikroProg programmer.



Note: the manual for the mikromedia for PIC18FK will be available soon.