



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



DATE	SYM	REVISION RECORD	DWGN.	CK.
10/04	A	ECO No.438	JPM	

DESCRIPTION: SPST SURFACE MOUNT TACT SWITCH WITH 4/6 NYLON MATERIALS, STAINLESS STEEL CONTACT AND AVAILABLE WITH TAPE & REEL PACKAGING (IF SPECIFIED)

SPECIFICATIONS:





RATING: 50 mA @ 12V DC  
 CONTACT RESISTANCE: 100 MOHMS MAX.  
 TRAVEL: .053 [0.25]±.021 [0.10]  
 LIFE: 1,000,000 CYCLES MIN.  
 OPERATING FORCE: 160±50gf

NOTES:

1. TO SPECIFY TAPE & REEL PACKAGING, ADD TR TO MODEL NO. EXAMPLE: MJTP1138ALTR
2. TAPE & REEL PACKAGING HOLDS 1250 PIECES PER REEL

UNLESS OTHERWISE SPECIFIED  
 P.C. TOLERANCES ARE ±.002 [0.05]

P.C. LAYOUT



MODEL	L
MJTP1138L	.169 [4.30]
MJTP1138AL	.197 [5.00]
MJTP1138BL	.374 [9.50]
MJTP1138CL	.315 [8.00]
MJTP1138EL	.287 [7.30]
MJTP1138FL	.335 [8.50]
MJTP1138GL	.276 [7.00]


APTEM CONFIDENTIAL  
 THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF APTEM COMPONENTS, INC. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN CONSENT OF APTEM COMPONENTS, INC.

Q.A. INSPECT  
 △ DESIGNATES CRITICAL DIMENSION


TOLERANCES (EXCEPT AS NOTED)		SCALE		DRAWN	APPROVED
DECIMAL	FRACTIONAL	INCH (MM)	OF		
± .012	± [0.30]	1	2	5:1	
± .012	± [0.30]	TITLE			
MJTP1138*L					
DATE	DRAWING NUMBER	REV			
04/01/99	B7392	A			



DATE	SYM	REVISION RECORD	DWIN.	CK.
10/04	A	ECO No.438	JPM	



MODEL	H
MJTP1138L	.213 [5.40]
MJTP1138AL	.213 [5.40]
MJTP1138BL	.393 [10.00]
MJTP1138CL	.343 [8.70]
MJTP1138EL	.299 [7.60]
MJTP1138FL	.343 [8.70]
MJTP1138GL	.299 [7.60]



Q.A. INSPECT  
 △ DESIGNATES CRITICAL DIMENSION

APEM CONFIDENTIAL  
 THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF APEM COMPONENTS, INC. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN CONSENT OF APEM COMPONENTS, INC.

TOLERANCES (EXCEPT AS NOTED)		INCH (MM)		SCALE		DRAWN	
DECIMAL	± .012 [0.30]	2	OF 2	5:1	APPROVED		
FRACTIONAL	± —	TITLE					
ANGULAR	± —	MJTP1138*L					
		DATE	DRAWING NUMBER				
		04/01/99	B7392				
		REV					A

