



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

| PANDUIT PART NUMBER | PACKAGE QUANTITY | MINIMUM BUNDLE DIAMETER | MAXIMUM BUNDLE DIAMETER | LENGTH = L ±.2 [5] |
|---------------------|------------------|-------------------------|-------------------------|--------------------|
| MLT2.7WH-LP | 50 | 2.0" [50] | | 10.2" [259] |
| MLT4WH-LP | 50 | 2.0" [50] | 4.0" [102] | 14.3" [362] |
| MLT6WH-LP | 50 | 2.0" [50] | 6.0" [152] | 20.5" [521] |
| MLT8WH-LP | 50 | 2.0" [50] | 8.0" [203] | 26.8" [679] |
| MLT10WH-LP | 50 | 2.0" [50] | 10.0" [254] | 33.0" [838] |
| MLT2.7WH-TL | 250 | 2.0" [50] | 2.7" [69] | 10.2" [259] |
| MLT4WH-TL | 250 | 2.0" [50] | 4.0" [102] | 14.3" [362] |
| MLT6WH-TL | 250 | 2.0" [50] | 6.0" [152] | 20.5" [521] |




NOTES:

1. APPLICATION TOOLS - GS4MT, PPTMT, ST2MT, HTMT
2. MINIMUM LOOP TENSILE STRENGTH - 450 LBS (2000 NEWTONS) WHEN TESTED ON A 3" MANDREL EXCEPT MLT2.7WH-LP WHEN TESTED ON A 1 1/2" MANDREL.
3. BRACKETS [] DENOTE DIMENSIONS IN MILLIMETERS, AND ARE SHOWN FOR REFERENCE ONLY
4. TOLERANCES:

.XXX = ±.010 [.25] .XX = ±.02 [.5]
 .X = ±.03 [.8] ANGLES = ±2°

5. MATERIAL: 304 STAINLESS STEEL



| REV | DATE | BY | CHK | APR | DESCRIPTION | ECN |
|-----|------|------|------|------|--------------------------------------------------------------------|------------|
| 07A | 3/13 | JAMB | MIM | RGRO | UPDATE DRAWING TO NEW GLOBAL PANDUIT TITLE BLOCK WITH PANDUIT LOGO | SSECN01037 |
| 06A | 6/12 | JAMB | RGRO | RGRO | NOTE #1 REMOVED APPLICATION TOOL ST3MT, TOOL IS OBSOLETE | ----- |
| 05A | 2/12 | JAMB | MIM | RGRO | NOTE #3 METRIC DIMENSIONS NOTED AS BEING SHOWN FOR REFERENCE ONLY | ----- |

| | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------|-------------------------------------------|-------------------|----------------------|
| <p>TITLE</p> <p>METAL LOCKING TIE HEAVY SERIES</p> <p>WAVE-TY 304 STAINLESS STEEL</p> <p>CUSTOMER DRAWING</p> | | | | | |
| <p>ITEM REVISION NAME</p> <p>N41122BS/07</p> | | | | | |
| <p>DATASET FILE NAME</p> <p>N41122BS_DC/07A</p> | | | | | |
| <p>UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]</p> <p>.x ± .1 [2.54] .xxx ± .005 [.127]</p> <p>.xx ± .01 [.25] ANGLES ± 5 °</p> | | | | | |
| <p>MATERIAL:</p> <p>304 STAINLESS STEEL</p> | | | <p>DRAWING NUMBER:</p> <p>N41122BS_DC</p> | | |
| <p>DRAWN BY</p> <p>JAMB</p> | <p>DATE</p> <p>2/12</p> | <p>CHK</p> <p>DPN</p> | <p>SCALE</p> <p>2:1</p> | <p>SHT 1 OF 1</p> | <p>SIZE</p> <p>A</p> |