



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

(D)	PANDUIT PART NUMBER	PACKAGE QUANTITY	MINIMUM BUNDLE DIAMETER	MAXIMUM BUNDLE DIAMETER	LENGTH = "L" ±.2 [5]
	MLT2.7WH-LP316	50	2.0" [51]	2.7" [69]	10.2" [259]
	MLT4WH-LP316	50	2.0" [51]	4.0" [102]	14.3" [362]
	MLT6WH-LP316	50	2.0" [51]	6.0" [152]	20.5" [521]
	MLT8WH-LP316	50	2.0" [51]	8.0" [203]	26.8" [679]
	MLT10WH-LP316	50	2.0" [51]	10.0" [203]	33.0" [838]



NOTES:

- 1.) APPLICATION TOOLS - GS4MT, PPTMT, ST2MT, ST3MT, HTMT (A)
- 2.) MINIMUM LOOP TENSILE STRENGTH - 450 LBS (2000 NEWTONS) ALL PARTS WHEN TESTED ON A 3" MANDREL EXCEPT PART NO. MLT2.7WH-LP316 WHEN TESTED ON A 1 1/2" MANDREL.
- 3.) [] DENOTES DIMENSION IN MILLIMETERS
- 4.) TOLERANCES:
 .XXX = ±.010 [.25]
 .XX = ±.02 [.5]
 .X = ±.03 [.8]
 ANGLES = ±2°
- 5.) MATERIAL: 316 STAINLESS STEEL

(B) FULLY ROUNDED EDGES ALONG STRAP BODY

SECTION "A-A"
4X SCALE

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
05A	3/13	JAMB	MIM	RGRO	ORIG CAD FILE SPEC WAS S41123_04. UPDATED DRAWING TO NEW GLOBAL PANDUIT TITLE BLOCK WITH PANDUIT LOGO	SSECN01037
04	3/07	JAMB	SKB	---	(E) REMOVED PANDUIT PART NO. MLT2.7WH-TL316, MLT4WH-TL316 & MLT6WH-TL316 PACKAGE QTY 250	SS00338
03	11/06	JAMB	DPN	---	(E) ADDED PANDUIT PART NO. MLT2.7WH-TL316, MLT4WH-TL316 & MLT6WH-TL316 PACKAGE QTY 250	SS00281
02	9/04	JAMB	DPN	JJB	(B) REMOVED "AISI NO. 1 FULL RADIUSED" & REPLACED W/ "FULLY ROUNDED". (C) ADDED "REF" TO DIM (D) mm was [50]	12052
01	10/03	BRH	DPN	JJB	(A) ADDED ST3MT TO APPLICATION TOOL NOTE	11162

TITLE						
WAVE-TY HEAVY SERIES 316 STAINLESS STEEL						
CUSTOMER DRAWING						
ITEM REVISION NAME					N41123BS/05	
DATASET FILE NAME					N41123BS/05	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]					MATERIAL:	
.x ± .1 [2.54] .xxx ± .005 [.127]					316 STAINLESS STEEL	
.xx ± .01 [.25] ANGLES ± 5 °					DRAWING NUMBER:	
					N41123BS_DC	
DRAWN BY	DATE	CHK	SCALE	SHT 1 OF 1		
JAMB	10/03	DPN	2:1	A		