imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








MSL0101 series SRGB-S

Features •Side view RGB LEDs •High brightness, superior color mixing




Specifications


				Absolut	e Maximum	Ratings (Ta	ι=25℃)				Electric	al and	Optica	l Chara	acterist	ics (Ta:	=25°C)		
Part No.	Chip Structure	Emitting Color	Power Dissipation P _D (mW)	Forward Current I _F (mA)	Peak Forward Current IFP(mA)		Operating Temperature Topr(°C)	Storage Temperature Tstg(°C)							Max *2				nsity Iv IF(mA)
	AlGaInP	Red		50					2.1		10	5	619	624	629		450	700	
MSL0101RGB	InGaN	Green	400	40	100*	5	-40 to +85	-40 to +100	3.3	20			520	527	535	20	710	1200	20
•	Ingan	Blue		40					3.2		-	-	465	470	475		220	400	
																*D	uty1/20), 1ms	or less




Electrical Characteristics Curves




Luminous Intensity-Atmosphere Temperature



Luminous Intensity-Forward Current



Derating




Rank Reference of Brightness

Triple Color

Package structure	Package size	Height (mm)	l _⊧ (mA)	Luminous Intensity (mcd) Emitting Color	140 to 180	180 to 220	220 to 280	280 to 360	360 to 450	450 to 560	560 to 710	710 to 900	900 to 1100	1100 to 1400	1400 to 1800	1800 to 2200	2200 to 2800
Cide Mieur				Red													
Side View (Reflector)	6922	2.15	20	Green									MSL01	01RGB			
(nellector)				Blue													

Part No. Explanation



General products are free of ranks. Please contact sales if rank appointment is needed.

* Please refer to the Specification sheet about Taping specification.

Packing Specification

ROHM LED products are being shipped with desiccant (silica gel) concluded in moisture-proof bags. Pasting the moisture sensitive label on the outer surface of the moisture-proof bags or enclosing the humidity indication card inside the bag is available upon request. Please contact the nearest sales office or distributer if necessary.

	Notes
	or reproduction of this document, in part or in whole, is permitted without the OHM Co.,Ltd.
The content s	specified herein is subject to change for improvement without notice.
"Products").	specified herein is for the purpose of introducing ROHM's products (hereinafte If you wish to use any such Product, please be sure to refer to the specifications obtained from ROHM upon request.
illustrate the	application circuits, circuit constants and any other information contained hereir standard usage and operations of the Products. The peripheral conditions mus account when designing circuits for mass production.
However, sh	as taken in ensuring the accuracy of the information specified in this document ould you incur any damage arising from any inaccuracy or misprint of such ROHM shall bear no responsibility for such damage.
examples of implicitly, any other parties	I information specified herein is intended only to show the typical functions of and application circuits for the Products. ROHM does not grant you, explicitly o r license to use or exercise intellectual property or other rights held by ROHM and . ROHM shall bear no responsibility whatsoever for any dispute arising from the echnical information.
equipment or	s specified in this document are intended to be used with general-use electronic r devices (such as audio visual equipment, office-automation equipment, commu- ces, electronic appliances and amusement devices).
The Products	specified in this document are not designed to be radiation tolerant.
	always makes efforts to enhance the quality and reliability of its Products, a fail or malfunction for a variety of reasons.
against the p failure of any shall bear no	re to implement in your equipment using the Products safety measures to guard possibility of physical injury, fire or any other damage caused in the event of the Product, such as derating, redundancy, fire control and fail-safe designs. ROHM responsibility whatsoever for your use of any Product outside of the prescribed in accordance with the instruction manual.
system which may result in instrument, to controller or of the Produc	s are not designed or manufactured to be used with any equipment, device on n requires an extremely high level of reliability the failure or malfunction of which a direct threat to human life or create a risk of human injury (such as a medica ransportation equipment, aerospace machinery, nuclear-reactor controller, fuel- other safety device). ROHM shall bear no responsibility in any way for use of any cts for the above special purposes. If a Product is intended to be used for any purpose, please contact a ROHM sales representative before purchasing.
be controlled	to export or ship overseas any Product or technology specified herein that may I under the Foreign Exchange and the Foreign Trade Law, you will be required to use or permit under the Law.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/