imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



MAGNASPHERE® 🗾 ® MSS-RFS

Introducing the MSS-RFS Series Wireless Security Sensor

Designed as a replacement / upgrade for the OEM's RF sensor, the patent-pending MSS-RFS series provides the strongest FCC allowable output signal while maintaining a 14+ year battery life – IN A NARROW, LOW-PROFILE, AESTHETICALLY APPEALING HOUSING!!

Proven Industry History – MAGNASPHERE is the globally recognized High Security switch technology which is quickly becoming the standard for the government's highest level secure applications. CSI engineers have decades of experience, including the invention of reliable wireless security products. These partner companies have teamed successfully to provide the security systems and components that protect America's overseas embassies and other high asset locations. Now we can provide the best performing, most secure wireless sensors for all residential and commercial installations.



MAGNASPHERE MSS-RFS Technology

The MSS-RFS is the only wireless sensor utilizing the award-winning MAGNASPHERE switch technology instead of 70 year-old glass reed switches used by others. The robust all metal MAGNASPHERE switch is impervious to contact welding and resistant to magnetic tamper and defeat. Simply put, the MSS-RFS series sensors are . . .

The Most Secure Wireless Sensors Available Anywhere In The World!!

Compare these features and benefits and you won't use any other wireless contact again! **COMPATIBLE WITH THESE OEM* FORMATS:**

 $\label{eq:mss-rfs-100} = \text{UTC} - \text{INTERLOGIX} / \text{ITI} / \text{ELK}$ $\label{mss-rfs-200} = \text{HONEYWELL} (available Q2 \ 2014)$ $\label{mss-rfs-300} = 2 \ \text{GIG} (available Q2 \ 2014)$

- Made in America
- Smaller / Narrow switch package
- Higher Security MAGNASPHERE switch technology
- Superior RF performance even on steel surfaces
- Ultra-low current draw extends battery life (up to 14+ years)
- Side mounting of magnet
- Terminals to allow connection of an external input
- Built-in enclosure tamper
- Low battery indication
- Resistant to internal moisture build-up
- Easy to install
- Competitively priced

*UTC, Interlogix and ITI are registered trademarks of United Technologies Corporation, Elk is a registered trademark of Elk Products, Inc., Honeywell is a registered trademark of Honeywell International, Inc., 2 GIG is a registered trademark of Nortek, Inc.

MAGNASPHERE® ____ MSS-RFS

SPECIFICATIONS

Battery: 3VDC, 1.55Ah, CR123A Lithium Battery Typical Battery Life: Up to 14+ Years

External Input Sampling Current: 20 µA

Switch Type: MAGNASPHERE - Open Loop

Operating Gap: 0.63 in (1.60 cm)

Magnet Type: Neodymium Iron Boron (Rare Earth)

Supervisory Interval: 64 minutes

Operating Temperature: 14°F (-10°C) to 140°F (60°C)

Enclosure: ABS POLYLAC® PA-717C (UL94 HB flame-rating)


Weight: 1.6 oz. (51g)

Switch Dimensions: 3.2 in (81.3 mm) L x 1.04 in (26.4 mm) W x .96 in (24.4 mm) H


Magnet Dimensions: 1.3 in (33 mm) L x 0.5 in (1.27 mm) H x 0.43 in (10.9 mm) W

Color: White or Brown

FCC Standard: FCC Part 15



MAGNASPHERE® Corp. provides superior performing magnetic contact sensor technology for the residential, commercial, and federal government security markets. The MSS-RFS' leading-edge technology aims to set new industry standards for wireless security sensors while providing an affordable and more effective alternative to reed-based security contacts. To learn more about the MAGNASPHERE® MSS-RFS Wireless Security Sensor visit www.MAGNASPHERE.com or call 262-347-0711.



Warranty: MAGNASPHERE Corporation will provide replacements for products found to be defective in the first three years.

FCC Notice: This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference that may be received, including interference that may cause undesirable operation. Changes or modifications not expressly approved by MAGNASPHERE Corp. could void the user's authority to operate this equipment.