



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## PASSENGER Wireless Traveler Mouse

### The clever mobile solution for VIP passengers!

Mini laser mouse with insertable receiver for mobile use. No more need to search for your receiver or store it separately! Power concept for long battery life. Soft touch surface and a precise resolution of 1000 dpi.



### Key benefits

- Click & Go: Insertable receiver - ideal for mobile use
- Compatible for PCs and Macs via USB connection
- Plug & Play - no software installation required
- Compact, symmetrical design
- Intelligent power concept for long battery life in the notebook and mouse
- Cable-free freedom with 1.2 m reach
- Accurate and quick thanks to an optical sensor with 1000 dpi resolution

### Technical Data:

#### Housing color:

Product dependant, see table "Models"

#### Weight (product):

approx. 130 g

#### Total weight (with packaging):

170 g

#### Transmission range:

approx. 1.2 m

#### Frequency range:

26.957 MHz - 27.283 MHz

#### Storage Temperature:

-20°C to 65°C

#### Operating Temperature:

0°C to 40°C

#### Current Consumption:

typ. 12.2 mA (receiver), typ. 22 mA (mouse)

#### Interface:

- USB

#### Product approvals:

- c-tick
- UL
- CE
- FCC

#### System requirements:

- USB connection

#### Delivery Volume:

- 1 signal receiver
- USB charger cable
- Operating instructions in hard copy
- 2 rechargeable batteries type AA
- 1 optical wireless mouse

#### Dimensions (product):

approx. 108 x 60 x 28 mm

#### Packaging dimensions:

approx. 110 x 90 x 50 mm

#### Packaging (version):

White Box  
Retail version upon request

**Reliability:**

- MTBF > 80,000 hours

**Mouse:**

- Scanning: Optical
- Resolution: 1000 dpi
- Number of Keys: 3
- Scroll wheel with key function
- Design: Symmetrical

**Packaging Unit:**

- Number of products in the master package: 40
- Number of master packages per pallet: 27

**Warranty:**

3 years

Errors, technical changes and delivery possibilities excepted.  
 Technical information refers only to the specifications of the  
 products. Features may differ from the information provided.

**Model: PASSENGER Wireless Traveler Mouse**

<i>Order Number</i>	<i>EAN code</i>	<i>Interface</i>	<i>Color</i>
M-T3000-W	4025112071201	USB receiver	Black
M-T3030-W	4025112071195	USB receiver	White / Silver

Retail version upon request

ZF Electronics Corporation  
 11200 88th Avenue  
 Pleasant Prairie, WI 53158  
 USA

Phone: 262.942.6500

Internet: [www.cherrycorp.com](http://www.cherrycorp.com)

Sales: 262.942.6562

E-Mail: [sales@cherrycorp.com](mailto:sales@cherrycorp.com)

Support: 800.510.1689

E-Mail: [keyboardsupport@cherrycorp.com](mailto:keyboardsupport@cherrycorp.com)

Fax: 262.942.6566

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice. Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

