

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







# MultiModem® CDMA



# Cellular Modem

The MultiModem® CDMA cellular modem offers standards-based dual-band CDMA2000 1xRTT performance. This ready-to-deploy, standalone modem provides wireless data communication and integrates seamlessly with virtually any application. It is available with an RS-232 interface to cover your application needs. The MultiModem CDMA cellular modem is based on industry-standard open interfaces and can be desktop or panel mounted.


## **Features**

- CDMA2000 1xRTT
- · Dual-band 800/1900 MHz CDMA
- Supports Short Message Service such as text, UCS-2, point-to-point (MT/MO) and cell broadcast
- · Available with RS-232 interface
- Packet data up to 153.6K bps
- · Circuit-switched data up to 14.4K bps
- · IS-95A, IS-95B backwards compatible
- SMA antenna connector
- Configured using CDMA AT commands
- · Multiple LEDs provide ongoing operational status
- · Over-the-Air activation
- · Desktop or panel mounting
- · CDG 1 and 2 certified
- Two-year warranty



## **Benefits**

- Rugged industrial chassis
- RS-232 interface
- Carrier approved



# **Specifications**

#### Packet Data Features

CDMA2000 1xRTT, up to 153.6K bps forward & reverse

Dual-band 800/1900 MHz

#### Circuit Switched Data

IS-95A, IS-95B up to 14.4K bps forward & reverse

#### SMS Features

Text, UCS-2, Point-to-Point (MO/MT), cell broadcast

#### Connectors

RF Antenna: 50 ohm SMA female

Power: 2.5mm miniature screw

RS-232: DE-15 female

#### **Power Requirements**

9V to 32VDC

## **Operating System Support**

Windows XP/2003/Vista/2008/7 (32-bit/64-bit)

Linux

#### **Physical Description**

4.3" w x 2.4" d x 0.94" h 0.4 lbs

(11 cm w x 6.1 cm d x 2.4 cm h) 0.2 kg

#### **Environment**

Operating: -22° to +158° F (-30° to +70° C)

Storage: -40° to +185° F (-40° to +85° C)

Humidity: 20% to 90% RH noncondensing

#### **Approvals**

EMC Compliance: FCC Part 15 Class B

Radio Compliance: FCC Part 22, 24; RSS 132,133

Safety: UL 60950-1; cUL 60950-1; IEC 60950-1

Network: CDG 1&2

# **Ordering Information**

Product	Description	Region
MTCBA-C1X*	800/1900 MHz CDMA Modem	Regional
Ordering Codes		
-N2	For Sprint Networks (USA)	
-N3	For Verizon Wireless Networks (USA)	
-N16	For Aeris Communications Networks (USA)	
-NAM	Includes US Style Power Plug	

<sup>\*</sup> Use ordering codes for specific build options. Go to www.multitech.com for detailed product model numbers.

#### **Services & Warranty**

Multi-Tech's comprehensive Support
Services programs offer a full array of
options to suit your specific needs. These
services are aimed at protecting your
investment, extending the life of your
solution or product, and reducing total
cost of ownership. Our seasoned technical
experts, with an average tenure of more
than 10 years, can walk you through smooth
installations, troubleshoot issues and help
you with configurations. Products include a
2-year warranty that can be extended up to
5 years via Multi-Tech's Extended Warranty
program, which offers the convenience of
Overnight Service\* for optimal uptime.

#### Extended Warranty & Overnight Services

To give you peace-of-mind and protect your investment, our Extended Warranty Service Plans ensure your Multi-Tech products are covered for 1, 2, or 3 years beyond the manufacturer's warranty with an optional Overnight Service plan\*.

#### **Installation Support**

Multi-Tech's Installation Support Service delivers priority service with the ability to work one-on-one with an experienced Multi-Tech technical support engineer, to guide you through the installation process for our products.

#### **Technical Support Services**

At Multi-Tech, we're committed to providing you personalized attention and quality service while providing you a quick response to your product support needs. We have several options of support for you to choose from.

For additional information on Support Services as well as other service offerings, please contact your Multi-Tech representative or visit www.multitech.com/support.go.

\* Overnight replacement service is currently available for U.S. customers.

#### World Headquarters

Multi-Tech Systems, Inc. 2205 Woodale Drive Mounds View, MN 55112 U.S.A. Tel: 763-785-3500 Toll-Free: 800-328-9717 Email: sales@multitech.com www.multitech.com

### **EMEA Headquarters**

Multi-Tech Systems (EMEA) Unit 1, Thames Court 2 Richfield Avenue Reading, Berkshire RG1 8EQ United Kingdom Tel: +(44) 118 959 7774 Email: sales@multitech.co.uk

