

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










The QuickCarrier® USB-D USB cellular modem is designed and built for M2M (machine-to-machine) applications. That means it is built for long life while delivering reliable data connectivity. The QuickCarrier USB-D is designed for quick implementation of cellular technology – allowing customers to easily connect their devices to the internet.

- Easy to use Connection Manager
- · Internal antenna
- Short Message Services (SMS)
- Drivers for Windows® and Linux
- AT command compatible
- Two-year warranty, upgradable to five years

BENEFITS

- Quick deployments to shorten time to market
- Long and stable life cycles
- Certified and carrier approved



SPECIFICATIONS

Model	MTD-H5-2.0	MTD-EV3	
Performance	HSPA+	EV-DO	
Frequency Band (MHz)	3G : Hepta-band 800/850/900/AWS 1700/1900/2100 2G : Quad-band 850/900/1800/1900	Dual-band 800/1900	
Packet Data*	Up to 21.0 Mbps downlink Up to 5.76 Mbps uplink	Up to 3.1 Mbps downlink Up to 1.8 Mbps uplink	
SMS	Point-to-Point Messaging, Mobile-Terminated SMS, Mobile-Originated SMS		
USB	USB 2.0 High Speed Compatible		
IP Protocols	TCP/UDP/FTP/SMTP		
Operating Voltage	5V via USB Bus		
Connectors			
SIM Connector	Mini SIM; 1.8 and 3V	N/A	
Physical Description			
Dimensions (L x W x H)	3.1" x 1.58" x 0.74" (7.87 cm x 4.01 cm x 1.88 cm) Includes 7" (17.3 cm) integrated USB cable	3.1" x 1.58" x 0.74" (7.87 cm x 4.01 cm x 1.88 cm) Includes 10.5" (26.5 cm) integrated USB cable	
Environmental			
Operating Temperature	-40° to +122° F (-40° to +50° C)		
Storage Temperature	-40° to +185° F (-40° to +85° C)		
Humidity	Relative humidity 15% to 93% noncondensing		
Certifications			
Regulatory	FCC Part 15 Class B, IC, R&TTE	FCC Part 15 Class B	
Safety	UL60950-1, cUL60950-1, IEC60950-1	UL60950-1	
Network	AT&T, T-Mobile, Rogers, EU Carriers Pending: Bell, Telus	Verizon, Sprint, Aeris	

^{*} Actual performance speeds may be affected by a variety of attributes such as cell tower distance, data loads, packet sizes, etc.

HIGHLIGHTS

Applications

With 3G packet data rates, the QuickCarrier USB-D will support highly data-intensive applications such as remote video surveillance, multimedia POS/ATM terminals as well as other lower data rate applications.

M2M Design

The QuickCarrier USB-D is specifically designed for M2M customers. Many cellular dongles available today are designed and built with consumers in mind. Consequently, the modem is constantly undergoing change. For M2M applications this is extremely troublesome. The QuickCarrier USB-D delivers reliable 3G connectivity in a platform customers can depend on.

ORDERING INFORMATION

GSM Products

Product

MTD-H5-2.0	HSPA+ USB Modem	Global
CDMA Products		
Product	Description	Region
MTD-EV3-N2	EV-DO USB Modem for Sprint Networks	US
MTD-EV3-N3	EV-DO USB Modem for Verizon Wireless Networks	US
MTD-EV3-N16	EV-DO USB Modem for Aeris Networks	US

Go to www.multitech.com for detailed product model numbers.

Produced in the U.S. of U.S. and non-U.S. components. Features and specifications are subject to change without notice.

Trademarks and Registered Trademarks: MultiTech and the MultiTech logo, QuickCarrier: Multi-Tech Systems, Inc. All other products and technologies are the trademarks or registered trademarks of their respective holders.

SERVICES & WARRANTY

MultiTech's comprehensive Support Services programs offer a full array of options to suit your specific needs. These services are aimed at protecting your investment, extending the life of your solution or product, and reducing total cost of ownership. Our seasoned technical experts, with an average tenure of more than 10 years, can walk you through smooth installations, troubleshoot issues and help you with configurations.

INSTALLATION SUPPORT

MultiTech's Installation Support Service delivers priority service with the ability to work one-on-one with an experienced MultiTech technical support engineer, to guide you through the installation process for our products.

TECHNICAL SUPPORT SERVICES

At MultiTech, we're committed to providing you personalized attention and quality service while providing you a quick response to your product support needs. We have several options of support for you to choose from.

For additional information on Support Services as well as other service offerings, please contact your MultiTech representative or visit www.multitech.com/support.go



World Headquarters

Multi-Tech Systems, Inc. 2205 Woodale Drive Mounds View, MN 55112 U.S.A. Tel: 763-785-3500 Toll-Free: 800-328-9717 Email: sales@multitech.com www.multitech.com

EMEA Headquarters

Region

Multi-Tech Systems (EMEA)
Strata House
264-270 Bath Road
Harlington UB3 5JJ
United Kingdom
Tel: +(44) 118 959 7774
Email: sales@multitech.co.uk
www.multitech.co.uk



Description