

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES:

 $\mathsf{B}$ 

1. TO BE USED WITH PANDUIT METAL BANDING MBSH-TR

2. INSTALLATION TOOL: RT2HT, PBTMT, RT2HTN

3. BRACKETS [ ] DENOTES DIMÉNSIONS IN MILLIMETERS


4. MINIMUM LOOP TENSILE STRENGTH: 450 lbs (2002 newtons)


5. TOLERANCES: .X = ±.030 [.762]


 $.XX = \pm .020 [.508]$  $.XXX = \pm .010 [.254]$ 

ANGLES =  $\pm 2^{\circ}$ 

6. MATERIAL: 304 STAINLESS STEEL







								TITLE						
Α								ME.			PER HEAVY DUTY FOR RT NO. MTHSH-C			
								CUSTOMER DRA				AWING		
	03A	11/13	MIM	MIM	RGB	1. PART NUMBER MTHSH-C WAS INCORRECTLY SPECIFIED MTHS-CH	SSECN01115	DATASET FI	N4120	4BS/03		PANDUIT		
	02A	4/13	JAMB	МІМ	RGRO	UPDATE DRAWING TO NEW GLOBAL PANDUIT TITLE BLOCK WITH PANDUIT LOGO	SSECN01049	N41204BS_DC/03A  UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]			MATERIAL:	$\dashv$		
	01A	7/11	JAMB	МІМ		ADDED INSTALLATION TOOLS PBTMT & RT2HTN					SEE NOTES			
	00A	10/08	JAMB	SKB		ORIG CAD FILE SPEC WAS \$41204_00. NOTE #2 - APPLICATION TOOL RT1HT REPLACED BY RT2HT			.01 [ .25 ]	ANGLES ±		DRAWING NUMBER:		
	00	8/05	JAMB	EJD		DRAWING RELEASED	SS00016				IRD ANGLE OJECTION	N41204BS_DC		
	REV	DATE	BY	СНК	APR	DESCRIPTION	ECN	JAMB	8/9/05	EJD	2:1	SHT 1 0F 1		
								4						

TITLE