## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






## NOTES:

В


1 . TO BE USED WITH PANDUIT METAL BANDING MBSH-TR316


2

- 2. INSTALLATION TOOLS: RT2HT, PBTMT, RT2HTN
- BRACKETS [ ] DENOTES DIMENSIONS IN MILLIMETERS З.
- MINIMUM LOOP TENSILE STRENGTH: 450 LBS (2002 newtons) 4.
- TOLERANCES:  $.X = \pm .030 [.762]$ 5. .XX = ±.020 [.508] .XXX = ±.010 [.254] ANGLES = ±2°
- 6. MATERIAL: 316 STAINLESS STEEL



В





'								TITLE					
								METAL LOCKING TIE HEAD - SUPER HEAVY DUTY FOR					)R   _
A									UNCOATED BANDING PART NO. MTHSH-C316				
Ĺ					l		AWING						
		1			۱ I		ļ	ITEM REVI	SION NAME		<u></u>		
Ì	$\rightarrow$		<del>۱</del>				ł	N41205BS/02					
ŀ								DATASET FILE NAME N41205BS_DC/02A			<b>FANDUI</b>	1	
	02A	4/13	JAMB	МІМ	RGRO	UPDATE DRAWING TO NEW GLOBAL PANDUIT TITLE BLOCK WITH PANDUIT LOGO	SSECN01049	UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± .1 [2.54] .xxx ± .005 [.127]			MATERIAL:		
	01A	7/11	JAMB	MIM		ADDED INSTALLATION TOOLS: PBTMT & RT2HTN					SEE NOTES		
	00A	10/08	JAMB	EJD		ORIG CAD FILE SPEC WAS S41205_00. NOTE $#2 - APPLICATION TOOL RT1HT REPLACED BY RT2HT$			± .01 [ .25 ]	ANGLES ±	5°	DRAWING NUMBER:	
	00	8/05	JAMB	EJD		DRAWING RELEASED	SS00016	] {			RD ANGLE DJECTION	N41205BS_D(	$\sum$
	REV	DATE	BY	снк	APR	DESCRIPTION	ECN	DRAWN BY			SCALE		SIZE
L								JAMB	8/9/05	EJD	2:1	SHT 1 0F 1	Α
2							1						